



FOODSERVICE
PRODUCT CATALOG
JANUARY 2011
WWW.METRO.COM




Products designed to fit
your business and your needs.



Advantage



Examples of 3D Product and Application Visualization



Looking for
value-added services?

Metro can make everything
from application visualization
to custom packaging easy.

Professional Services Available:


- Free “Space Audits” to Optimize Your Storage
- Product Planning and Room Layout
- Project Quoting and Management
- 3D Product and Application Visualization
- Custom Product Design and Engineering
- Product Prototyping and Samples
- Custom Packaging



Metro.



“We take pride in
delivering a positive
purchasing experience.”



Self-Service Tools ...online!

- Web-Based Room Layout and Product Planning
- Web-Based Product Configuration
- Web-Based Learning Modules

Visit www.metroconfigurator.com and test drive the Configurator . . . our web-based software developed to give you the power to manage your space.

CONTENTS



Value Added Services Inside Front Cover-3

Table of Contents 4-5

Metro Shelving Systems 6-7

Polymer Shelving Solutions 8-28

- iQ System Overview 10-11
- How MetroMax i® & MetroMax Q® Integrate 12-13
- Build-a-shelf with the iQ Shelving System 14-15
- Casters, Pull & Push Handles 16-17
- Mobile Shelving Units & Utility Carts 18-19
- Starter & Add-On Units 20-21
- System Accessories 22-28

Wire and Solid Shelving Solutions 30-69

- Wire/Polymer Hybrid Shelving 32-35
- Easy-Adjust Shelving & Carts 36-39
- Wire Shelving, Carts & Trucks 40-47
- Casters & Accessories for Wire Shelving 48-62
- Solid Shelving & Accessories 64-66
- Light-Duty Wire Shelving & Accessories 67
- Heavy-Duty Solid Shelving & Accessories 68-69

Wall Shelving & Carts 70-85

- Wall Shelving & Storage Systems 72-80
- Heavy-Duty Polymer Utility Carts 81
- Polymer Utility Carts 82-83
- Utility Carts 84
- Heavy-Duty Utility Carts 85

High-Density Storage, Dunnage & Security 86-105

- High-Density Movable Aisle Shelving 88-95
- Vertical High-Density Shelving 96
- Dunnage Racks & Shelves 97-98
- Security Storage 99-103
- Seismic Shelving 104-105

C O N T E N T S

Heated Cabinets & Racks.....108-165

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164



Worktables & Service Carts.....166-170

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170



Ware Handling172-177

"Poker Chip" Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handing Racks/Carts & Accessories.....	177



Housekeeping & Specialty.....178-197

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197
Alpha-Numeric	198-227
Terms and Conditions.....	228-230
Index	Inside Back Cover
Locations.....	Back Cover



Superior materials and design for every application.

Engineered for use and abuse.

Robust Steel Corners • Reinforced Center Supports
Durable Finishes • Advanced Polymer Materials • Type 304 Stainless Steel
Easy-to-Adjust in Increments of 1" (25mm)



MetroMax i™
Unique lifelong performance.



MetroMax Q™
Quick to clean. Quick to adjust.



Super Erecta Pro™
Durable & cleanable.
The original—reinvented.



Super Adjustable Super Erecta™
Shelves adjust with a flip of the release!

MetroMax i™	
Protection	★★★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★★
Warranty	★★★★★

MetroMax Q™	
Protection	★★★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★★
Warranty	★★★★★

Super Erecta Pro™	
Protection	★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★
Warranty	★★★★

Super Adjustable Super Erecta™	
Protection	★★
Ease of Cleaning	★★
Ease of Shelf Adjustment	★★★★★
Warranty	★★



*MICROBAN® antimicrobial product protection helps keep shelves “cleaner between cleanings” by inhibiting the growth of mold, mildew, fungus, and bacteria that cause odors and stains on the shelf surface.

MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.


MetroMax i®

“The ultimate storage and handling system with a lifetime guarantee against rust”




MetroMax Q®

“Quick to Clean
Quick to Adjust
Quick to Assemble”



Super Adjustable Super Erecta®

“The easiest to adjust wire shelving system ever”




qwikSLOT™

“Add-A-Shelf,
Remove-A-Shelf...
Instantly”




Super Erecta Pro™

“Durable and Cleanable.
The original – reinnovated.”



Super Erecta®

“The Original Wire Storage and Handling System”



Drop Mat™

“Provides density and containment economically”



Super Erecta® Solid

“A solid performer in the proven Super Erecta style”





POLYMER SHELVING SOLUTIONS

MetroMax iQ® Storage System

iQ System Overview	10-11
How MetroMax i® & MetroMax Q® Integrate	12-13
Build-a-shelf with the iQ Shelving System	14-15
Casters, Pull & Push Handles	16-17
Mobile Shelving Units & Utility Carts	18-19
Starter & Add-On Units	20-21
System Accessories	22-28

unique equation.

i + Q = iQ ... now that's smart.

Uniquely Justifiable

"Budgets are tight . . . so we need to make every dollar last."



MetroMax i® Uniquely Lifelong ...



Uniquely Cleanable

"Removable mats are a must in any industry, so cleanable."



MetroMax Q® Unique Value ...

Uniquely Interchangeable

"We're looking for a smart system that lets us interchange and upgrade components to meet new and changing tasks."

Uniquely Durable

"We needed a system as strong as our Metro racks but with protected surfaces that won't scratch and chip. The polymer shelf mats and posts definitely hold up to all the abuse, plus the mats are really easy to clean."

MetroMax iQ™ Storage System

Interchangeability: MetroMax i® and MetroMax Q®, shelves, posts, and most accessories are uniquely interchangeable making the iQ system adaptable to your specific application.

Longer-Life Durability and Performance: Corrosion proof MetroMax i® has an innovative polymer design and the performance of stainless steel at a fraction of the cost. MetroMax Q® has an advanced polymer and epoxy coated steel design that offers superior performance versus wire shelving. All shelves hold as much weight as wire shelves, but also offer protective polymer surfaces for long life and easily removable shelf mats that can be cleaned in a fraction of the time of wire.

Designed with innovative polymers for longer-life product performance, easy-to-clean surfaces to promote a cleaner environment and higher level of safety, interchangeable components for maximum flexibility, interactive on-line tools . . . a truly unique way to improve operational efficiencies, productivity, and ultimately ROI.



Improved Cleanability: iQ System shelves have removable polymer mats that are easily cleaned in sinks, wash or dish machines. Cleaner shelves promote safe environments.

Storage Optimization: iQ System accessories contain, compartmentalize, and organize your stored contents to maximize every square inch of storage space. Smooth polymer components protect fragile packaged items.



MetroMax i® Uniquely Lifelong ...

- Corrosion Proof, Lifetime Warranty Against Corrosion
- Polymer Construction with Stainless Steel Corners
- All Polymer Posts
- Removable, Easily Cleanable Polymer Shelf Mats
- Open Grid and Solid Shelves



Interchangeable Posts



Interchangeable Shelves



Selecting system components for your



"The choice was easy... Our facility needed the most cleanable, most durable, and totally corrosion proof system available, and MetroMax i® was all that and cost efficient."



"We put extremely heavy loads on our MetroMax i Top-Track system, so we opted for the steel posts for added rigidity."



MetroMax Q® Unique Value...



- Quick-to-adjust Shelves Provide Maximum Space Utilization
- Corrosion Resistant, 15 Year Warranty Against Corrosion
- Epoxy Coated Wire Shelf Frames and Posts
- Removable, Easily Cleanable Polymer Shelf Mats
- Open Grid Shelves

Strong.

All shelves are designed with robust steel corners and reinforced center trusses for the strength you need. Shelves up to 48" (1219mm) long hold 800 lbs. (363kg). A four-shelf unit can hold 2,000 lbs. (907kg).



All shelf mats, posts, and touch points have built in Microban® antimicrobial product protection.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

application . . . it's a no brainer.



"While outfitting a damp area with shelving, we were able to upgrade our system; all 4 posts are now polymer and the bottom shelf is a Heavy Duty polymer as well . . . the units fit perfectly into our budget and provides long-term value."



"We've typically purchased standard wire shelving, but these days value is a must. Upgrading to MetroMax Q is the perfect balance between price and value. It's easy to clean and resists rust and corrosion, for a longer shelf life."



MetroMax i® Polymer Shelving — 9.20

Standard Shelves

- Part number includes shelf with removable mats and one bag of wedges.

Nominal Width (in.) (mm)	Nominal Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Shelf with Grid Mat	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Shelf with Solid Mat	List Price Each
18 457	24 610	8.7 4.0	MX1824G	124.50	12.7 5.8	MX1824F	141.00
18 457	30 760	10.5 4.7	MX1830G	130.00	14.5 6.6	MX1830F	147.00
18 457	36 914	12.2 5.5	MX1836G	130.00	17.2 7.8	MX1836F	147.00
18 457	42 1060	13.9 5.3	MX1842G	156.50	20.1 9.1	MX1842F	177.00
18 457	48 1220	15.7 7.1	MX1848G	156.50	23.1 10.5	MX1848F	177.00
18 457	54 1372	17.5 7.9	MX1854G	186.50	21.5 9.7	MX1854F	211.00
18 457	60 1524	19.2 8.7	MX1860G	186.50	23.2 10.5	MX1860F	211.00
18 457	72 1829	22.5 10.2	MX1872G	218.00	27.5 12.5	MX1872F	247.00
24 610	24 610	12.2 5.5	MX2424G	155.00	14.2 6.4	MX2424F	175.50
24 610	30 760	13.9 6.3	MX2430G	158.00	15.9 7.2	MX2430F	179.00
24 610	36 914	15.6 7.1	MX2436G	158.00	19.6 8.9	MX2436F	179.00
24 610	42 1060	17.5 7.9	MX2442G	193.00	21.5 9.8	MX2442F	218.50
24 610	48 1220	19.3 8.7	MX2448G	193.00	25.3 11.5	MX2448F	218.50
24 610	54 1372	21.0 9.5	MX2454G	228.50	25.0 11.3	MX2454F	258.50
24 610	60 1524	22.8 10.5	MX2460G	228.50	26.8 12.1	MX2460F	258.50
24 610	72 1829	26.0 11.8	MX2472G	270.00	31.0 14.1	MX2472F	305.50

Actual Dimensions: Width: Add 1/4" (6mm) to nominal size. Length: Subtract 1/4" (6mm) from nominal size.

Heavy-Duty Dunnage Shelves

- Weight capacity per shelf evenly distributed: 1,200 lbs. (544kg) on shelves up to and including 48" (1220mm) long; 900 lbs. (408kg) for shelves 60" (1524mm) long.

Nominal Width (in.) (mm)	Nominal Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Shelf with Grid Mat	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Shelf with Solid Mat	List Price Each
18 457	36 914	18 8.2	MHP1836G	143.50	22 10.0	MHP1836F	158.00
18 457	48 1220	22 10.0	MHP1848G	170.50	26 11.8	MHP1848F	188.00
18 457	60 1524	26 11.8	MHP1860G	204.50	30 13.6	MHP1860F	226.50
24 610	36 914	21 9.5	MHP2436G	174.50	25 11.3	MHP2436F	196.50
24 610	48 1220	27 12.2	MHP2448G	207.50	31 14.1	MHP2448F	226.50
24 610	60 1524	33 15.0	MHP2460G	249.50	37 16.8	MHP2460F	272.00

(Dunnage shelves are not recommended for use as part of an add-on unit with two posts.)



Polymer Posts

- Corrosion proof with built-in Microban antimicrobial product protection.
- Compatible for use with MetroMax i® and MetroMax Q shelves.
- Stationary posts include an adjustable leveling foot to compensate for uneven floors. Leveling foot can be adjusted 1" (25mm).



Microban
antimicrobial product protection

Nominal Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stationary Post with Leveling Foot	Cat. No. Mobile Post for Stem Caster	List Price Each
9 228	0.3 0.15	—	MX9UP	21.50
13 370	0.5 0.2	MX13P	MX13UP	24.50
27 685	0.9 0.4	MX27P	MX27UP	33.00
33 875	1.0 0.5	MX33P	MX33UP	36.50
54 1370	1.6 0.7	MX54P	MX54UP	40.50
63 1585	1.8 0.8	MX63P	MX63UP	43.50
74 1890	2.2 1.0	MX74P	MX74UP	49.50
86 2195	3.0 1.4	MX86P	MX86UP	57.50

(Special height cut posts are available. Consult your Metro representative.)



MetroMax i® Replacement Wedges

Bag of (4)
Cat. No. MX9985
List Price 9.40 per bag

MetroMax i® Wedges are not compatible with original MetroMax shelves and posts.



Post Clamp

Adds stability by joining posts of two separate units together. With it, each unit is supported by four posts and buttressed by the adjacent unit.

Cat. No. 9994X
List Price 16.90 each



Foot Plate

Use to add stability to the shelving unit or to bolt units to the floor.

Cat. No. Zinc 9993Z
List Price 12.00 each
Cat. No. Stainless Steel 9993S
List Price 27.00 each

MetroMax Q® Shelving — **9.21**

Standard Shelves

- Part number includes shelf with removable mats and one bag of wedges.

Width (in.) (mm)	Nominal Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Shelf with Cat. No.	List Price Each
18 457	24 610	6.2 2.8	MQ1824G	85.00
18 457	30 760	8.0 3.6	MQ1830G	89.00
18 457	36 914	9.7 4.4	MQ1836G	89.00
18 457	42 1060	11.4 5.2	MQ1842G	107.00
18 457	48 1220	13.2 6.0	MQ1848G	107.00
18 457	54 1372	15.0 6.8	MQ1854G	127.50
18 457	60 1524	16.7 7.6	MQ1860G	127.50
18 457	72 1829	20.0 9.1	MQ1872G	145.00
21 530	24 610	8.0 3.6	MQ2124G	97.00
21 530	30 760	9.7 4.4	MQ2130G	100.00
21 530	36 914	11.4 5.2	MQ2136G	100.00
21 530	42 1060	12.8 5.8	MQ2142G	117.50
21 530	48 1220	14.5 6.6	MQ2148G	117.50
21 530	54 1372	16.7 7.6	MQ2154G	137.50
21 530	60 1524	18.5 8.4	MQ2160G	137.50
21 530	72 1829	21.7 9.9	MQ2172G	168.00
24 610	24 610	9.7 4.4	MQ2424G	106.00
24 610	30 760	11.4 5.2	MQ2430G	108.00
24 610	36 914	13.1 6.0	MQ2436G	108.00
24 610	42 1060	14.1 6.4	MQ2442G	132.00
24 610	48 1220	15.8 7.1	MQ2448G	132.00
24 610	54 1372	18.5 8.4	MQ2454G	156.50
24 610	60 1524	20.3 9.2	MQ2460G	156.50
24 610	72 1829	23.5 10.7	MQ2472G	183.00

Actual Dimensions: Width: Add $\frac{3}{16}$ " (10mm) to nominal size. Length: Subtract $\frac{3}{16}$ " (5mm) from nominal size.



MetroMax Q® shelves that are part of the iQ system have different actual measurements than original MetroMax Q shelves and cannot be mixed on the same shelving units.

Solid Mat Overlays

- Overlays snap onto the open grid mats to create a solid surface.
- Available for 21" (530mm) deep MetroMax Q shelves.
- For 18" (457mm) and 24" (610mm) deep solid shelves, please see Models MX****F on previous page.

Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
21x24 530x610	0.35 0.16	Q2124SM	33.00
21x30 530x760	0.45 0.20	Q2130SM	34.00
21x36 530x914	0.50 0.23	Q2136SM	35.50
21x42 530x1060	0.60 0.27	Q2142SM	39.50
21x48 530x1220	0.70 0.32	Q2148SM	39.50
21x54 530x1372	0.80 0.36	Q2154SM	47.50
21x60 530x1524	0.90 0.41	Q2160SM	47.50
21x72 530x1829	1.00 0.45	Q2172SM	57.00



Posts

- Epoxy coated steel and polymer posts have Microban antimicrobial product protection.
- Stationary posts include an adjustable leveling foot to compensate for uneven floors. Leveling foot can be adjusted 1" (25mm).
- When mounting a shelving unit to a dolly base, stationary posts are used.

Nominal Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	STEEL		POLYMER	
		Cat. No. Stationary Post with Leveling Foot	Cat. No. Mobile Post for Stem Caster	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)
9 228	0.3 0.15	—	—	—	MX9UP 21.50
13 370	1.0 0.5	MQ13PE	MQ13UPE 21.00	0.5 0.2	MX13P 24.50
27 685	2.0 0.9	MQ27PE	MQ27UPE 25.00	0.9 0.4	MX27P 33.00
33 875	2.5 1.1	MQ33PE	MQ33UPE 28.00	1.0 0.5	MX33P 36.50
54 1370	4.0 1.8	MQ54PE	MQ54UPE 29.50	1.6 0.7	MX54P 40.50
63 1585	4.5 2.0	MQ63PE	MQ63UPE 33.00	1.8 0.8	MX63P 43.50
70 1778	5.0 2.3	—	MQ70UPE 42.00	—	—
74 1890	5.5 2.5	MQ74PE	MQ74UPE 35.00	2.2 1.0	MX74P 49.50
86 2195	6.5 2.9	MQ86PE	MQ86UPE 40.00	3.0 1.4	MX86P 57.50
(Special height cut posts are available. Consult your Metro representative.)					



MetroMax Q® Replacement Wedges
Bag of (4)
Cat. No. **MQ9985**
List Price 9.60 per bag

MetroMax Q® Wedges are compatible with original MetroMax Q shelves and posts.

Microban
antimicrobial product protection

Go mobile.

Add casters to any shelving unit to add versatility.

MetroMax iQ Stem Casters — 9.25

For use with either MetroMax i polymer or MetroMax Q steel stem caster posts.

- Promotes easy cleaning. Casters allow shelving units to be moved easily for access to floors and walls.
- Efficient Transport: Create a cart to efficiently move supplies throughout a facility or campus.



5PCX



5PCBX



5MPX

Rigid stem casters are often ordered two per unit for improved tracking and handling. Rigid caster channels are provided with each two rigid stem casters at no charge.

Polymer Stem Casters — 9.25

- Corrosion resistant performance: all-polymer horn, stainless steel axle and hardware, 5" (127mm) diameter polyurethane wheel, sleeve-style axle bearing, and an optional toe-operated brake mechanism.
- Models available with antimicrobial product protection built into the tread.
- Load rating of 300 lbs. (135kg) and a temperature range from -20° to 120° F (-29° to 49° C) [continuous].
- Bumpers included.

Wheel Tread	Type	Diameter (in.) (mm)	Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Cat. No. Antimicrobial	List Price Each
Polyurethane	Swivel	5 127	1 1/4 32	2 .9	5PCX	73.00	5PCXM	81.50
Polyurethane	Brake	5 127	1 1/4 32	2 .9	5PCBX	80.00	5PCBXM	87.50
Polyurethane	Rigid*	5 127	1 1/4 32	2 .9	5PCRX	80.00		

Note 1: Optional tread guards (blue) may be ordered by adding "TG" to the desired model number (eg. 5PC-TG, 5PCB-TG, 5PCR-TG).

Note 2: Stem casters are shipped with donut bumpers at no extra charge.

*Note 3: Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.

Note 4: Not suitable for cart wash and autoclave applications.

Standard Stem Casters — 9.25

- Plated caster horns and hardware.

- Swivel, Swivel with Brakes, and Rigid Caster options available.

Type	Wheel Tread	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Stem/Swivel	Resilient	200 91	2 3/4 1.2	5MX	30.50
Stem/Brake	Resilient	200 91	3 1.4	5MBX	36.50
Stem/Rigid	Resilient	200 91	3 3/4 1.7	5MRX	36.50
Stem/Swivel	Polyurethane	300 135	2 1/4 1.0	5MPX	48.00
Stem/Brake	Polyurethane	300 135	2 1/2 1.1	5MPBX	54.00
Stem/Rigid	Polyurethane	300 135	2 1/4 1.0	5MPRX	54.00
Stem/Swivel	Resilient Donut	250 113	2 1/2 1.1	5MDXA	30.50
Stem/Brake	Resilient Donut	250 113	2 1/2 1.1	5MDBXA	36.50
Stem/Rigid	Resilient Donut	250 113	2 1/2 1.1	5MDRXA	36.50

MetroMax iQ bumpers included.


*Note: Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.

Stainless Steel Cart-Washable Stem Casters — 9.25

- Stainless horn, axle, and stem with sealed bearings.

Type	Wheel Tread	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Stem/Swivel	Polyurethane	300 135	2 1/8 1.0	5MPXGSA	144.50
Stem/Brake	Polyurethane	300 135	2 1/8 1.0	5MPBXGSA	149.50
Stem/Rigid*	Polyurethane	300 135	2 1/8 1.0	5MPRXGSA	149.50

*Note: Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.



Handle it.

Adding Stainless Steel handles to shelving puts you in control.

- Use handles on mobile units to improve maneuverability and ergonomics.
- Handles are compatible with MetroMax i® and MetroMax Q® units.
- Corrosion proof Type 304 stainless steel construction offers long lasting performance.



Tri-Lobal Adapters
Included with handles.

Tri-Lobal Adapter Replacements
Cat. No. **MTLA**
Bag of 4 assemblies
List Price 10.50 each

MTLA adapters are designed to work with the new MetroMax iQ Storage System and are not compatible with original MetroMax.

Extended and Easy-Grip Handles are compatible with original MetroMax Q shelves.

Extended Handle — 9.25

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	4.5 113	2.5 1.1	MEH18S	80.00
21 530	4.5 113	2.6 1.2	MEH21S	82.50
24 610	4.5 113	2.8 1.3	MEH24S	84.00



Easy-Grip Handle — 9.25

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	6 151	2.5 1.1	MERGH18S	88.50
24 610	6 151	3.0 1.4	MERGH24S	92.50



Swing-up Handle — 9.25

- Ideal for maneuvering heavier loads.

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
24 610	17.75 447	4.5 2.0	MSUH24S	134.50



MetroMax i®
with Open Grid ShelvesMetroMax i®
with Solid Shelves**MetroMax i® — Stem Caster Carts**

- Corrosion proof shelves and posts; removable polymer mats.
- Standard Units consist of four shelves, MX63UP posts 63" (1600mm), wedge connectors and choice of resilient rubber or polyurethane casters.
- Approximate cart height — 67^{5/16}" (1710mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

MetroMax i® Open Grid

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Swivel 2-Brake Resilient Rubber Casters	List Price Each	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
18x36	457x914	74	33	X336BGX3	828.00	X336EGX3	898.00
18x48	457x1220	86	38	X356BGX3	934.00	X356EGX3	1,004.00
18x60	457x1524	98	44	X366BGX3	1,054.00	X366EGX3	1,124.00
24x36	610x914	82	37	X536BGX3	940.00	X536EGX3	1,010.00
24x48	610x1220	98	44	X556BGX3	1,080.00	X556EGX3	1,150.00
24x60	610x1524	114	51	X566BGX3	1,222.00	X566EGX3	1,292.00

MetroMax i® Solid Shelves

Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
94	42	X336EFX3	966.00
106	48	X356EFX3	1,086.00
118	53	X366EFX3	1,222.00
102	46	X536EFX3	1,094.00
118	53	X556EFX3	1,252.00
134	60	X566EFX3	1,412.00

MetroMax Q® — Stem Caster Cart, Open Grid Shelves

- Quick adjust shelves with removable polymer shelf mats.
- Standard Units consist of four open grid shelves, MQ63UPE posts 63" (1600mm), wedge connectors, and choice of resilient rubber or polyurethane casters.
- Approximate cart height — 67^{5/16}" (1710mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

MetroMax Q®
with Open Grid Shelves

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Swivel 2-Brake Resilient Rubber Casters	List Price Each	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
18x36	457x914	68	31	Q336BG3	640.00	Q336EG3	713.50
18x48	457x1220	84	38	Q356BG3	694.00	Q356EG3	764.00
18x60	457x1524	100	45	Q366BG3	776.00	Q366EG3	846.00
21x36	530x914	74	34	Q436BG3	666.00	Q436EG3	736.00
21x48	530x1220	90	41	Q456BG3	736.00	Q456EG3	806.00
21x60	530x1524	106	48	Q466BG3	816.00	Q466EG3	886.00
24x36	610x914	80	36	Q536BG3	704.00	Q536EG3	778.00
24x48	610x1220	96	44	Q556BG3	794.00	Q556EG3	864.00
24x60	610x1524	112	51	Q566BG3	892.00	Q566EG3	962.00

Stem Caster Carts with Solid Bottom MetroMax i® Shelves

- 5-tier models with Microban® antimicrobial product protection.
- Standard Units consist of 5 shelves (4 open grid, 1 MetroMax i solid), 74" (1880mm) posts, wedge connectors, and polyurethane casters.
- Approximate cart height — 79^{5/16}" (2015mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

MetroMax i®
with a Solid Bottom Shelf

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
18x36	457x914	82	37	5X337EGX3	1,069.00	85	39	5Q337EG3	847.00
18x48	457x1220	109	49	5X357EGX3	1,205.00	111	50	5Q357EG3	949.00
18x60	457x1524	121	55	5X367EGX3	1,359.00	123	56	5Q367EG3	1,065.00
24x36	610x914	102	46	5X537EGX3	1,213.00	104	47	5Q537EG3	955.00
24x48	610x1220	123	56	5X557EGX3	1,392.50	125	57	5Q557EG3	1,090.50
24x60	610x1524	141	63	5X567EGX3	1,574.50	144	65	5Q567EG3	1,228.50

Push ahead.

Give yourself the versatility you need with Metro Utility Carts.

Utility Carts

- Can be used in a variety of unique transport applications.
- Durable materials, ergonomic handles, and premium casters promote long life and ease of use.
- Microban product protection built into the shelf mats, frames, and posts.
- Easier to clean with removable shelf mats.

MetroMax i® Utility Carts

- Corrosion proof shelves, posts, and Type 304 stainless steel handle.
- Corrosion resistant 5PCX casters with 5" (127mm) polyurethane wheels, polymer horns, and stainless steel axles.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkt. Wt. (lbs.)	Approx. Pkt. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	2-shelf	35.5	15.8	MXUC1830G-25	786.50
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	2-shelf	46.0	20.5	MXUC2436G-25	846.50
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	3-shelf	46.0	20.5	MXUC1830G-35	916.50
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	3-shelf	61.5	27.5	MXUC2436G-35	1,004.50



MetroMax Q® Utility Carts

- Quick adjust corrosion resistant shelves and posts.
- Corrosion proof Type 304 stainless steel handle.
- Includes four 5MPX casters with 5" (127mm) polyurethane wheels.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkt. Wt. (lbs.)	Approx. Pkt. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	2-shelf	35.5	15.8	MQUC1830G-25	570.50
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	2-shelf	46.0	20.5	MQUC2436G-25	612.50
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	3-shelf	46.0	20.5	MQUC1830G-35	659.50
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	3-shelf	61.5	27.5	MQUC2436G-35	720.50



Helpful Hints

- Configure a cart to your exact needs using a combination of MetroMax i® and Q™ shelves and posts.
- Consider MetroMax i solid shelves when spill containment is required or to protect supplies from dirt during transport.
- A typical utility cart will be configured using 27" (685mm) or 33" (875mm) stem caster posts with 5" (127mm) casters.



Solid bottom shelf and
5PCX/5PCBX casters pictured

Shelves and posts: pages 14-15 Casters: page 16 Handles: page 17



Add-On units with "S" hooks can only be attached to shelves supported by two or more posts.



"S" Hook
Cat. No. M9995



Intermediate 'S' Hook Kit
Cat. No. MX9996



Collar plug fits MetroMaxⁱ

"S" Hook

Add on shelving to existing units using two posts instead of four. Kit includes one "S" hook and one corner collar plug. Two kits required per storage level when configuring units end-to-end.

Cat. No. M9995
List Price 4.50 each


MetroMaxⁱ Intermediate "S" Hook Kit

Required when joining units at right angles with open corner and no post. Intermediate bracket connects a shelf corner to the front beam of the adjoining shelf. Kit includes one intermediate bracket, two "S" Hooks, and two corner collar plugs. See illustration for quantity required per level.

Cat. No. MX9996
List Price 10.60 each


MetroMaxⁱ® Shelving Starter and Add-On Units

- Save time and money by eliminating adjacent posts and replacing with "S" hooks.
- Starter Units consist of four posts and indicated number of MetroMaxⁱ shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit. To attach shelves at right angles, Intermediate "S" Hook Kits must be ordered separately.



RIGHT ANGLES


Intermediate "S" Hook Kit (MX9996 - qty. 1)



COMBINATION

"S" Hook Kit (M 9995 - qty. 2)

Intermediate "S" Hook Kit (MX9996 - qty. 1)



Shelving Starter and Add-On Units — Easy Order Guide

5 Shelves
74" (1880mm) Posts

	Cat. No.	18" (457mm) Wide		24" (610mm) Wide	
		Starter	Add-On	Starter	Add-On
24" (610mm) Long	5X317GX3 List Price Each Wt. lbs. (kg)	820.50 60 (27)	766.50 55 (25)	973.00 65 (29)	919.00 60 (27)
30" (760mm) Long	5X327GX3 List Price Each Wt. lbs. (kg)	848.00 65 (29)	794.00 60 (27)	988.00 80 (36)	934.00 75 (34)
36" (914mm) Long	5X337GX3 List Price Each Wt. lbs. (kg)	848.00 70 (32)	794.00 65 (29)	988.00 85 (39)	934.00 80 (36)
42" (1066mm) Long	5X347GX3 List Price Each Wt. lbs. (kg)	980.50 80 (36)	926.50 75 (34)	1,163.00 95 (43)	1,109.00 90 (41)
48" (1219mm) Long	5X357GX3 List Price Each Wt. lbs. (kg)	980.50 90 (41)	926.50 85 (39)	1,163.00 105 (48)	1,109.00 100 (45)
60" (1524mm) Long	5X367GX3 List Price Each Wt. lbs. (kg)	1,130.50 110 (50)	1,076.50 105 (48)	1,340.50 115 (52)	1,286.50 110 (50)
72" (1825mm) Long	5X377GX3 List Price Each Wt. lbs. (kg)	1,288.00 125 (57)	1,234.00 120 (54)	1,548.00 145 (66)	1,494.00 140 (64)


Note: "Right Angle" Add-On Units require one additional Intermediate "S" Hook kit per shelf level.

MetroMax Q® Shelving Starter and Add-On Units

- Save time and money by eliminating adjacent posts and replacing with "S" hooks.
- Starter Units consist of four posts and indicated number of MetroMax Q shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit. To attach shelves at right angles, Intermediate "S" Hook Kits must be ordered separately.


END-TO-END

"S" Hook Kits (M9995 — qty. 2)


RIGHT ANGLES


Intermediate "S" Hook Kit (Q9995Z — qty. 1)

"S" Hook Kits (M9995 — qty. 1)


COMBINATION

"S" Hook Kit (M 9995 — qty. 3)

Intermediate "S" Hook Kit (MX9996 — qty. 1)


Shelving Starter and Add-On Units — Easy Order Guide

 5 Shelves
 74" (1880mm) Posts

		18" (457mm) Wide	Add-On	21" (530mm) Wide	Add-On	24" (610mm) Wide	Add-On
		Starter		Starter		Starter	
24"	Cat. No.	5Q317G3	5AQ317G3	5Q417G3	5AQ417G3	5Q517G3	5AQ517G3
(610mm)	List Price Each	565.00	546.00	625.00	606.00	670.00	651.00
Long	Wt. lbs. (kg)	50.4 (23)	40.4 (18)	56.4 (26)	46.4 (21)	56.4 (26)	46.4 (21)
30"	Cat. No.	5Q327G3	5AQ327G3	5Q427G3	5AQ427G3	5Q527G3	5AQ527G3
(760mm)	List Price Each	585.00	566.00	640.00	621.00	680.00	661.00
Long	Wt. lbs. (kg)	57.9 (26)	47.9 (22)	63.1 (29)	53.1 (24)	66.4 (30)	56.4 (26)
36"	Cat. No.	5Q337G3	5AQ337G3	5Q437G3	5AQ437G3	5Q537G3	5AQ537G3
(914mm)	List Price Each	585.00	566.00	640.00	621.00	680.00	661.00
Long	Wt. lbs. (kg)	65.4 (30)	55.4 (25)	70.9 (32)	60.9 (28)	76.4 (35)	65.4 (30)
42"	Cat. No.	5Q347G3	5AQ347G3	5Q447G3	5AQ447G3	5Q547G3	5AQ547G3
(1066mm)	List Price Each	675.00	656.00	727.50	708.50	800.00	781.00
Long	Wt. lbs. (kg)	72.9 (33)	62.9 (29)	82.1 (37)	72.1 (33)	86.4 (39)	78.4 (36)
48"	Cat. No.	5Q357G3	5AQ357G3	5Q457G3	5AQ457G3	5Q557G3	5AQ557G3
(1219mm)	List Price Each	675.00	656.00	727.50	708.50	800.00	781.00
Long	Wt. lbs. (kg)	80.4 (36)	70.4 (32)	89.4 (41)	79.4 (36)	96.4 (44)	86.4 (39)
60"	Cat. No.	5Q367G3	5AQ367G3	5Q467G3	5AQ467G3	5Q567G3	5AQ567G3
(1524mm)	List Price Each	777.50	758.50	827.50	808.50	922.50	903.50
Long	Wt. lbs. (kg)	95.4 (43)	85.4 (39)	106.4 (48)	96.4 (44)	116.4 (53)	106.4 (48)
72"	Cat. No.	5Q377G3	5AQ377G3	5Q477G3	5AQ477G3	5Q577G3	5AQ577G3
(1825mm)	List Price Each	865.00	846.00	980.00	961.00	1,055.00	1,036.00
Long	Wt. lbs. (kg)	110.4 (50)	100.4 (46)	121.4 (55)	111.4 (51)	136.4 (62)	126.4 (57)



Add-On units with "S" hooks can only be attached to shelves supported by two or more posts.

"S" Hook

Add on shelving using two posts instead of four. Includes one "S" hook. Two kits required per level when configuring units end-to-end. Cat. No. **M9995** List Price 4.50 each


 "S" Hook
 Cat. No. **M9995**

Note: Collar/hole plug is designed for use with MetroMax i shelves only.


 Intermediate "S"
 Hook Kit
 Cat. No. **Q9995Z**
MetroMax Q® Intermediate "S" Hook Kit

Use when configuring MetroMax Q Starter and Add-On Units at right angles.

 Cat. No. **Q9995Z** List Price 5.10 each




Organize.

Organize supplies to improve operational efficiencies.

- Well-organized storage results in fewer expired supplies and less waste.
- Innovative shelf and accessory designs have smooth surfaces that protect vacuum sealed and other packaged items from damage.
- Flexible compartments help sort supplies for faster access and maximize the use of storage space.

A Dividers **B** Ledges **C** Enclosure Panels **D** Metro Totes **E** Metro Bins



Flexible Compartments

Dividers and Ledges can be used to create flexible compartments that most efficiently use available storage space. When combined with open grid shelves this minimizes dust accumulation.

Bins offer removable compartmentalized storage for easy access or as part of an exchange system. See page 60 for Bin options.




8" (203mm) Shelf Dividers — Standard Duty — **9.25**

- i and Q versions available.
- Use to create organized compartments or to simply separate shelf contents.
- Easily repositioned on grid and solid shelves.
- Corrosion proof.

Nominal Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
18 457	1.3 0.6	MXD18-8	MQD18-8	18.50
24 610	1.6 0.7	MXD24-8	MQD24-8	20.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.



Universal 8" (203mm) Shelf Dividers — Light Duty, for open grid shelves — **9.25**

- For use with MetroMax i and Q grid shelves, Super Erecta wire shelves, and Super Adjustable wire shelves.
- Maximum flexibility: Can be repositioned along the entire shelf.
- Each divider includes a panel and two clips to connect to any open grid or wire shelf. Does not attach to solid shelves.
- Corrosion proof.

Nominal Length (in.) (mm)	Fits Shelf Depth	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	18", 21" (457, 530mm)	1.3 0.6	MUD18-8	18.50
24 610	24" (610mm)	1.6 0.7	MUD24-8	20.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.
Additional clips: Cat. No DCLIP, 2 per bag, List Price 5.50

Shelf-to-Shelf Dividers — 9.25

- Full height dividers efficiently compartmentalize the space between two shelves.
- Smooth surfaces protect packaged items from damage.
- Corrosion proof.
- Compatible with MetroMax i and Q open grid shelves, Super Erecta wire shelves, and Super Adjustable wire shelves. Does not work with solid shelves.

Fits Shelf Depth (in.) (mm)	Nominal Depth (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18, 21 457, 530	16 406	2.3 1.0	MD18-16	48.00
18, 21 457, 530	20 508	2.5 1.1	MD18-20	53.00
18, 21 457, 530	24 610	3.8 1.7	MD18-24	58.50
24 610	16 406	2.8 1.2	MD24-16	52.00
24 610	20 508	3.0 1.3	MD24-20	57.50
24 610	24 610	4.4 2.0	MD24-24	62.50



*Note: Can be retrofitted to original MetroMax and MetroMax Q shelves.
 *Note: -16 parts have three panels, -20 parts have four panels, -24 parts have five panels.

2" (51mm) Stackable Shelf Ledges — 9.25

- Prevent items from falling off shelves.
- Snap on and off quickly. Easily stacked to contain larger items.
- Corrosion proof.
- Ships assembled.

Nominal Length (in.) (mm)	Type	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
18 457	Side	0.50 0.2	MXLS18-2S	MQLS18-2S	19.50
21 530	Side	0.50 0.2	—	MQLS21-2S	20.00
24 610	Side	0.50 0.2	MXLS24-2S	MQLS24-2S	20.50
24 610	Back	0.50 0.2	MXL24-2S	MQL24-2S	20.50
30 760	Back	0.75 0.3	MXL30-2S	MQL30-2S	22.50
36 914	Back	1.00 0.4	MXL36-2S	MQL36-2S	26.00
42 1066	Back	1.25 0.6	MXL42-2S	MQL42-2S	32.00
48 1219	Back	1.25 0.6	MXL48-2S	MQL48-2S	32.00
54 1370	Back	1.50 0.7	MXL54-2S	MQL54-2S	35.50
60 1524	Back	1.75 0.8	MXL60-2S	MQL60-2S	35.50
72 1829	Back	2.00 0.9	MXL72-2S	MQL72-2S	40.50




*Note: MetroMax i wire ledges can be retrofitted to original MetroMax.
 *Note: MetroMax Q wire ledges (MQ-) cannot be retrofitted to original MetroMax Q.

4" (102mm) Solid Clear Stackable Shelf Ledges — 9.26

- Solid design helps contain small items.
- Clear plastic allows light penetration and visible access to supplies.
- Corrosion proof.
- Ships assembled.


Nominal Length (in.) (mm)	Type	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
18 457	Side	0.50 0.2	MXLS18-4P	MQLS18-4P	37.50
21 530	Side	0.50 0.2	—	MQLS21-4P	38.50
24 610	Side	0.50 0.2	MXLS24-4P	MQLS24-4P	39.50
24 610	Back	0.50 0.2	MXL24-4P	MQL24-4P	39.50
30 760	Back	0.75 0.3	MXL30-4P	MQL30-4P	43.00
36 914	Back	1.00 0.4	MXL36-4P	MQL36-4P	50.00
42 1066	Back	1.25 0.6	MXL42-4P	MQL42-4P	60.50
48 1219	Back	1.25 0.6	MXL48-4P	MQL48-4P	60.50
54 1370	Back	1.50 0.7	MXL54-4P	MQL54-4P	67.50
60 1524	Back	1.75 0.8	MXL60-4P	MQL60-4P	67.50



*Note: MetroMax i wire ledges can be retrofitted to original MetroMax.
 *Note: MetroMax Q wire ledges (MQ-) cannot be retrofitted to original MetroMax Q.
 Note: Not suitable for cart-wash applications.



Use shelf to shelf dividers with enclosure panels to create full height compartments to organize bulky, hard-to-handle supplies.



Enclosure Panel

Contain it.

Efficiently enclose and contain with Enclosure Panels.

Enclosure Panels — 9.25

- An efficient way of enclosing the sides and back of all shelves in a unit to contain stored contents.
- Slot opening: 3" W x 3 $\frac{7}{8}$ " H.
- Designed to work with MetroMax i® and MetroMax Q® shelves. Mounting clips included.

Actual Width/Height (in.) (mm)	Post Height (in.) (mm)	For use with Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
12 $\frac{5}{8}$ x 51 $\frac{1}{4}$ 315 x 1300	54 1370	18 457	6 $\frac{1}{4}$ 2.8	MEP35E	85.00
12 $\frac{5}{8}$ x 59 $\frac{1}{4}$ 315 x 1505	63 1600	18 457	7 3.2	MEP36E	88.50
12 $\frac{5}{8}$ x 71 $\frac{1}{4}$ 315 x 1810	74 1880	18 457	8 $\frac{3}{4}$ 4.0	MEP37E	98.00
18 $\frac{5}{8}$ x 51 $\frac{1}{4}$ 467 x 1300	54 1370	21, 24 530, 610	9 4.1	MEP55E	91.50
18 $\frac{5}{8}$ x 59 $\frac{1}{4}$ 467 x 1505	63 1600	21, 24 530, 610	10 $\frac{1}{4}$ 4.7	MEP56E	102.00
18 $\frac{5}{8}$ x 71 $\frac{1}{4}$ 467 x 1810	74 1880	21, 24 530, 610	11 $\frac{3}{4}$ 5.3	MEP57E	105.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q shelving.

Panels Required to Enclose Both Ends of the Shelving Unit or Cart				
Post Height	Shelf Width			
	18" (457mm)	21" (530mm)	24" (610mm)	
54" (1370mm)	(2) MEP35E	(2) MEP55E	(2) MEP55E	
63" (1600mm)	(2) MEP36E	(2) MEP56E	(2) MEP56E	
74" (1880mm)	(2) MEP37E	(2) MEP57E	(2) MEP57E	


Configuration Notes

- Handles and enclosure panels can be used on the same end of the cart. Please note the following details: 21" (530mm) wide units: use the 12 $\frac{5}{8}$ " (315mm) wide panel on the same end as the handle.
- Top-Track: When using on the ends of a Top-Track mobile unit the enclosure panel must be mounted so that it does not interfere with the overhead tracks. Mobile posts on Top-Track are 74" (1880mm). The standard enclosure panel for 74" (1880mm) posts can be used but must be mounted in a lower position on the unit. As an alternative, the standard panels for a 63" (1600mm) post can be used.

Post Height	Panels Required to Enclose Back of Shelving Unit or Cart						
	30" (760mm)	36" (914mm)	42" (1066mm)	48" (1219mm)	54" (1370mm)	60" (1524mm)	72" (1825mm)
54" (1370mm)	(2) MEP35E	(1) MEP35E (1) MEP55E	(2) MEP55E	(2) MEP35E (1) MEP55E	(1) MEP35E (2) MEP55E	(3) MEP55E	(1) MEP35E (3) MEP55E
63" (1600mm)	(2) MEP36E	(1) MEP36E (1) MEP56E	(2) MEP56E	(2) MEP36E (1) MEP56E	(1) MEP36E (2) MEP56E	(3) MEP56E	(1) MEP36E (3) MEP56E
74" (1880mm)	(2) MEP37E	(1) MEP37E (1) MEP57E	(2) MEP57E	(2) MEP37E (1) MEP37E (1) MEP57E	(1) MEP37E (2) MEP57E	(3) MEP57E	(1) MEP37E (3) MEP57E



MetroMax i®
Mounting Clip
Replacements
Cat. No. RPMX3-RODTAB



MetroMax Q® Mounting
and Bottom Adapter
Clip Replacements
Cat. No. RPMQ3-RODTAB



Find it.

Label Holders

- Plastic holders snap onto shelf edge to accommodate 1" (25mm) tall adhesive label. Label not included.
- i and Q versions available.
- Optional label holder covers exist for MetroMax Q models. Cover snaps onto the label holder to hold a non-adhesive label in place or to protect any label from dirt and moisture.



MetroMax i® — 9.25

Height: 1" (25mm)

Actual Length (in.) (mm)	Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Label Holder	List Price Each
4½ 114	All	0.03 0.01	9989PX	4.70
11½ 285	24 610	0.14 0.06	9989X1	8.30
17½ 438	30 760	0.24 0.10	9989X2	10.60
23½ 590	36 914	0.30 0.13	9989X3	12.90
29½ 742	42 1060	0.35 0.15	9989X4	14.60
35½ 895	48 1219	0.40 0.18	9989X5	17.50
41½ 1047	54 1370	0.45 0.20	9989X6	18.60



MetroMax i® Label Holder

MetroMax Q® — 9.25

Height: 1½" (37mm)

Actual Length (in.) (mm)	Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Label Holder	List Price Each	Cat. No. Label Holder Cover	List Price Each
4 102	All	0.03 0.01	Q04LH	4.60	Q04LHC	4.10
17½ 448	24 610	0.14 0.06	Q24LH	10.50	Q24LHC	6.50
23½ 600	30 760	0.24 0.10	Q30LH	10.50	Q30LHC	7.00
29½ 752	36 914	0.30 0.13	Q36LH	11.80	Q36LHC	7.30
35½ 905	42 1060	0.35 0.15	Q42LH	17.00	Q42LHC	9.60
41½ 1057	48 1219	0.40 0.18	Q48LH	17.00	Q48LHC	9.60
47½ 1210	54 1370	0.45 0.20	Q54LH	19.50	Q54LHC	11.80
53½ 1362	60 1524	0.50 0.22	Q60LH	19.50	Q60LHC	11.80
59½ 1514	72 1825	0.60 0.27	Q72LH	22.00	—	—




MetroMax Q® Label Holder

Color Shelf Markers — 9.25

- Attach easily to shelf for content identification.
- Use to assign color coding to individual shelf levels, shelving units, carts, or storage areas.
- i and Q versions available.
- 6" (152mm) length.

Shelf Marker Color	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
Blue	0.05 0.02	CSM6-BX	CSM6-BQ	5.20
Green	0.05 0.02	CSM6-GX	CSM6-GQ	5.20
Red	0.05 0.02	CSM6-RX	CSM6-RQ	5.20
Tan	0.05 0.02	CSM6-TX	CSM6-TQ	5.20
White	0.05 0.02	CSM6-WX	CSM6-WQ	5.20
Yellow	0.05 0.02	CSM6-YX	CSM6-YQ	5.20
Gray	0.05 0.02	CSM6-GRX	CSM6-GRQ	5.20



MetroMax i® Color Shelf Marker

unique



Super Slide — 9.25

- Designed to fit a 24" (610mm) wide shelf.
- Easily attaches to the shelf frame (under the mats) and is sized to hold 3", 5", 6", and 8" (76, 127, 152, 203mm) tall tote boxes (sold separately).
- MetroMax i® and Q models available.
- Corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each	Q Cat. No.	List Price Each
20 ³ / ₈ 520	21 ⁵ / ₈ 550	10 ¹ / ₄ 260	5 ¹ / ₄ 2	MXSS2E	120.50	MQSS2E	111.00



Undershelf Slide — 9.25

- Available for MetroMax i only.
- Easily attaches to the MetroMax i® shelf frame to allow you create a more versatile storage system.
- Tote box (sold separately) can serve as a drawer on mobile units or utility carts.
- Aluminum finish.

Fits Shelf Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
18 457	22 ³ / ₄ 578	3 ¹ / ₄ 1.5	BSD2218XA	129.50
24 610	17 ³ / ₄ 451	3 ³ / ₄ 1.7	BSD2224XB	132.00



Adjustable Slides — 9.25

- Slides can be adjusted left to right to accommodate a variety of pan, tray, and container sizes.
- MetroMax i® and Q models available.
- Corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.
- Shelves must be spaced 20" (508mm) apart.
- Can be used in conjunction with 20" (508mm) tall shelf-to-shelf dividers.

Fits Shelf Width (in.) (mm)	Type	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each	Q Cat. No.	List Price Each
18 457	Adjustable	10 ³ / ₄ 5	MX18SE	118.00	MQ18SE	108.50
24 610	Adjustable	12 ³ / ₄ 6	MX24SE	120.50	MQ24SE	111.00



Can Rack System — 9.25

- Front loading, front dispensing can rack holds eight #10 cans or twelve #5 cans.
- Tough, corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.
- Designed to fit a 24" (610mm) wide shelf.
- Mounts on any MetroMax i® or MetroMax Q shelf.

Width/Length/Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
7 ⁷ / ₈ x 25 ⁵ / ₁₆ x 15 200x643x381	10 4.5	CR24E	102.00

Storage Level Frames — 9.25

- Open four sided frames accommodate drop-in accessories including wire baskets and stainless drying racks.
- Includes corrosion proof MetroMax i® frame and a bag of wedges.



Width (in.) (mm)	Length (in.) (mm)	Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	24 610	18x20 457x510	4 ³ / ₄ 2.2	M4F1824	104.00
18 457	30 760	18x26 457x660	6 2.7	M4F1830	110.50
18 457	36 914	18x32 457x810	7 3.2	M4F1836	110.50
18 457	42 1060	18x38 457x965	8 ¹ / ₄ 3.8	M4F1842	126.50
18 457	48 1220	18x44 457x1120	9 ¹ / ₂ 4.3	M4F1848	126.50
18 457	54 1372	18x50 457x1219	10 ¹ / ₂ 4.8	M4F1854	144.50
18 457	60 1524	18x56 457x1370	11 ³ / ₄ 5.3	M4F1860	144.50
18 457	72 1829	18x68 457x1725	14 6.4	M4F1872	168.50
24 610	24 610	24x20 610x510	7 ¹ / ₂ 3.4	M4F2424	120.50
24 610	30 760	24x26 610x660	9 ¹ / ₂ 4.3	M4F2430	126.50
24 610	36 914	24x32 610x810	11 ¹ / ₄ 5.1	M4F2436	126.50
24 610	42 1060	24x38 610x965	13 ¹ / ₄ 6	M4F2442	138.00
24 610	48 1220	24x44 610x1120	15 6.8	M4F2448	138.00
24 610	54 1372	24x50 610x1219	17 7.7	M4F2454	159.50
24 610	60 1524	24x56 610x1370	18 ³ / ₄ 8.5	M4F2460	159.50
24 610	72 1829	24x68 610x1725	22 ¹ / ₂ 10.2	M4F2472	196.50

Configuration Chart

QTY to fill out shelf frame.				
FRAME	B1816XE	B1822XE	B2416XE	B2422XE
M4F1836	2			
M4F1842	1	1		
M4F1848		2		
M4F1860	2	1		
M4F1872		3		
M4F2436			2	
M4F2442		1	1	
M4F2448			2	
M4F2460			2	1
M4F2472				3

Wire Baskets — 9.25

- Conveniently hold small items.
- 9" (229mm) deep.
- Built in storage handles allow easy removal.
- Corrosion resistant taupe epoxy finish.



Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
18 457	16 406	9 4.1	MB1816XE	99.00
18 457	22 560	10 4.5	MB1822XE	113.00
24 610	16 406	10 4.5	MB2416XE	104.00
24 610	22 560	12 5.5	MB2422XE	119.00

3-sided Frames — 9.25

- 1"x1¹/₂" (25x38mm) structural steel tubing. Includes tri-lobial adapters to attach to posts. (Replacement adapters: Cat. No. MTLA, bag of 4).
- Corrosion resistant taupe epoxy finish.
- Use when configuring work tables or as a 3-sided ledge to contain bulky items.



Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	24 610	11 5	M3TF1824E	89.50
18 457	30 760	12 5.4	M3TF1830E	91.50
18 457	36 914	13 5.7	M3TF1836E	91.50
18 457	48 1220	15 6.6	M3TF1848E	96.50
18 457	60 1524	18 8.2	M3TF1860E	113.00
24 610	24 610	12 5.4	M3TF2424E	95.00
24 610	30 760	13 5.7	M3TF2430E	96.50
24 610	36 914	14 6.4	M3TF2436E	96.50
24 610	48 1220	18 8.2	M3TF2448E	101.00
24 610	60 1524	20 9.1	M3TF2460E	121.50

Dry it.



MetroMax i® Drying Rack Unit — 9.31

- Allows superior air circulation and fast drying of trays, pans, lids, pots and all pot sink items.
- Promotes food safety by eliminating moisture. Offers an efficient organized drying area.
- Includes two drop-ins (Cat. No. DR48S) and one cutting board/tray drying rack (Cat. No. MTR2448XE).

Stationary Unit

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
24 610	48 1219	75½ 1917	106 49	PR48X3	1,617.50

Mobile Unit

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
24 610	48 1219	69 1752	106 49	PR48VX3	1,899.50

*Note: Includes two 5PCX swivel casters and two 5PCBX swivel casters with brakes.

Stainless Steel Drop-in Racks — 9.25

- Open wire design provides air flow to safely dry pots, pans, and containers
- To create a storage level with a stainless drop-in order the following:
 - Qty. 1 Drop-in rack
 - Qty. 1 Four-sided MetroMax i® frame
 - Qty. 1 MetroMax i® center beam
- Can be retrofitted to existing MetroMax i® shelves. Simply remove the mats and drop in the stainless drying rack.
- Center beams: RPMX36-CBEAM, RPMX48-CBEAM, RPMX60-CBEAM.

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Wire Spacing (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24 610	33⅞ 854	5⅓ 133	¾ 19	9 4.1	DR36S	243.00
24 610	45⅜ 1156	5⅓ 133	¾ 19	12 5.4	DR48S	292.00
24 610	57⅝ 1458	5⅓ 133	¾ 19	15 6.8	DR60S	350.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q.



Cutting Board and Tray Drying Rack — 9.25

- Rack is mounted to standard MetroMax i® or MetroMax Q shelf.
- Promotes safe air drying of cutting boards and trays.
- 1⅛" (28mm) and 3" (76mm) slide spacing available.



Fits Shelf (in.) (mm)	Upright Spacing (in.) (mm)	Upright Height (in.) (mm)	Tray Capacity	Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
24x36 457x914	1⅛ 28	6 150	24	13.5 6.1	MTR2436XE	88.50
24x48 457x1219	1⅛ 28	6 150	34	18.0 8.2	MTR2448XE	107.50
24x60 457x1524	1⅛ 28	6 150	42	22.5 10.2	MTR2460XE	124.00
24x36 457x914	3 76	6 150	10	9.8 4.4	MTR2436XEA	83.50
24x48 457x1219	3 76	6 150	14	13 5.9	MTR2448XEA	101.00
24x60 457x1524	3 76	6 150	17	16.3 7.4	MTR2460XEA	119.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.



Order today! Log on to


www.metro.com

locate a sales representative near you.



Not in the USA? Look on the back cover
of your catalog for the contact information you need.

“Let us make your
next purchase easy,
contact your
representative today.”



WIRE AND SOLID SHELVING SOLUTIONS

Super Erecta Pro™,
Super Adjustable Super Erecta®
and Super Erecta®


Wire/Polymer Hybrid Shelving	32-35
Easy-Adjust Shelving & Carts.....	36-39
Wire Shelving, Carts & Trucks.....	40-47
Casters & Accessories for Wire Shelving	48-62
Solid Shelving & Accessories	64-66
Light-Duty Wire Shelving & Accessories	67
Heavy-Duty Solid Shelving & Accessories	68-69

Proven.

Genuine Metro Super Erecta®
The industry standard — innovated and reinnovated.

Super Erecta®

The original
wire shelving
system.



NEW

Super Erecta Pro™
Durable & cleanable.
The original — **reinnovated**.

Super Adjustable Super Erecta™

Shelves adjust with a flip of the release!

Progress.

Super Erecta Pro™
Durable & cleanable.
The original — **reinnovated**.



Epoxy coated Super
Erecta-style frames with
removable polymer
shelf mats.

Stays cleaner between cleanings.

Polymer shelf mats and Metroseal 3
epoxy coated shelf frames and posts
have built-in Microban® antimicrobial
product protection.



*Microban® antimicrobial product protection helps keep shelves "cleaner between cleanings" by inhibiting the growth of bacteria, mold and mildew that cause odors and stains on the shelf surface.
MICROBAN® and the MICROBAN® symbol are registered trademarks of the Mircoban Products Company, Huntersville, NC.



Easy to clean.

Lift-off mats can be easily removed
and washed by hand or in a wash machine.



Prolonged durability.

Polymer shelf mats withstand
daily abuse from containers and sharp
edges. Robust design provides the strength
and rigidity of Super Erecta...holds up
to 800 lbs. (363kg) per shelf.



Interchangeable.

Super Erecta Pro shelves
can be configured with traditional
shelf and accessory
options on the same unit for
maximum flexibility.

Super Erecta Pro™ Shelving — 10.80



Super Erecta Pro™ Shelves

Packaging: Shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths which are packaged no more than 2 per carton. Plastic split sleeves are included with each shelf.

Nominal Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Pro Metroseal 3	List Price Each
18x24 457x610	6.0 2.7	PR1824NK3	85.00
18x30 457x760	7.8 3.5	PR1830NK3	89.00
18x36 457x914	9.5 4.2	PR1836NK3	89.00
18x42 457x1060	11.3 5.0	PR1842NK3	107.00
18x48 457x1219	13.0 5.8	PR1848NK3	107.00
18x54 457x1372	14.8 6.6	PR1854NK3	127.50
18x60 457x1524	16.5 7.4	PR1860NK3	127.50
18x72 457x1829	19.8 8.8	PR1872NK3	145.00
21x24 530x610	8.0 3.6	PR2124NK3	97.00
21x30 530x760	9.5 4.2	PR2130NK3	100.00
21x36 530x914	11.3 5.0	PR2136NK3	100.00
21x42 530x1060	12.5 5.6	PR2142NK3	117.50
21x48 530x1219	14.3 6.4	PR2148NK3	117.50
21x54 530x1372	16.5 7.4	PR2154NK3	137.50
21x60 530x1524	18.3 8.1	PR2160NK3	137.50
21x72 530x1829	21.5 9.6	PR2172NK3	168.00
24x24 610x610	9.5 4.2	PR2424NK3	106.00
24x30 610x760	11.3 5.0	PR2430NK3	108.00
24x36 610x914	13.0 5.8	PR2436NK3	108.00
24x42 610x1060	14.0 6.3	PR2442NK3	132.00
24x48 610x1219	15.5 6.9	PR2448NK3	132.00
24x54 610x1372	18.3 8.1	PR2454NK3	156.50
24x60 610x1524	20.0 8.9	PR2460NK3	156.50
24x72 610x1829	23.3 10.4	PR2472NK3	183.00

Note: Each Super Erecta Pro™ shelf up to and including 48" (1219mm) long have a maximum weight capacity of 800 lbs. (363kg) evenly distributed. Shelves longer than 48" (1219mm) have a maximum weight capacity of 600 lbs. (363kg) evenly distributed.

Super Erecta with Metroseal 3™ — Standard Shelves

Nominal Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Adjustable Metroseal 3	List Price Each	Cat. No. Super Erecta Metroseal 3	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Dunnage Shelf Metroseal 3	List Price Each
18x24 457x610	7 3.2	A1824NK3	79.00	1824NK3	73.00	14 6.3	1824DRK3	179.50
18x30 457x760	8 3.6	A1830NK3	82.50	1830NK3	76.50	18 8.1	1830DRK3	196.50
18x36 457x914	9.5 4.3	A1836NK3	82.50	1836NK3	76.50	21 9.4	1836DRK3	196.50
18x42 457x1060	11 5.0	A1842NK3	98.00	1842NK3	92.00	—	—	—
18x48 457x1219	12 5.4	A1848NK3	98.00	1848NK3	92.00	28 12.6	1848DRK3	229.00
18x54 457x1372	14.5 6.6	A1854NK3	115.00	1854NK3	109.00	—	—	—
18x60 457x1524	17 7.7	A1860NK3	115.00	1860NK3	109.00	34 15.3	1860DRK3	259.50
18x72 457x1829	20 9.1	A1872NK3	131.00	1872NK3	125.00	—	—	—
21x24 530x610	8 3.6	A2124NK3	89.50	2124NK3	83.50	—	—	—
21x30 530x760	9 4.1	A2130NK3	92.00	2130NK3	86.00	—	—	—
21x36 530x914	11 5.0	A2136NK3	92.00	2136NK3	86.00	—	—	—
21x42 530x1060	12 5.4	A2142NK3	107.00	2142NK3	101.00	—	—	—
21x48 530x1219	14 6.4	A2148NK3	107.00	2148NK3	101.00	—	—	—
21x54 530x1372	16 7.3	A2154NK3	124.50	2154NK3	118.50	—	—	—
21x60 530x1524	18 8.2	A2160NK3	124.50	2160NK3	118.50	—	—	—
21x72 530x1829	24 10.9	A2172NK3	150.50	2172NK3	144.50	—	—	—
24x24 610x610	9 4.1	A2424NK3	97.00	2424NK3	91.00	16 7.2	2424DRK3	195.50
24x30 610x760	11 5.0	A2430NK3	99.00	2430NK3	93.00	20 9.0	2430DRK3	212.00
24x36 610x914	13 5.9	A2436NK3	99.00	2436NK3	93.00	24 10.8	2436DRK3	212.00
24x42 610x1060	15 6.8	A2442NK3	119.50	2442NK3	113.50	—	—	—
24x48 610x1219	16 7.3	A2448NK3	119.50	2448NK3	113.50	30 13.5	2448DRK3	243.50
24x54 610x1372	19 8.6	A2454NK3	140.50	2454NK3	134.50	—	—	—
24x60 610x1524	21 9.5	A2460NK3	140.50	2460NK3	134.50	37 16.6	2460DRK3	285.50
24x72 610x1829	26 11.8	A2472NK3	163.50	2472NK3	157.50	—	—	—

Actual Dimensions: Width: Add 1/4" (6mm) to nominal size. Length: Subtract 1/4" (6mm) from nominal size.

Super Erecta Pro shelves are also compatible on the same shelving units with the following Super Erecta items:
 Solid Shelves page 65
 Cantilever Shelves page 45
 SmartWall G3 page 72
 Post Type Wall Mounts page 79
 Direct Mount Shelf Supports page 80
 Three sided frames page 55
 Enclosure Panels page 54
 Security Units page 99
 Top Track page 92
 qwikTRAK page 90



Super Erecta Pro™ Shelving — **10.80**
SiteSelect™ Posts

Stationary Super Erecta SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available. See page 48 for stem caster options.

Stationary

(in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Metroseal 3	List Price Each	Cat. No. Stainless	List Price Each	
14 ¹ / ₂	370	1	0.5	13PK3	16.50	13PS	30.00
34 ¹ / ₂	875	2	0.9	33PK3	22.00	33PS	47.50
54 ⁹ / ₁₆	1385	3	1.4	54PK3	23.50	54PS	52.50
62 ⁹ / ₁₆	1590	3 ¹ / ₂	1.6	63PK3	26.50	63PS	59.00
74 ⁵ / ₈	1895	4	1.8	74PK3	29.00	74PS	66.00
86 ⁵ / ₈	2200	5	2.3	86PK3	34.00	86PS	76.00

Mobile

(in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Metroseal 3	List Price Each	Cat. No. Stainless	List Price Each	
13 ³ / ₄	349	1	0.5	13UPK3	16.50	13UPS	30.00
33 ³ / ₄	857	2	0.9	33UPK3	22.00	33UPS	47.50
53 ¹³ / ₁₆	1366	3	1.4	54UPK3	23.50	54UPS	52.50
61 ¹³ / ₁₆	1570	3 ¹ / ₂	1.6	63UPK3	26.50	63UPS	59.00
69 ³ / ₄	1772	3.8	1.7	70UPK3	35.00	—	—
73 ⁷ / ₈	1876	4	1.8	74UPK3	29.00	74UPS	66.00
85 ⁵ / ₈	2181	5	2.3	86UPK3	34.00	86UPS	76.00

 Accessories — **10.81**

Note: These accessories are designed to attach to a Super Erecta Pro Shelf. Accessories for basic Super Erecta wire shelves can be found on pages 53-60. For a complete list of compatible accessories for Super Erecta Pro shelves, please refer to spec sheet 10.81 for more information.

"S" Hooks

Eliminates the need for adjacent posts.

Two required for each storage level.

Cat. No. **Q9995Z** List Price 5.10 each


Universal Divider

- Corrosion proof

Nominal Length (in.) (mm)	Fits Shelf Depth	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
18 457	18", 21" (457, 530mm)	1.3 0.6	MUD18-8	18.50
24 610	24" (610mm)	1.6 0.7	MUD24-8	20.50

Shelf-to-Shelf Divider

- Connects between two shelves

- Corrosion proof

Nominal Height (in.) (mm)	Compatible with Shelf Depths (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
16 406	18, 21 457, 530	2.3 1.0	MD18-16	48.00
20 508	18, 21 457, 530	2.5 1.1	MD18-20	53.00
24 610	18, 21 457, 530	3.8 1.7	MD18-24	58.50
16 406	24 610	2.8 1.2	MD24-16	52.00
20 508	24 610	3.0 1.3	MD24-20	57.50
24 610	24 610	4.4 2.0	MD24-24	62.50


Color Shelf Marker

- 6" (152mm) Length
- Fits Super Erecta Pro Shelf
- Attach easily to shelf to identify contents stored.

Color	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Blue	6 152	0.05 0.02	CSM6-BQ	5.20
Green	6 152	0.05 0.02	CSM6-GQ	5.20
Red	6 152	0.05 0.02	CSM6-RQ	5.20
Tan	6 152	0.05 0.02	CSM6-TQ	5.20
White	6 152	0.05 0.02	CSM6-WQ	5.20
Yellow	6 152	0.05 0.02	CSM6-YQ	5.20
Gray	6 152	0.05 0.02	CSM6-GRQ	5.20


Label Holders

- Fits Super Erecta Pro Shelf
- Plastic holders snap into place to accommodate 1" (25mm) tall adhesive label.

Cat. No. **Q04LH**
List Price 4.60 each



Reclaim Wasted Space.



Super Adjustable™ Super Erecta® Shelving

Adjust and add shelves quickly and easily to reclaim wasted space.



Super Erecta

Easy "no-tool"
shelf adjustment

1" (25mm)
spacing minimizes
dead space

Efficient use of space
allows more storage
levels to be added.

**Storage efficiency
can increase
by 25% or more**



Super Adjustable
Super Erecta



SUPER ADJUSTABLE SUPER ERECTA® SHELVING

Super Adjustable Wire Shelves — 10.01a 10.10a

Packaging: Wire shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths and 30" (760mm) and 36" (914mm) widths, which are packaged no more than 2 per carton. Plastic sleeves and wedges are included with each shelf.

(in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
								✓	
14x24	355x610	6	2.7	A1424NC	63.00	A1424NK3	71.00	A1424NS	179.00
14x30	355x760	7	3.2	A1430NC	65.00	A1430NK3	73.50	A1430NS	185.00
14x36	355x914	8	3.6	A1436NC	65.00	A1436NK3	73.50	A1436NS	185.00
14x42	355x1066	9½	4.3	A1442NC	74.50	A1442NK3	85.50	A1442NS	226.50
14x48	355x1219	10½	4.7	A1448NC	74.50	A1448NK3	85.50	A1448NS	226.50
14x60	355x1524	14	6.3	A1460NC	85.50	A1460NK3	96.00	A1460NS	284.50
14x72	355x1825	17	7.7	A1472NC	97.00	A1472NK3	109.00	A1472NS	319.50
18x24	457x610	7	3.2	A1824NC	66.50	A1824NK3	79.00	A1824NS	224.00
18x30	457x760	8	3.6	A1830NC	68.00	A1830NK3	82.50	A1830NS	226.50
18x36	457x914	9½	4.3	A1836NC	68.00	A1836NK3	82.50	A1836NS	226.50
18x42	457x1066	11	5.0	A1842NC	81.50	A1842NK3	98.00	A1842NS	267.50
18x48	457x1219	12	5.4	A1848NC	81.50	A1848NK3	98.00	A1848NS	267.50
18x54	457x1370	14½	6.6	A1854NC	94.00	A1854NK3	115.00	A1854NS	338.50
18x60	457x1524	17	7.7	A1860NC	94.00	A1860NK3	115.00	A1860NS	338.50
18x72	457x1829	20	9.1	A1872NC	112.00	A1872NK3	131.00	A1872NS	402.00
21x24	530x610	8	3.6	A2124NC	77.50	A2124NK3	89.50	A2124NS	255.50
21x30	530x760	9	4.1	A2130NC	80.50	A2130NK3	92.00	A2130NS	258.50
21x36	530x914	11	5.0	A2136NC	80.50	A2136NK3	92.00	A2136NS	258.50
21x42	530x1066	12	5.4	A2142NC	92.00	A2142NK3	107.00	A2142NS	297.50
21x48	530x1219	14	6.4	A2148NC	92.00	A2148NK3	107.00	A2148NS	297.50
21x54	530x1370	16	7.3	A2154NC	107.00	A2154NK3	124.50	A2154NS	393.50
21x60	530x1524	18	8.2	A2160NC	107.00	A2160NK3	124.50	A2160NS	393.50
21x72	530x1829	24	10.9	A2172NC	127.00	A2172NK3	150.50	A2172NS	465.00
24x24	610x610	9	4.1	A2424NC	82.50	A2424NK3	97.00	A2424NS	275.00
24x30	610x760	11	5.0	A2430NC	85.50	A2430NK3	99.00	A2430NS	278.50
24x36	610x914	13	5.9	A2436NC	85.50	A2436NK3	99.00	A2436NS	278.50
24x42	610x1066	15	6.8	A2442NC	100.00	A2442NK3	119.50	A2442NS	335.50
24x48	610x1219	16	7.3	A2448NC	100.00	A2448NK3	119.50	A2448NS	335.50
24x54	610x1370	18	8.6	A2454NC	117.00	A2454NK3	140.50	A2454NS	408.50
24x60	610x1524	21	9.5	A2460NC	117.00	A2460NK3	140.50	A2460NS	408.50
24x72	610x1829	26	11.8	A2472NC	138.50	A2472NK3	163.50	A2472NS	509.00
30x36	760x914	15	6.8	A3036NC	116.00			A3036NS	365.00
30x48	760x1219	21	9.5	A3048NC	134.00			A3048NS	426.00
30x60	760x1524	26½	11.8	A3060NC	148.00			A3060NS	473.50
30x72	760x1829	31	14.0	A3072NC	177.00			A3072NS	575.00
36x36	910x914	18	8.2	A3636NC	129.00			A3636NS	408.00
36x48	910x1219	23	10.4	A3648NC	151.50			A3648NS	484.00
36x60	910x1524	29	13.1	A3660NC	172.50			A3660NS	561.50
36x72	910x1829	34½	15.4	A3672NC	203.50			A3672NS	667.00

Note: For availability of Super Adjustable Shelving not listed above, contact your Metro representative.

SiteSelect™ Posts — 10.01a 10.10a

Stationary Super Erecta® SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available.†

STATIONARY					MOBILE				
Height* (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
7½	191	½	0.3	7P	12.50				
14½	370	1	0.5	13P	14.50	13PK3	16.50	13UPK3	16.50
27½	699	1¾	0.75	27P	17.50			27UPS	42.00
34½	875	2	0.9	33P	18.50	33PK3	22.00	33UPS	47.50
54½	1385	3	1.4	54P	21.50	54PK3	23.50	54UPK3	23.50
62½	1590	3½	1.6	63P	23.00	63PK3	26.50	63UPK3	26.50
74½	1895	4	1.8	74P	25.00	74PK3	29.00	70UPK3	35.00
86½	2200	5	2.3	86P	31.00	86PK3	34.00	74UPK3	66.00
96½	2454	5½	2.5	***96P	35.50			86UPK3	76.00

*Height includes leveling bolt and cap.

**Stainless stationary post includes stainless leveling bolt.


***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.

Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69¾" (1762mm) to 69⅓" (1775mm).

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC. ✓ Indicates antimicrobial product.

These posts come without leveling bolt assembly to accommodate stem casters.



Shelving Starter and Add-On Units

Save time and money by eliminating adjacent posts and replacing with "S" hooks.

- Starter Units consist of four posts and indicated number of Super Adjustable Super Erecta shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit.



Replacement "S" Hook

2 are required for each storage level.

Cat. No. **9995Z**

List Price 3.90 each

For additional wire shelves, order from page 37.



Add-on units with "S" hooks can only be attached to shelves supported by two or more posts.

Security "S" Hook

2 are required for each storage level.

Chrome. Cat. No. **H9995C**

List Price 7.50/Bag of 2

Black. Cat. No. **H9995B**

List Price 7.70/Bag of 2

✓ Indicates antimicrobial product.

Shelving Starter and Add-On Units — Easy Order Guide

		Chrome-Plated						Metroseal 3 with Microban®											
		18" (457mm) Wide			21" (530mm) Wide			24" (610mm) Wide			18" (457mm) Wide			21" (530mm) Wide					
		Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On	Starter	Add-On		
24"	5A317C	5AA317C	5A417C	5AA417C	5A517C	5AA517C	5A317K3	5AA317K3	5A417K3	5AA417K3	5A517K3	5AA517K3	5A317K3	5AA317K3	5A417K3	5AA417K3	5A517K3	5AA517K3	
(610mm)	List Price Each	432.50	421.50	487.50	476.50	512.50	501.50	511.00	492.00	563.50	544.50	601.00	582.00	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)
Long	Wt. lbs. (kg)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)						
30"	Cat. No.	5A327C	5AA327C	5A427C	5AA427C	5A527C	5AA527C	5A327K3	5AA327K3	5A427K3	5AA427K3	5A527K3	5AA527K3	5A327K3	5AA327K3	5A427K3	5AA427K3	5A527K3	5AA527K3
(760mm)	List Price Each	440.00	429.00	502.50	491.50	527.50	516.50	528.50	509.50	576.00	557.00	611.00	592.00	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)
Long	Wt. lbs. (kg)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)						
36"	Cat. No.	5A337C	5AA337C	5A437C	5AA437C	5A537C	5AA537C	5A337K3	5AA337K3	5A437K3	5AA437K3	5A537K3	5AA537K3	5A337K3	5AA337K3	5A437K3	5AA437K3	5A537K3	5AA537K3
(914mm)	List Price Each	440.00	429.00	502.50	491.50	527.50	516.50	528.50	509.50	576.00	557.00	611.00	592.00	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)
Long	Wt. lbs. (kg)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)						
42"	Cat. No.	5A347C	5AA347C	5A447C	5AA447C	5A547C	5AA547C	5A347K3	5AA347K3	5A447K3	5AA447K3	5A547K3	5AA547K3	5A347K3	5AA347K3	5A447K3	5AA447K3	5A547K3	5AA547K3
(1066mm)	List Price Each	507.50	496.50	560.00	549.00	600.00	589.00	606.00	587.00	651.00	632.00	713.50	694.50	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)
Long	Wt. lbs. (kg)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)						
48"	Cat. No.	5A357C	5AA357C	5A457C	5AA457C	5A557C	5AA557C	5A357K3	5AA357K3	5A457K3	5AA457K3	5A557K3	5AA557K3	5A357K3	5AA357K3	5A457K3	5AA457K3	5A557K3	5AA557K3
(1219mm)	List Price Each	507.50	496.50	560.00	549.00	600.00	589.00	606.00	587.00	651.00	632.00	713.50	694.50	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)
Long	Wt. lbs. (kg)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)						
60"	Cat. No.	5A367C	5AA367C	5A467C	5AA467C	5A567C	5AA567C	5A367K3	5AA367K3	5A467K3	5AA467K3	5A567K3	5AA567K3	5A367K3	5AA367K3	5A467K3	5AA467K3	5A567K3	5AA567K3
(1524mm)	List Price Each	570.00	559.00	635.00	624.00	685.00	674.00	691.00	672.00	738.50	719.50	818.50	799.50	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)
Long	Wt. lbs. (kg)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)						
72"	Cat. No.	5A377C	5AA377C	5A477C	5AA477C	5A577C	5AA577C	5A377K3	5AA377K3	5A477K3	5AA477K3	5A577K3	5AA577K3	5A377K3	5AA377K3	5A477K3	5AA477K3	5A577K3	5AA577K3
(1829mm)	List Price Each	660.00	649.00	735.00	724.00	792.50	781.50	771.00	752.00	868.50	849.50	933.50	914.50	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)
Long	Wt. lbs. (kg)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)						

Super Adjustable Super Erecta® Stem Caster Carts — 11.01a

- Four- and five-tier models available.
- Consists of Super Adjustable Super Erecta wire shelves.
- 5" (127mm) resilient rubber or polyurethane casters with donut bumpers.
- Super Adjustable Super Erecta shelves allow for quick and easy adjustability.
- Open-wire shelf design minimizes dust and increases air circulation and visibility.
- Strong and versatile. (See Metro Fact below)
- For additional storage levels, Super Adjustable shelves may be added as desired. (See page 37.)

Metro Fact:

Carts with polyurethane casters are designed to hold up to 900 lbs. (408kg). Carts with rubber casters can hold up to 600 lbs. (272kg) of evenly distributed weight. Heavier weight loads should be stored as low as possible on cart for safe maneuverability.



Lift the release at each corner to adjust Super Adjustable shelves at 1" (25mm) increments in seconds.



Super Adjustable Super Erecta® Wire Stem Caster Cart

Use a solid shelf on the lowest levels to protect contents on the bottom of the cart from debris and dripping. (See page 65).

4-Tier Models

With Chrome Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in.)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters					
		Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each
18x36	457x914	60 27	A336BC	498.00	A336EC	568.00	
18x48	457x1219	72 32	A356BC	552.00	A356EC	622.00	
18x60	457x1524	88 40	A366BC	602.00	A366EC	672.00	
21x36	530x914	69 31	A436BC	548.00	A436EC	618.00	
21x48	530x1219	81 36	A456BC	594.00	A456EC	664.00	
21x60	530x1524	98 44	A466BC	654.00	A466EC	724.00	
24x36	610x914	76 34	A536BC	568.00	A536EC	638.00	
24x48	610x1219	92 41	A556BC	626.00	A556EC	696.00	
24x60	610x1524	112 51	A566BC	694.00	A566EC	764.00	

5-Tier Models

With Chrome Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in.)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters					
		Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each
18x36	457x914	60 27	5A336BC	566.00	5A336EC	636.00	
18x48	457x1219	72 32	5A356BC	633.50	5A356EC	703.50	
18x60	457x1524	88 40	5A366BC	696.00	5A366EC	766.00	
21x36	530x914	69 31	5A436BC	628.50	5A436EC	698.50	
21x48	530x1219	81 36	5A456BC	686.00	5A456EC	756.00	
21x60	530x1524	98 44	5A466BC	761.00	5A466EC	831.00	
24x36	610x914	76 34	5A536BC	653.50	5A536EC	723.50	
24x48	610x1219	92 41	5A556BC	726.00	5A556EC	796.00	
24x60	610x1524	112 51	5A566BC	811.00	5A566EC	881.00	

Genuine quality.

Genuine Metro!



Super Erecta® Shelving System The original wire storage system.

A storage system that defines the extent of space, Super Erecta's revolutionary concept was fresh and innovative from its start — nearly 30 years ago. It has continued to evolve, with nearly 100 highly specialized accessories, aimed at meeting the diversity of today's challenges.

- Adjustable: Shelves can be repositioned at precise 1" (25mm) increments along the length of the numbered posts.
- Unique Design: Open-wire design minimizes dust accumulation, allows a free circulation of air, and greater visibility of stored items.
- Mobile: Full choice of caster types available for mobile applications.




Metro Fact:

Genuine Metro!
Metro created the original post-based shelving unit in 1965. Still today, Metro Super Erecta Shelving is recognized worldwide as the most popular commercial shelving system ever.

Strong to the Finish.

Shelving Finishes Guide




Type 304 Polished Stainless Steel

Addresses the most aggressive applications and environments. All-stainless solid and wire options exist for high temperature automated cart wash and autoclave applications.



Metroseal 3™ Epoxy

Corrosion resistant finish for wet or high humidity environments with a 12 year warranty against rust and corrosion. Microban antimicrobial is built into the finish to keep the product "cleaner between cleanings".



Chrome Plating

The "real" nickel-chrome finish for dry, low humidity environments. Metro's durable chrome finish includes a protective lacquer coat.



Brite

Economical, chromate finish for dry, low humidity environments. Metro's Brite finish provides the look of chrome and includes a protective lacquer coat.



Shelving Post Guide

Standard Stationary Post with adjustable leveling foot. Stainless models also feature a stainless leveling foot. Use Foot Plates for greater stability.



Standard Stem Caster Mobile Post accepts a Metro stem caster. Use these for the majority of standard duty transport and movable storage applications.

Cart Wash and Autoclave Applications

Swaged stainless post has a fastened aluminum post cap and is specifically designed to withstand high temperatures. See page 48 for part numbers.

Heavy Duty Transport

Staked post attaches to a dolly truck to address abusive transport applications. The reinforced connection between the base receptacle and post provides a more secure connection to the dolly truck. See page 50 for part numbers.

Wire Shelves — 10.01a 10.10a

Packaging: Wire shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths and 30" (760mm) and 36" (914mm) widths, which are packaged no more than 2 per carton. Plastic sleeves and wedges are included with each shelf.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Bright	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
14x24 355x610	6	2.7	1424BR	48.50	1424NC	57.00	1424NK3	65.00	1424NS	173.00
14x30 355x760	7	3.2	1430BR	52.00	1430NC	59.00	1430NK3	67.50	1430NS	179.00
14x36 355x914	8	3.6	1436BR	52.00	1436NC	59.00	1436NK3	67.50	1436NS	179.00
14x42 355x1066	9½	4.3	1442BR	60.00	1442NC	68.50	1442NK3	79.50	1442NS	220.50
14x48 355x1219	10½	4.7	1448BR	60.00	1448NC	68.50	1448NK3	79.50	1448NS	220.50
14x60 355x1524	14	6.3	1460BR	71.00	1460NC	79.50	1460NK3	90.00	1460NS	278.50
14x72 355x1829	17	7.7	1472BR	83.00	1472NC	91.00	1472NK3	103.00	1472NS	313.50
18x18 457x457	6	2.7	N/A		1818NC	60.50	N/A		N/A	
18x24 457x610	7	3.2	1824BR	57.50	1824NC	60.50	1824NK3	73.00	1824NS	218.00
18x30 457x760	8	3.6	1830BR	59.00	1830NC	62.00	1830NK3	76.50	1830NS	220.50
18x36 457x914	9½	4.3	1836BR	59.00	1836NC	62.00	1836NK3	76.50	1836NS	220.50
18x42 457x1066	11	5.0	1842BR	70.00	1842NC	75.50	1842NK3	92.00	1842NS	261.50
18x48 457x1219	12	5.4	1848BR	70.00	1848NC	75.50	1848NK3	92.00	1848NS	261.50
18x54 457x1370	14½	6.6	1854BR	83.00	1854NC	88.00	1854NK3	109.00	1854NS	332.50
18x60 457x1524	17	7.7	1860BR	83.00	1860NC	88.00	1860NK3	109.00	1860NS	332.50
18x72 457x1829	20	9.1	1872BR	97.00	1872NC	106.00	1872NK3	125.00	1872NS	396.00
21x24 530x610	8	3.6	2124BR	64.50	2124NC	71.50	2124NK3	83.50	2124NS	249.50
21x30 530x760	9	4.1	2130BR	66.50	2130NC	74.50	2130NK3	86.00	2130NS	252.50
21x36 530x914	11	5.0	2136BR	66.50	2136NC	74.50	2136NK3	86.00	2136NS	252.50
21x42 530x1066	12	5.4	2142BR	77.00	2142NC	86.00	2142NK3	101.00	2142NS	291.50
21x48 530x1219	14	6.4	2148BR	77.00	2148NC	86.00	2148NK3	101.00	2148NS	291.50
21x54 530x1370	16	7.3	2154BR	93.00	2154NC	101.00	2154NK3	118.50	2154NS	387.50
21x60 530x1524	18	8.2	2160BR	93.00	2160NC	101.00	2160NK3	118.50	2160NS	387.50
21x72 530x1829	24	10.9	2172BR	112.50	2172NC	121.00	2172NK3	144.50	2172NS	459.00
24x24 610x610	9	4.1	2424BR	69.00	2424NC	76.50	2424NK3	91.00	2424NS	269.00
24x30 610x760	11	5.0	2430BR	71.00	2430NC	79.50	2430NK3	93.00	2430NS	272.50
24x36 610x914	13	5.9	2436BR	71.00	2436NC	79.50	2436NK3	93.00	2436NS	272.50
24x42 610x1066	15	6.8	2442BR	85.50	2442NC	94.00	2442NK3	113.50	2442NS	329.50
24x48 610x1219	16	7.3	2448BR	85.50	2448NC	94.00	2448NK3	113.50	2448NS	329.50
24x54 610x1370	19	8.6	2454BR	104.50	2454NC	111.00	2454NK3	134.50	2454NS	402.50
24x60 610x1524	21	9.5	2460BR	104.50	2460NC	111.00	2460NK3	134.50	2460NS	402.50
24x72 610x1829	26	11.8	2472BR	120.00	2472NC	132.50	2472NK3	157.50	2472NS	503.00
30x36 760x914	15	6.8			3036NC	115.50	3036NK3	137.00	3036NS	365.00
30x48 760x1219	21	9.5			3048NC	133.50	3048NK3	157.50	3048NS	426.00
30x60 760x1524	26½	11.8			3060NC	147.00	3060NK3	179.50	3060NS	473.50
30x72 760x1829	31	14.0			3072NC	176.00	3072NK3	215.00	3072NS	575.00
36x36 910x914	18	8.2			3636NC	128.50	3636NK3	154.00	3636NS	408.00
36x48 910x1219	23	10.4			3648NC	150.50	3648NK3	179.50	3648NS	484.00
36x60 910x1524	29	13.1			3660NC	171.50	3660NK3	212.00	3660NS	561.50
36x72 910x1829	34½	15.4			3672NC	202.50	3672NK3	248.50	3672NS	667.00

Note: With 14" (355mm) shelving, foot plates must be used on freestanding units; on mobile units, maximum post height is 54" (1370mm). It is not recommended to use 14" (355mm) shelving with posts higher than 74" (1880mm).

Note: The actual length of the shelves is 1/8" (3.2mm) shorter than the nominal dimension shown. The actual depth of the shelves is 1/8" (3.2mm) greater than the nominal dimension shown.

Note: Metroseal 3 is not cart-washable.

Note: Super Erecta wire shelves up to 24" (610mm) deep and 48" (1219mm) long can hold up to 800 lbs. (363kg) per shelf evenly distributed. Shelves up to 24" deep and longer than 48" (1219mm) can hold up to 600 lbs. (272kg) per shelf evenly distributed.

Note: 30" and 36" (760 and 910mm) deep Super Erecta wire shelves up to 48" (1219mm) long can hold up to 600 lbs. (272kg) per shelf evenly distributed. 30" and 36" (760 and 910mm) deep Super Erecta wire shelves longer than 48" (1219mm) can hold up to 400 lbs. (182kg) per shelf evenly distributed.

SiteSelect™ Posts

— 10.01a 10.10a

Stationary Super Erecta® SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available.†

Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	STATIONARY			Cat. No. Stainless	List Price Each	MOBILE		
			List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each			Cat. No. Plated	Cat. No. Metroseal 3 with Microban®	List Price Each
7½	191	1/2	0.3	7P	12.50					
14½	370	1	0.5	13P	14.50	13PK3	16.50	13UP	14.50	13UPS 30.00
27½	699	1¾	0.75	27P	17.50			27UP	17.50	27UPS 42.00
34½	875	2	0.9	33P	18.50	33PK3	22.00	33UP	18.50	33UPS 47.50
54½	1385	3	1.4	54P	21.50	54PK3	23.50	54UP	21.50	54UPS 52.50
62½	1590	3½	1.6	63P	23.00	63PK3	26.50	63UP	23.00	63UPS 59.00
74½	1895	4	1.8	74P	25.00	74PK3	29.00	74UP	25.00	74UPS 66.00
86½	2200	5	2.3	86P	31.00	86PK3	34.00	86UP	31.00	86UPS 76.00
96½	2454	5½	2.5	***96P	35.50					

*Height includes leveling bolt and cap.

**Stainless stationary post includes stainless leveling bolt.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge. Post lengths to be specified as cut to a round number, ie: 74P cut to 69½" (1753mm) . . . This will result in an overall post height with adjustment of 69½" (1762mm) to 69¾" (1775mm).

These posts come without leveling bolt assembly to accommodate stem casters.

Casters for mobile applications can be found on pages 48 & 49.

Indicates antimicrobial product.

Designer Color Shelving — **10.14**

Available in a wide spectrum of colors that complement any decor.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	(kg)	STANDARD COLORS			List Price Each	DESIGNER COLORS			List Price Each
			Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass		Cat. No. Flame	Cat. No. Designer Colors*		
14x24	355x610	6	2.7	1424NBL	1424NW	1424N-DSG	56.00	1442NF	1424N-D	61.00
14x30	355x760	7	3.2	1430NBL	1430NW	1430N-DSG	58.00	1430NF	1430N-D	63.00
14x36	355x914	8	3.6	1436NBL	1436NW	1436N-DSG	58.00	1436NF	1436N-D	63.00
14x42	355x1066	9½	4.3	1442NBL	1442NW	1442N-DSG	67.50	1442NF	1442N-D	72.50
14x48	355x1219	10½	4.7	1448NBL	1448NW	1448N-DSG	67.50	1448NF	1448N-D	72.50
14x60	355x1524	14	6.3	1460NBL	1460NW	1460N-DSG	78.50	1460NF	1460N-D	83.50
14x72	355x1829	17	7.7	1472NBL	1472NW	1472N-DSG	90.00	1472NF	1472N-D	95.00
18x18	457x457	6	2.7	1818NBL	1818NW	1818N-DSG	59.50	1818NF	1818N-D	64.50
18x24	457x610	7	3.2	1824NBL	1824NW	1824N-DSG	59.50	1824NF	1824N-D	64.50
18x30	457x760	8	3.6	1830NBL	1830NW	1830N-DSG	61.00	1830NF	1830N-D	66.00
18x36	457x914	9½	4.3	1836NBL	1836NW	1836N-DSG	61.00	1836NF	1836N-D	66.00
18x42	457x1066	11	5.0	1842NBL	1842NW	1842N-DSG	74.50	1842NF	1842N-D	79.50
18x48	457x1219	12	5.4	1848NBL	1848NW	1848N-DSG	74.50	1848NF	1848N-D	79.50
18x54	457x1370	14½	6.6	1854NBL	1854NW	1854N-DSG	87.00	1854NF	1854N-D	92.00
18x60	457x1524	17	7.7	1860NBL	1860NW	1860N-DSG	87.00	1860NF	1860N-D	92.00
18x72	457x1829	20	9.1	1872NBL	1872NW	1872N-DSG	105.00	1872NF	1872N-D	110.00
21x24	530x610	8	3.6	2124NBL	2124NW	2124N-DSG	70.50	2124NF	2124N-D	75.50
21x30	530x760	9	4.1	2130NBL	2130NW	2130N-DSG	73.50	2130NF	2130N-D	78.50
21x36	530x914	11	5.0	2136NBL	2136NW	2136N-DSG	73.50	2136NF	2136N-D	78.50
21x42	530x1066	12	5.4	2142NBL	2142NW	2142N-DSG	85.00	2142NF	2142N-D	90.00
21x48	530x1219	14	6.4	2148NBL	2148NW	2148N-DSG	85.00	2148NF	2148N-D	90.00
21x54	530x1370	16	7.3	2154NBL	2154NW	2154N-DSG	100.00	2154NF	2154N-D	105.00
21x60	530x1524	18	8.2	2160NBL	2160NW	2160N-DSG	100.00	2160NF	2160N-D	105.00
21x72	530x1829	24	10.9	2172NBL	2172NW	2172N-DSG	120.00	2172NF	2172N-D	125.00
24x24	610x610	9	4.1	2424NBL	2424NW	2424N-DSG	75.50	2424NF	2424N-D	80.50
24x30	610x760	11	5.0	2430NBL	2430NW	2430N-DSG	78.50	2430NF	2430N-D	83.50
24x36	610x914	13	5.9	2436NBL	2436NW	2436N-DSG	78.50	2436NF	2436N-D	83.50
24x42	610x1066	15	6.8	2442NBL	2442NW	2442N-DSG	93.00	2442NF	2442N-D	98.00
24x48	610x1219	16	7.3	2448NBL	2448NW	2448N-DSG	93.00	2448NF	2448N-D	98.00
24x54	610x1370	19	8.6	2454NBL	2454NW	2454N-DSG	110.00	2454NF	2454N-D	115.00
24x60	610x1524	21	9.5	2460NBL	2460NW	2460N-DSG	110.00	2460NF	2460N-D	115.00
24x72	610x1829	26	11.8	2472NBL	2472NW	2472N-DSG	131.50	2472NF	2472N-D	136.50

Note: White epoxy Super Erecta shelves come with white split sleeves.


Note: All Black, Smoked Glass and Designer Super Erecta shelves come with black split sleeves.

Note: Black shelving is NSF listed. White, Smoked Glass, and Designer Colors are not NSF listed.

 Posts — **10.14**

Height* (in.)	Approx. Pkd. Wt. (lbs.)	(kg)	STATIONARY			Cat. No. Flame	Cat. No. Designer Colors*	MOBILE (FOR STEM CASTERS)		
			Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass			Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass
7½	191	½	0.3	7PBL	7PW	7P-DSG	12.00	7PF	7P-D	15.00
14½	370	1	0.5	13PBL	13PW	13P-DSG	14.00	13PF	13P-D	17.00
27½	699	1¾	0.75	27PBL	27PW	27P-DSG	17.00	27PF	27P-D	21.50
34½	875	2	0.9	33PBL	33PW	33P-DSG	18.00	33PF	33P-D	21.00
54½ ₁₆	1385	3	1.4	54PBL	54PW	54P-DSG	21.00	54PF	54P-D	24.00
62½ ₁₆	1590	3½	1.6	63PBL	63PW	63P-DSG	22.50	63PF	63P-D	25.50
74½	1895	4	1.8	74PBL	74PW	74P-DSG	24.50	74PF	74P-D	27.50
86½ ₈	2200	5	2.3	86PBL	86PW	86P-DSG	30.50	86PF	86P-D	33.50

Standard Colors



Black



White



Smoked Glass



Flame (F)


 Black Matte
(BM)

 Hunter Green
(HG)

 Copper
Hammertone
(CH)

 Silver
Hammertone
(SH)

Designer Colors*

*For Designer Colors: BM, HG, CH, SH

*To order a Designer Color, add the appropriate color suffix to the desired catalog numbers above.

Example: 18" x 36" (457 x 914mm) Hunter Green Shelf = 1836N-DHG

74" (1880mm) stationary Hunter Green Post = 74P-DHG.



Post Boot

Post Boots
with *Microban® Product Protection — **10.06**
Patent Pending.
Seals out moisture and protects the post from corrosion in areas where floors are mopped regularly. Easily slips over the bottom 5" (127mm) of a stationary post. Built-in Microban antimicrobial. Use with standard leveling bolt or foot plates. Bags of 4. Cat. No. **9982GR-4** List Price 16.50/bag



Post Clamp

Post Clamps — 10.06

Joins units together for maximum strength. Zinc-plated. Cat. No. **9994Z**
List Price 6.10 each
Black. Cat. No. **9994BL**
List Price 6.60 each



Foot Plate

Foot Plates — 10.06
Use to bolt units to the floor, or when a broader, more stable foot is desired. Zinc. Cat. No. **9993Z**
List Price 12.00 each
Stainless Steel. Cat. No. **9993S**
List Price 27.00 each
Black. Cat. No. **9993BL**
List Price 12.80 each



Aluminum Split Sleeve

Aluminum Split Sleeves — 10.06

For high temperature, over the road, or conductive applications. Zinc or stainless steel retainer rings available to secure shelf. One bag required per shelf; 4 pairs per bag.

	Cat. No.	List Price Per Bag
Aluminum Split Sleeves with Zinc Rings	9986Z	8.90
Aluminum Split Sleeves with Stainless Rings	9986S	13.00



Glide

Glides — 10.06
Smooth polymer cover fits over leveling bolt to protect floors. Cat. No. **9991P**
List Price 3.40 each



Black Split Sleeve



White Split Sleeve

Replacement Plastic Split Sleeves — 10.06

One bag required per shelf; 4 pairs per bag.

	Cat. No.	List Price Per Bag
Black Plastic Split Sleeves	9985	6.80
White Plastic Split Sleeves	9985W	6.80

Note: White post caps and white split sleeves are standard with white designer shelving only.



Decorative Leveling Foot

Decorative Leveling Foot — 10.06
Decorative alternative for post. Compensates for uneven surfaces. Chrome. Cat. No. **HDFC**
List Price 6.90 each
Black. Cat. No. **HDFB**
List Price 6.90 each



Replacement Super Adjustable Kit

Replacement Super Adjustable Kit

Package includes 4 wedges, 4 sleeves, and 4 corner releases.

Cat. No. **SAKITA2**

List Price 7.50 each

Basket Shelf
(Posts sold separately, see page 42)**Basket Shelf — 10.04**

3½" (89mm) deep basket with 400 lb. (182kg) weight capacity. Ideal for containing and displaying smaller items.


(in.)	Size (mm)	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each
14x36	355x914	—		DD3448A	108.00
14x48	355x1219	—		DD3448B	126.50
18x36	457x914	CC9744A	109.00	CC9744C	109.00
18x48	457x1219	CC9744	127.50	CC9744B	127.50

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



Super Erecta® Convenience Pak™ — 10.03

- Providing a complete shelving unit in a single box, Convenience Pak shelving is the easy-to-order alternative to separate shelving components.
- Available in Super Erecta Brite, chrome and Metroseal 3 finishes.



Unassembled Convenience Pak™

Each pack includes four shelves with split sleeves and four split posts with leveling feet.


 Convenience Pak unit
in Chrome finish

Width/Length/Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
18x36x74½ 457x914x1890	51 23	EZ1836BR-4	350.00	EZ1836NC-4	387.00	EZ1836NK3-4	460.50
18x48x74½ 457x1219x1890	63 28.5	EZ1848BR-4	406.50	EZ1848NC-4	430.00	EZ1848NK3-4	527.50
18x60x74½ 457x1524x1890	82 37	EZ1860BR-4	453.00	EZ1860NC-4	479.00	EZ1860NK3-4	602.50
24x36x74½ 610x914x1890	66 30	EZ2436BR-4	403.00	EZ2436NC-4	450.50	EZ2436NK3-4	532.00
24x48x74½ 610x1219x1890	76 34.5	EZ2448BR-4	463.50	EZ2448NC-4	504.50	EZ2448NK3-4	629.00
24x60x74½ 610x1524x1890	102 46	EZ2460BR-4	539.00	EZ2460NC-4	574.00	EZ2460NK3-4	715.50


Heavy-Duty Dunnage Shelves — 10.45

Enhance the weight-bearing capacity of your system.

- 36" (914mm) shelf holds 1,600 pounds (725kg) (uniformly distributed); 48" (1219mm) shelves carry up to 1,300 pounds (590kg); 60" (1524mm) shelves bear up to 1,000 pounds (453kg).
- Removable wire mat: 5/16" (7.9mm) diameter wire.
- Support frames: 1" (25mm) square tubing lifts off for easy cleaning.

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x24 457x610	14 6.3	1824DRC	150.50	1824DRK3	179.50	—	
18x30 457x760	18 8.1	1830DRC	164.50	1830DRK3	196.50	—	
18x36 457x914	21 9.4	1836DRC	164.50	1836DRK3	196.50	1836DRS	480.00
18x48 457x1219	28 12.6	1848DRC	190.00	1848DRK3	229.00	1848DRS	584.50
18x60 457x1524	34 15.3	1860DRC	219.50	1860DRK3	259.50	1860DRS	686.50
24x24 610x610	16 7.2	2424DRC	164.50	2424DRK3	195.50	—	
24x30 610x760	20 9.0	2430DRC	180.00	2430DRK3	212.00	—	
24x36 610x914	24 10.8	2436DRC	180.00	2436DRK3	212.00	2436DRS	526.00
24x48 610x1219	30 13.5	2448DRC	204.00	2448DRK3	243.50	2448DRS	633.00
24x60 610x1524	37 16.6	2460DRC	242.00	2460DRK3	285.50	2460DRS	760.00

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Shelving stability is attained by keeping units as wide and low as possible, and placing heavy loads low on the shelving unit.



Dunnage Shelf

Cantilever Shelves — 10.06

Adds convenient space above a storage unit. Drop mat design creates a retaining ledge around the entire 12" (305mm) deep shelf. Remember to order rear posts taller than front posts to accommodate these shelves.

Length (in.) (mm)	Approx. Pkd. Wt. Each (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
24 610	4½ 2.0	1224CSNC	55.50	1224CSNBL	1224CSNW	1224CSN-DSG	54.50
30 750	5 2.3	1230CSNC	58.00	1230CSNBL	1230CSNW	1230CSN-DSG	57.00
36 914	5¾ 2.6	1236CSNC	60.50	1236CSNBL	1236CSNW	1236CSN-DSG	59.50
42 1066	6¾ 3.1	1242CSNC	68.50	1242CSNBL	1242CSNW	1242CSN-DSG	67.50
48 1219	7¾ 3.5	1248CSNC	70.50	1248CSNBL	1248CSNW	1248CSN-DSG	69.50
60 1524	9½ 4.3	1260CSNC	81.50	1260CSNBL	1260CSNW	1260CSN-DSG	80.50



Cantilever Shelves

Indicates antimicrobial product.



Wire Stem Caster Cart

Stem Caster Carts — Wire — 11.01

Open-wire shelf design minimizes dust and increases air circulation and visibility. Casters included.

63" (1600mm) Posts — Overall Height 67^{7/8}" (1724mm)

Shelf Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	(kg)	Super Erecta Bright Finish				Chrome Finish			
			Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36	457x914	60 27	N336BBR	462.00	N336EBR	532.00	N336BC	474.00	N336EC	544.00
18x48	457x1219	72 32	N356BBR	506.00	N356EBR	576.00	N356BC	528.00	N356EC	598.00
18x60	457x1524	88 40	N366BBR	558.00	N366EBR	628.00	N366BC	578.00	N366EC	648.00
21x36	530x914	69 31	N436BBR	492.00	N436EBR	562.00	N436BC	524.00	N436EC	594.00
21x48	530x1219	81 36	N456BBR	534.00	N456EBR	604.00	N456BC	570.00	N456EC	640.00
21x60	530x1524	98 44	N466BBR	598.00	N466EBR	668.00	N466BC	630.00	N466EC	700.00
24x36	610x914	76 34	N536BBR	510.00	N536EBR	580.00	N536BC	544.00	N536EC	614.00
24x48	610x1219	92 41	N556BBR	568.00	N556EBR	638.00	N556BC	602.00	N556EC	672.00
24x60	610x1524	112 51	N566BBR	644.00	N566EBR	714.00	N566BC	670.00	N566EC	740.00



Solid Stem Caster with galvanized shelves

Stem Caster Carts — Solid — 11.10

- Consist of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm) poly casters (2 swivel; 2 brake).
- Strong and versatile
- Solid Shelf Stem Caster Carts feature a 1/8" (3mm) raised "ship's edge" around perimeter of shelves to help contain spillage.

With Four Galvanized Flat Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 67^{7/8}" (1724mm)

Shelf Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
24x36	610x914	100 45	F536EG	736.00
24x48	610x1219	124 56	F556EG	796.00
24x60	610x1524	152 69	F566EG	858.00



Two-Shelf Basket Cart

Each 3 1/2" (89mm) deep basket keeps items secure.

Customize a basket cart from the following components:

- Page 42 — Mobile posts
- Page 44 — Basket shelves
- Page 48 — Casters

Super Erecta Trucks — With Super Erecta Chrome Wire Shelves — 11.25

63" (1600mm) Plated Posts and Aluminum Dolly

Consists of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm), resilient rubber or poly casters as designated.

Shelf Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Two B5DN Two B5DNB	Catalog Number with Casters		
			List Price Each	List Price Each	List Price Each
24x36	610x914	96 43	N536JC	847.00	N536LC 917.00
24x48	610x1219	118 53	N556JC	930.50	N556LC 1,000.50
24x60	610x1524	142 64	N566JC	1,027.00	N566LC 1,097.00
N536MC 1,362.50					
N556MC 1,446.00					
N566MC 1,542.50					

Overall heights: JC, LC models — 68^{7/16}" (1739mm), MC models — 70^{1/16}" (1800mm).

- JC models: Standard swivel plate casters, two with brake; resilient rubber tread.
- LC models: Standard swivel plate casters, two with brake; polyurethane tread.
- MC models: Larger plate casters; two swivel; one swivel/brake set; polyurethane tread.

Metro Tip:

In applications where thresholds are frequently encountered, Metro Super Erecta Trucks provide durability and increased stability.



Super Erecta Wire Truck

Slanted Shelf Trucks and Carts — 31.05

Shelves slope backwards 2" (51mm) to keep items from falling during transport.

Standard-duty carts have four poly stem casters. Heavy-duty trucks are dolly mounted.

Width/Length (in.)	Height (in.)	No. Shelves	Casters	Description	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No.
24x36	610x914	62 ^{1/16} 1577	3	2-BL6P, 2-6P	Heavy-Duty 140	63	AST35MC 1,798.00
24x48	610x1219	62 ^{1/16} 1577	3	2-BL6P, 2-6P	Heavy-Duty 162	72.4	AST55MC 1,864.00
24x60	610x1524	62 ^{1/16} 1577	3	2-BL6P, 2-6P	Heavy-Duty 187	84.1	AST65MC 1,965.50
24x36	610x914	59 ^{7/8} 1521	3	4-Poly Casters	Standard-Duty 105	47.2	AST35DC 958.00
24x48	610x1219	59 ^{7/8} 1521	3	4-Poly Casters	Standard-Duty 125	56.2	AST55DC 1,078.00
24x60	610x1524	59 ^{7/8} 1521	3	4-Poly Casters	Standard-Duty 150	67.5	AST65DC 1,151.00

Additional Slanted Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	List Price Each
24x36	610x914	13 6	SLT2436NC 120.00
24x48	610x1219	17 8	SLT2448NC 141.00
24x60	610x1524	22 10	SLT2460NC 151.50



Standard-Duty Slanted Shelf Cart

Handles — 11.40

Use on corresponding width Super Erecta units to provide additional maneuverability to dolly carts or stem caster carts. Split sleeves included for attaching to cart.

Length (in.)	Push Handles			Extended Handles		
	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Chrome	List Price Each
14 355	PH14NC	25.00	PH14NS	64.50	EH14NC	29.50
18 457	PH18NC	28.50	PH18NS	74.00	EH18NC	36.50
21 530	PH21NC	29.50	PH21NS	81.00	EH21NC	37.50
24 610	PH24NC	29.50	PH24NS	88.00	EH24NC	37.50
30 760	PH30NC	36.50		EH30NC	47.00	
36 914	PH36NC	43.00		EH36NC	55.50	

Note: Handles fit unit widths only. Extended handles add 6" (152.4mm) to length of unit.



Push Handle



Extended Handle



5M



5MB

Rigid stem casters are often ordered two per unit for improved tracking and handling. Rigid caster channels are provided with each two rigid stem casters at no charge.

Stem Casters — 11.20

Use with Super Erecta posts and shelves (see pages 37 and 42) to create a mobile shelving unit to meet your special needs. Stem casters are shipped with donut bumper at no additional charge.

Wheel Diameter (in.) (mm)	Face (in.) (mm)	Load Rating (lbs.) (kg)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
4 102	1/2 12	125 56	Stem/Swivel	Resilient	1 1/2 .6	4LD	23.00
5 127	1/2 12	125 56	Stem/Swivel	Resilient	2 .9	5LD	26.50
5 127	1 1/4 32	200 90	Stem/Swivel	Resilient	2 1/2 1.1	5M	30.50
5 127	1 1/4 32	200 90	Stem/Brake	Resilient	2 5/8 1.2	5MB	36.50
5 127	1 1/4 32	200 90	Stem/Rigid	Resilient	3 1/2 1.5	5MR	36.50
5 127	1 1/4 32	250 111	Stem/Swivel	High Modulus Donut	2 1/2 1.1	5MDA	30.50
5 127	1 1/4 32	250 111	Stem/Brake	High Modulus Donut	2 5/8 1.17	5MDBA	36.50
5 127	1 1/4 32	250 111	Stem/Rigid	High Modulus Donut	2 3/8 1.08	5MDRA	36.50
5 127	1 1/4 32	300 135	Stem/Swivel	Polyurethane	2 1/8 .94	5MP	48.00
5 127	1 1/4 32	300 135	Stem/Brake	Polyurethane	2 1/4 1	5MPB	54.00
5 127	1 1/4 32	300 135	Stem/Rigid	Polyurethane	2 .9	5MPR	54.00
6 152	1 1/4 32	300 135	Stem/Swivel	Polyurethane	2 1/4 1.08	6MP	63.50
6 152	1 1/4 32	300 135	Stem/Brake	Polyurethane	2 1/2 .94	6MPB	75.00
6 152	1 1/4 32	300 135	Stem/Rigid	Polyurethane	2 1/4 1	6MPR	75.00

Note 1: Rigid casters are held in position by a connecting channel. When ordering rigid casters, shelf width must be known.

Note 2: Load Height for all 5M and 5MP casters — 6 5/32" ± 1/16" (155 ± 1.5mm).

Note 3: Load Height for 4LD caster — 4 5/8" ± 1/16" (118 ± 1.5mm).

Note 4: Load Height for 5LD caster — 5 5/8" ± 1/16" (143 ± 1.5mm).

Note 5: Brakes are foot-operated.

Polymer Casters — 11.20

Innovative polymer stem casters offer corrosion resistance and enhanced durability. Appropriate for all medium-duty mobile applications. Donut bumpers included.

- All-polymer horn, stainless steel axle and hardware.
- 5" (127mm) diameter polyurethane wheel, sleeve-style axle bearing and an optional toe-operated brake mechanism.

Wheel Tread	Type	Face (in.) (mm)	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Temp Range (continuous)	Cat. No.	List Price Each	Cat. No. Antimicrobial	List Price Each
Polyurethane	Swivel	1 1/4 32	300 135	2 .9	-20°F to 120°F	5PC	73.00	5PCM	81.50
Polyurethane	Brake	1 1/4 32	300 135	2 .9	-20°F to 120°F	5PCB	80.00	5PCBM	87.50
Polyurethane	Rigid	1 1/4 32	300 135	2 .9	-20°F to 120°F	5PCR	80.00		

Note 1: Rigid casters are held in place by a connecting channel. When ordering, shelf depth **must** be provided.

Stainless Steel Cart-Washable Stem Casters — 11.20

Stem casters are shipped with donut bumpers at no extra charge.



5MDGSA



5PCB

Note 1: Rigid casters are held in position by a connecting channel. When ordering rigid casters, shelf width must be known.

Note 2: Load Height for all 5MD and 5MP casters — 6 5/32" ± 1/16" (155 ± 1.5mm).

Note 3: All casters are grease sealed with zerk fittings in swivel and axle.

Note 4: Brakes are foot-operated.

Indicates antimicrobial product.

High-temperature Autoclave Stem Casters

Type	Wheel Tread	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Swivel	Hi-temp Phenolic	300 135	2 1/5 1.0	5MHTP	190.00
Brake	Hi-temp Phenolic	300 135	2 4/5 1.3	5MHTPB	202.50
Swivel	Hi-temp Nylon	300 135	2 2/5 1.1	5MHTN	190.00
Brake	Hi-temp Nylon	300 135	3 1.4	5MHTNB	202.50

Note: Casters are temperature rated for up to 300°F (149°C).

See page 42 for posts for Stem Casters.



Swedged Post

Swedged Posts — For cart washable and autoclave applications

Each Type 304 stainless post has an aluminum cap swedged into the top of the post. For use with standard stem casters.

Description	Dimensions (in.) (mm)	Cat. No.	List Price Each
Stem Caster Post	33 875	33UPS-SW	48.50
Stem Caster Post	54 1370	54UPS-SW	54.00
Stem Caster Post	63 1600	63UPS-SW	61.00

Donut Bumpers — 11.40

Diameter (in.) (mm)	Height (lbs.) (kg)	Cat. No.	List Price Each
3½ 89	¾ 19	9992DB*	7.20
5½ 140	13/16 21	9992N	12.50

*Included with each Super Erecta stem caster as noted on previous page.



Donut Bumper

Decorative Casters — 10.06

- Black nylon housing with non-marking polymer tread.
- 2½" (63mm) models have threaded stem and attach to stationary shelving posts.
- 4" (100mm) casters include threaded insert for use with mobile posts.



HDC5B HDC5BB

Casters shipped with post inserts (as shown left) for adaptability to mobile posts.

The following information is to assist you in the selection of the appropriate caster for your specific application. Remember, the selection of the proper caster is determined by the load requirements, the operating environment, and other special conditions.

Wheel Material	Resistance to Oil & Grease	Rollability	Floor Protection	Noise
Resilient Rubber	Low	Fair	Good	Low
Neoprene	High	Good	Good	Low
Polyurethane	High	Good	Good	Moderate
High Modulus Rubber	High	Good	Good	Low
Conductive	Low	Fair	Good	Low

Caster Tips:

1. The total weight of the equipment and its load should not exceed three times the load rating per caster.
2. Given the same wheel material, the larger the wheel diameter, the greater the load capacity and the better the rollability.
3. Caster mounting patterns affect maneuverability and steering of the equipment.
4. Plate casters generally have wheels of larger diameter and can usually carry more weight and take more abuse than stem casters.
5. Ball bearings and roller bearings in the wheel generally perform better and carry more weight than engineered plastic bearings or sintered metal bearings. Metro stem casters in the 5MP and the 5MDA series have ball bearings in the swivel and the wheel. Most plate casters have ball bearings in the swivel and ball or roller bearings in the wheel.
6. Wheel tread shapes are generally flat, rounded or tapered. Tapered wheels, like donut-shaped wheels, tend to roll more easily. High-modulus donut wheels offer resiliency and mobility, reduce noise, and absorb shock on uneven or rough floors.



For maneuverability, use 4 swivel casters.



For steering control use 2 swivel and 2 rigid casters.

Additional stem and plate casters, in various sizes, are available.

Made-To-Order Truck Dollies (Aluminum)* — **11.37**

Select the desired dolly size from chart below and combine with desired plate casters found on page 23 to make your corresponding size Super Erecta unit mobile. For example: D1824NCB, four #B5DN = one 18"x24" (457x610mm) aluminum dolly frame with four 5" (127mm) plate swivel casters.



Dolly Frame

Metro Fact:

Metro dolly frames and stock truck dollies add $3\frac{1}{8}$ " (78mm) to the length of the unit and $3\frac{3}{8}$ " (87mm) to the unit width.

Stainless steel frames and staked posts are recommended for heavy-duty applications.

Truck Dolly Frames

Shelf Width/Length (in.)	Cat. No. with Corner Bumper	ALUMINUM		STAINLESS				
		List Price Each	Cat. No. with Wraparound Bumper	List Price Each	Cat. No. with Corner Bumper			
18x24	D1824NCB	166.00	D1824NP	256.50	D1824SCB	495.00	D1824SP	588.00
18x30	D1830NCB	178.00	D1830NP	276.50	D1830SCB	511.00	D1830SP	613.00
18x36	D1836NCB	183.50	D1836NP	286.00	D1836SCB	531.50	D1836SP	641.50
18x42	D1842NCB	195.00	D1842NP	301.00	D1842SCB	548.00	D1842SP	660.00
18x48	D1848NCB	196.50	D1848NP	310.50	D1848SCB	568.00	D1848SP	680.50
18x60	D1860NCB	225.00	D1860NP	342.50	D1860SCB	602.00	D1860SP	723.50
18x72	D1872NCB	268.00	D1872NP	396.50	D1872SCB	638.50	D1872SP	770.00
21x24	D2124NCB	185.50	D2124NP	282.00	D2124SCB	516.00	D2124SP	615.50
21x30	D2130NCB	191.50	D2130NP	295.00	D2130SCB	526.50	D2130SP	634.00
21x36	D2136NCB	198.50	D2136NP	308.50	D2136SCB	550.50	D2136SP	661.50
21x42	D2142NCB	210.50	D2142NP	318.50	D2142SCB	573.00	D2142SP	686.00
21x48	D2148NCB	214.00	D2148NP	331.50	D2148SCB	589.00	D2148SP	711.00
21x60	D2160NCB	234.00	D2160NP	357.00	D2160SCB	621.00	D2160SP	751.50
21x72	D2172NCB	257.00	D2172NP	397.50	D2172SCB	721.00	D2172SP	862.00
24x24	D2424NCB	183.50	D2424NP	283.00	D2424SCB	510.00	D2424SP	612.00
24x30	D2430NCB	194.00	D2430NP	295.00	D2430SCB	533.00	D2430SP	641.50
24x36	D2436NCB	197.50	D2436NP	303.00	D2436SCB	548.00	D2436SP	660.00
24x42	D2442NCB	210.50	D2442NP	317.50	D2442SCB	568.00	D2442SP	677.00
24x48	D2448NCB	212.50	D2448NP	328.50	D2448SCB	584.50	D2448SP	708.00
24x60	D2460NCB	234.00	D2460NP	357.00	D2460SCB	618.00	D2460SP	751.50
24x72	D2472NCB	283.00	D2472NP	419.00	D2472SCB	856.00	D2472SP	856.00

Note 1: Replacement wraparound bumper kits are available. See your Metro representative for details.

Note 2: "Made To Order Dollies" are non-returnable.

Note 3: Maximum load capacity for dollies is 1,000 lbs. (454kg), depending on caster selection.


Stock Truck Dollies — **11.36**

These are aluminum dollies with a single catalog number for frame and casters with wraparound bumper. Use with Super Erecta Shelving and posts to create mobile carts for higher weight capacities. See specific plate caster load ratings (page 51) to determine appropriate stock truck dolly.

Shelf Width/Length (in.)	Casters	Cat. No.	List Price Each	Shelf Width/Length (in.)	Casters	Cat. No.	List Price Each
24x36	Two B5DN/Two B5DNB	D53JN	437.00	24x48	Two 8P/Two BL8P	D55PN	1,058.00
24x48	Two B5DN/Two B5DNB	D55JN	462.50	24x60	Two 8P/Two BL8P	D56PN	1,086.50
24x60	Two B5DN/Two B5DNB	D56JN	491.00	24x48	Two C8DA/Two C8DSL*	D55PSLN	809.50
24x36	Two 6P/Two BL6P	D53MN	952.50	24x60	Two C8DA/Two C8DSL*	D56PSLN	838.00
24x48	Two 6P/Two BL6P	D55MN	978.00				
24x60	Two 6P/Two BL6P	D56MN	1,006.50				

*Swivel Lock.

Note: Replacement wraparound bumper kits are available. See your Metro representative for details.



Staked Post

Staked Posts — For use with Truck Dollies

Each post connects to a truck dolly through the stem receptacle. The stem receptacles are staked into the bottom of these posts to ensure a durable connection in abusive applications.



Stock Dolly

*Height includes leveling bolt and cap.

Pitched Aluminum Dust Cover — **11.37**

For "Made-To-Order" dollies, these covers act as a barrier between the floor and the bottom shelf of cart for cleanliness. These covers are factory-assembled and must be ordered with desired dolly frame.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
24x36	7	DCT2436N	130.00
24x42	7	DCT2442N	147.00
24x48	8	DCT2448N	169.50
24x60	8	DCT2460N	199.50
24x72	8	DCT2472N	221.50



Pitched Aluminum Dust Cover

Plate Casters — 11.37

Use in conjunction with Metro "Made-To-Order" truck dollies to assemble a mobile base appropriate for your needs.

Diameter (in.) (mm)	Wheel Face (in.) (mm)	Load Rating (lbs.) (kg)	Load Weight Each (lbs.) (kg)	Type	Wheel Tread	Cat. No.	List Price Each
5 125	1 3/8 35	225 101	2 1/8 .99	Swivel	Donut Neoprene	B5DN	30.50
5 125	1 3/8 35	225 101	2 1/4 1	Brake	Donut Neoprene	B5DNB	36.50
5 125	1 3/8 35	225 101	2 .9	Rigid	Donut Neoprene	B5DNR	30.50
5 125	1 1/4 31	300 135	2 1/8 .99	Swivel	Polyurethane	B5P	48.00
5 125	1 1/4 31	300 135	2 1/4 1	Brake	Polyurethane	B5PB	54.00
5 125	1 1/4 31	300 135	2 .9	Rigid	Polyurethane	B5PR	48.00
5 125	2 51	500 225	8 3.6	Swivel	Polyurethane	C5P	84.50
5 125	2 51	500 225	8 1/4 3.7	Brake	Polyurethane	C5PB	92.50
5 125	2 51	500 225	8 3.63	Rigid	Polyurethane	C5PR	84.50
6 152	2 51	400 181	8 3.63	Swivel	Hi-Modulus Donut	C6DA	93.50
6 152	2 51	400 181	8 3.63	Swivel/Brake	Hi-Modulus Donut	C6DBA	99.00
6 152	2 51	400 181	8 3.63	Rigid	Hi-Modulus Donut	C6DRA	93.50
6 152	2 51	400 181	8 3.63	Swivel/Lock	Hi-Modulus Donut	C6DSLA	135.00
8 203	2 51	450 204	9 4.08	Swivel	Hi-Modulus Donut	C8DA	105.50
8 203	2 51	450 204	9 4.08	Swivel/Brake	Hi-Modulus Donut	C8DBA	111.50
8 203	2 51	450 204	9 4.08	Rigid	Hi-Modulus Donut	C8DRA	105.50
8 203	2 51	450 204	9 4.08	Swivel/Lock	Hi-Modulus Donut	C8DSLA	135.00
6 150	2 51	500 225	4 3/4 2.1	Swivel	Polyurethane	C6P	93.50
6 150	2 51	500 225	4 7/8 2.2	Brake	Polyurethane	C6PB	99.00
6 150	2 51	500 225	3 1/2 1.6	Rigid	Polyurethane	C6PR	93.50
6 150	2 51	500 225	5 2.3	Swivel/Lock	Polyurethane	C6PS/L-LH	114.00
8 200	2 51	700 315	5 3/4 2.6	Swivel	Polyurethane	C8P	100.00
8 200	2 51	700 315	5 7/8 2.65	Brake	Polyurethane	C8PB	106.50
8 200	2 51	700 315	4 1/2 2	Rigid	Polyurethane	C8PR	100.00
8 200	2 51	700 315	6 2.7	Swivel/Lock	Polyurethane	C8PS/L-LH	121.50



B5DNB with Wheel Brake



B5P Polyurethane

Note 1: Brakes are foot-operated.

Note 2: 8" (200mm) casters should not be used on units less than 21" (530mm) wide.

Note 3: Swivel lock casters are set diagonally on the left-hand sides when dolly mounted.

Load Heights: B5 Series — 6 1/4" (159mm)
 $(\pm 1/16") (\pm 1.6mm)$

C5 Series — 6 1/2" (165mm)
 C6 Series — 7 1/2" (190mm)
 C8 Series — 9 1/2" (241mm)

6P Series — 7 7/8" (200mm)
 8P Series — 9 13/16" (249mm)

Stainless Steel Cart-Washable Plate Casters — 11.37

Wheel Diameter (in.) (mm)	Face (in.) (mm)	Load Rating (lbs.) (kg)	Weight Each (lbs.) (kg)	Type	Wheel Tread	Cat. No.	List Price Each
5 125	1 1/4 31	300 135	2 1/8 .99	Swivel	Polyurethane	B5PGSA	142.00
5 125	1 1/4 31	300 135	2 1/4 1	Brake	Polyurethane	B5PBGSA	148.00
5 125	1 1/4 31	300 135	2 .9	Rigid	Polyurethane	B5PRGSA	146.50
6 150	1 1/2 38	600 270	4 3/4 2.1	Swivel	Polyurethane	C6PGSA	186.00
6 150	1 1/2 38	600 270	4 7/8 2.2	Brake	Polyurethane	C6PBGSA	191.50
6 150	1 1/2 38	600 270	3 1/2 1.6	Rigid	Polyurethane	C6PRGSA	186.00
8 200	1 1/2 38	800 360	5 3/4 2.6	Swivel	Polyurethane	C8PGSA	196.50
8 200	1 1/2 38	800 360	5 7/8 2.65	Brake	Polyurethane	C8PBGSA	203.00
8 200	1 1/2 38	800 360	4 1/2 2	Rigid	Polyurethane	C8PRGSA	196.50



B5PGSA

See above notes for important specification information.

Dolly Adaptor Kits

When ordering a new dolly frame for use with MetroMax iQ, include Mounting Bolt Kit
DMIK-2X List Price 7.50 each

(one per dolly frame) on order.

See page 49 for additional specifications and appropriate parameters for all types of Metro casters.

General Guidelines for Metro Carts Used in Over-the-Road Applications

For applications where carts are loaded on to or off of trucks for transportation, and/or where thresholds exceeding 3/8" in height are repeatedly encountered:

- A dolly is recommended for maximum useful life.

- Casters of at least 6" diameter are recommended. Consideration should be given to the shock absorbing ability of the caster wheel, but selection will need to be based upon the specifics of the application.
- Aluminum split sleeves and staked posts should be used.

- Weight load should be limited to approximately 750 lbs. depending on the specifics of the application.

Consult your Metro representative with the details of the Over-the-Road application. Each application is unique, and the preceding points are intended only as general guidelines.

Brake Lock/Swivel Lock Combination Casters — 11.70

Patented, foot-operated design enables a single pair of casters to serve as swivel, rigid or brake casters. Conveniently positioned on the dolly, not on the wheels, the downward pressure pedals prevent scuffing of shoes.



Brake Lock/Swivel Lock combination casters

• How It Works

Brake lock/swivel lock caster sets are operated by two separate foot pedals. One pedal locks the two wheels in a rigid position or releases them to swivel; the other pedal engages and releases brakes on the same two wheels.

• Convenient

Pedals are on the dolly, not the wheels, making operation more convenient. Downward pressure on the pedals save shoes from scuffing.

• Casters

Long wearing polyurethane. Resists abrasion. Non-marking, shock absorbing. Wheels are available in 6" (152mm) and 8" (203mm) size.

• Recommended Caster Selection

Two swivel casters at one end and brake/swivel lock set at the other end. Other caster combinations can be used, however, including brake/swivel lock sets at both ends. Wraparound bumper recommended.

Type	Wheel Diameter (in.) (mm)	Face (in.) (mm)	For Use With	Load Rating (lbs.) (kg)	Weight (lbs.) (kg)	Cat. No.	List Price Each
*Brake/Lock	6 152	2 51	24" (610mm) Deep Dolly and 6P Caster	600 272	7 1/4 3.3	BL6P24	371.50
*Brake/Lock	8 203	2 51	24" (610mm) Deep Dolly and 8P Caster	600 272	9 4.1	BL8P24	415.50
Swivel	6 152	2 51	BL6P24 Brake/Lock Set	600 272	5 1/4 2.3	6P	139.00
Rigid	6 152	2 51	6P Swivel Caster	600 272	5 2.26	6PR	139.00
Swivel	8 203	2 51	BL8P24 Brake/Lock Set	600 272	6 1/2 2.9	8P	157.00
Rigid	8 203	2 51	8P Swivel Caster	600 272	6 2.7	8PR	157.00

*Above part numbers include the brake/lock mechanism with two casters. Order dolly separately (see page 28). In addition order either two 6P or two 8P casters.
Example: (1) D2436NP and (1) BL6P24 or (1) BL8P24 and two 6P or two 8P.



Tow Bar Assembly

Tow Bar Assembly — 11.70

Attaches to underside of dolly to facilitate transport of dolly carts in tandem. Must be factory assembled and ordered with desired dolly frame (see page 50).

Length (in.) (mm)	Cat. No.	List Price Each
48 1219	TBA48	458.00

Note: "C" plate caster must be used with Tow Bar Assembly. Tow Bar Assembly for use with 24" (610mm) units only.

Note: Number of carts to be towed, weight on carts, and towing route affect operation of tow bar assembly. **Before ordering, contact your Metro representative.**

Tow Bar Assembly not appropriate for use with Brake Lock/Swivel Lock system.



Push Handle

Handles — 11.40

Use on corresponding width Super Erecta units to provide additional maneuverability to dolly carts or stem caster carts. Split sleeves included for attaching to cart.

Length (in.) (mm)	Push Handles			Extended Handles		
	Cat. No. Chrome	List Price Each	Cat. No. Stainless	Cat. No. Chrome	List Price Each	Cat. No. Stainless
14 355	PH14NC	25.00	PH14NS	64.50	EH14NC	29.50
18 457	PH18NC	28.50	PH18NS	74.00	EH18NC	36.50
21 530	PH21NC	29.50	PH21NS	81.00	EH21NC	37.50
24 610	PH24NC	29.50	PH24NS	88.00	EH24NC	37.50
30 760	PH30NC	36.50			EH30NC	47.00
36 914	PH36NC	43.00			EH36NC	55.50

Note: Handles fit unit widths only. Extended handles add 6" (152.4mm) to length of unit.



Extended Handle


Shelf Dividers for Super Erecta Shelves — 10.04

Keep shelf contents orderly with these 8" (203mm) high, pressure-fit dividers.

Shelf Width (in.)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14 355	1.8 0.8	DD14C	DD14BL	DD14W	DD14-DSG	18.00	DD14K3	21.50	DD14S	51.00	DD14-D	20.00
18 457	2.25 1.0	DD18C	DD18BL	DD18W	DD18-DSG	21.00	DD18K3	25.50	DD18S	59.00	DD18-D	23.00
21 530	2.5 1.1	DD21C	DD21BL	DD21W	DD21-DSG	23.50	DD21K3	28.50	DD21S	66.00	DD21-D	25.50
24 610	2.75 1.3	DD24C	DD24BL	DD24W	DD24-DSG	27.50	DD24K3	34.50	DD24S	72.00	DD24-D	29.50
30 760	3.25 1.5	DD30C	DD30BL	DD30W	DD30-DSG	32.50			DD30S	88.00		
36 914	3.75 1.7	DD36C	DD36BL	DD36W	DD36-DSG	39.50			DD36S	106.00		


Universal 8" (203mm) Shelf Dividers — Light Duty — 9.25

Each divider includes a panel and two clips to connect to any Super Erecta or Super Adjustable wire self. Corrosion proof.



Shelf-to-Shelf Dividers — 9.25


Full height dividers efficiently compartmentalize the space between two shelves. Corrosion proof. Compatible with Super Erecta and Super Adjustable wire shelves.



Shelf Divider for Super Erecta Shelves


Shelf Ledges — Side and Back — 10.04

For stationary or mobile installations, ledges prevent items from protruding or falling from shelves. 1" (25mm) High Ledges



1" (25mm) Ledge

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14 355	0.58 0.25	L14N-1C	L14N-1BL	L14N-1W	L14N-1-DSG	11.50	L14N-1S	20.00	L14N-1-D	13.50
18 457	0.75 0.33	L18N-1C	L18N-1BL	L18N-1W	L18N-1-DSG	12.50	L18N-1S	21.50	L18N-1-D	14.50
21 530	0.75 0.33	L21N-1C	L21N-1BL	L21N-1W	L21N-1-DSG	13.50	L21N-1S	23.00	L21N-1-D	15.50
24 610	1.0 0.45	L24N-1C	L24N-1BL	L24N-1W	L24N-1-DSG	14.50	L24N-1S	26.00	L24N-1-D	16.50
30 760	2.0 0.9	L30N-1C	L30N-1BL	L30N-1W	L30N-1-DSG	17.00	L30N-1S	35.00	L30N-1-D	19.00
36 914	2.5 1.13	L36N-1C	L36N-1BL	L36N-1W	L36N-1-DSG	19.00	L36N-1S	38.50	L36N-1-D	21.00
42 1066	2.75 1.25	L42N-1C	L42N-1BL	L42N-1W	L42N-1-DSG	19.50	L42N-1S	43.00	L42N-1-D	21.50
48 1219	3.5 1.58	L48N-1C	L48N-1BL	L48N-1W	L48N-1-DSG	20.00	L48N-1S	43.00	L48N-1-D	22.00
54 1370	4.4 1.65	L54N-1C	L54N-1BL	L54N-1W	L54N-1-DSG	23.50	L54N-1S	52.50	L54N-1-D	25.50
60 1524	3.75 1.68	L60N-1C	L60N-1BL	L60N-1W	L60N-1-DSG	23.50	L60N-1S	52.50	L60N-1-D	25.50
72 1828	4.0 1.81	L72N-1C	L72N-1BL	L72N-1W	L72N-1-DSG	24.50	L72N-1S	59.00	L72N-1-D	26.50




4" (102mm) Ledge

4" (100mm) High Stackable Ledges

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14 355	0.83 0.36	L14N-4C	L14N-4BL	L14N-4W	L14N-4-DSG	15.50	L14N-4K3	19.00	L14N-4S	32.50	L14N-4-D	17.50
18 457	1.5 0.68	L18N-4C	L18N-4BL	L18N-4W	L18N-4-DSG	17.00	L18N-4K3	20.50	L18N-4S	37.50	L18N-4-D	19.00
21 530	1.75 0.71	L21N-4C	L21N-4BL	L21N-4W	L21N-4-DSG	18.00	L21N-4K3	21.50	L21N-4S	43.00	L21N-4-D	20.00
24 610	2.0 0.9	L24N-4C	L24N-4BL	L24N-4W	L24N-4-DSG	19.00	L24N-4K3	23.50	L24N-4S	46.00	L24N-4-D	21.00
30 760	2.25 1.03	L30N-4C	L30N-4BL	L30N-4W	L30N-4-DSG	22.50	L30N-4K3	27.00	L30N-4S	54.50	L30N-4-D	24.50
36 914	2.75 1.25	L36N-4C	L36N-4BL	L36N-4W	L36N-4-DSG	24.50	L36N-4K3	30.50	L36N-4S	64.50	L36N-4-D	26.50
42 1066	3.25 1.48	L42N-4C	L42N-4BL	L42N-4W	L42N-4-DSG	30.50	L42N-4K3	37.00	L42N-4S	82.00	L42N-4-D	32.50
48 1219	3.75 1.68	L48N-4C	L48N-4BL	L48N-4W	L48N-4-DSG	30.50	L48N-4K3	37.00	L48N-4S	82.00	L48N-4-D	32.50
54 1370	3.8 1.73	L54N-4C	L54N-4BL	L54N-4W	L54N-4-DSG	32.50	L54N-4K3	40.10	L54N-4S	93.50	L54N-4-D	34.50
60 1524	4.0 1.81	L60N-4C	L60N-4BL	L60N-4W	L60N-4-DSG	32.50	L60N-4K3	40.10	L60N-4S	93.50	L60N-4-D	34.50
72 1828	5.0 2.25	L72N-4C	L72N-4BL	L72N-4W	L72N-4-DSG	39.50	L72N-4K3	48.50	L72N-4S	117.00	L72N-4-D	40.50

Note: Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.

Indicates antimicrobial product.



Enclosure Panel

Enclosure Panels — 10.04 10.30

An efficient way to enclose space for stationary or mobile applications.

- Can be used with Super Erecta® and Super Adjustable wire shelving, and Super Erecta solid shelving.
- Appropriate mounting hardware supplied with each panel.

Width/Height (in.) (mm)	For Nominal Post Height (in.) (mm)	Grid Opening (in.) (mm)	Weight (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12 ³ / ₈ x50 ³ / ₄ 313x1289	54 1370	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	3 1.4	EP35C	60.50	EP35S	128.50
12 ³ / ₈ x59 ³ / ₄ 313x1518	63 1600	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	4 1.8	EP36C	64.00	EP36S	135.00
12 ³ / ₈ x70 ¹ / ₂ 313x1791	74 1880	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	6 2.7	EP37C	69.50		
18 ³ / ₈ x50 ³ / ₄ 464x1289	54 1370	3 ³ / ₈ x3 ⁵ / ₈ 86x92	5 2.3	EP55C	71.50	EP55S	154.50
18 ³ / ₈ x59 ³ / ₄ 464x1518	63 1600	3 ³ / ₈ x3 ⁵ / ₈ 86x92	6 2.7	EP56C	76.50	EP56S	168.50
18 ³ / ₈ x70 ¹ / ₂ 464x1791	74 1880	3 ³ / ₈ x3 ⁵ / ₈ 86x92	7 3.2	EP57C	81.00		

All panels are $\frac{7}{8}$ " (22mm) deep.

Note: Units with a solid shelf in the top position require the use of a three-sided double snake frame (see page 55) directly below it.

Super Adjustable
Super Erecta Cart with
Enclosure Panels

Ordering Guide for Enclosure Panels

Super Erecta and Super Adjustable Wire Shelving Units Super Erecta Solid Shelving Units

Ends — Panels required for each end according to shelf width, as follows:

Nominal Post Height (in.) (mm)	18" (457mm) Nominal Shelf Width	21" (530mm) Nominal Shelf Width	24" (610mm) Nominal Shelf Width	30" (760mm) Nominal Shelf Width	36" (914mm) Nominal Shelf Width
54 1370	(1) EP35	(1) EP35	(1) EP55	(2) EP35	(1) EP35 (1) EP55
63 1600	(1) EP36	(1) EP36	(1) EP56	(2) EP36	(1) EP36 (1) EP56
74 1880	(1) EP37	(1) EP37	(1) EP57	(2) EP37	(1) EP37 (1) EP57

Backs — Requires multiple panels in quantities shown for specific length shelf:

For Wire Shelves:

Nominal Post Height (in.) (mm)	30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1066mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54 1370	(2) EP35	(1) EP35 (1) EP55	(2) EP55 (1) EP55	(2) EP35 (2) EP55	(1) EP35 (2) EP55	(3) EP55 (3) EP55	(1) EP35 (3) EP55
63 1600	(2) EP36	(1) EP36 (1) EP56	(2) EP56 (1) EP56	(2) EP36 (1) EP56	(1) EP36 (2) EP56	(3) EP56 (3) EP56	(1) EP36 (3) EP56
74 1880	(2) EP37	(1) EP37 (1) EP57	(2) EP57 (1) EP57	(2) EP37 (1) EP57	(1) EP37 (1) EP57	(3) EP57 (2) EP57	(1) EP37 (3) EP57

For Solid Shelves*:

Nominal Post Height (in.) (mm)	30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1066mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54 1370	(1) EP55	(2) EP35 (1) EP55	(1) EP35 (1) EP55	(2) EP55	N/A	(1) EP35 (2) EP55	N/A
63 1600	(1) EP56	(2) EP36 (1) EP56	(1) EP36 (1) EP56	(2) EP56 (1) EP56	N/A	(1) EP36 (2) EP56	N/A
74 1880	(1) EP57	(2) EP37 (1) EP57	(2) EP37 (1) EP57	(2) EP57 (1) EP57	N/A	(1) EP37 (2) EP57	N/A

*Note: Units with a solid shelf in the top position require the use of a three-sided double snake frame (see page 55) directly below it.



Mounting Kit for Enclosure Panel

Replacement Mounting Kit for Enclosure Panel

Cat. No. 9970EPZ List Price 16.70 each

Rods and Tabs — 10.04

Form side and back enclosures for a shelving unit. Can also serve as uniform dividers within unit by passing through shelves from top to bottom. Recommended spacing: every 6" (150mm) to 12" (305mm), depending upon shelf contents.

Rods

Min. Post Height (in.)	Rod Length (in)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each	
54	52	1320	1 0.5	R52C	9.50	R52S	30.00
63	61	1549	1 0.5	R61C	10.60	R61S	32.50
74	72	1830	1 1/4 0.6	R72C	11.70	R72S	38.50
86	84	2135	1 1/2 0.7	R84C	13.70	R84S	41.00

Tabs

Rods are shipped with 4 tabs per rod.

Additional Tabs —

Bag of 12

Cat. No. 9084Z

List Price 8.40 per bag




Rod with Tab in place

Three-Sided Double Snake Frames — 10.04

Provide additional support or access to floor with these sturdy square snake frames.

Plated finish.

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each
18x24 457x610	5 2.3	SF31N3C	62.00
18x30 457x760	6 2.7	SF32N3C	63.00
18x36 457x914	6 1/2 2.7	SF33N3C	63.00
18x42 457x1066	7 3.2	SF34N3C	66.00
18x48 457x1219	7 3/4 3.5	SF35N3C	66.00
18x60 457x1524	8 3.6	SF36N3C	75.50
18x72 457x1829	9 4.1	SF37N3C	83.50
21x24 530x610	5 2.3	SF41N3C	64.00
21x30 530x760	6 2.7	SF42N3C	66.00
21x36 530x914	6 1/2 2.7	SF43N3C	66.00
21x42 530x1066	7 3.2	SF44N3C	69.50
21x48 530x1219	8 3.6	SF45N3C	69.50
21x60 530x1524	8 1/2 3.8	SF46N3C	82.50
21x72 530x1829	10 4.5	SF47N3C	108.00
24x24 610x610	6 2.7	SF51N3C	64.00
24x30 610x760	7 3.2	SF52N3C	67.50
24x36 610x914	7 1/2 3.4	SF53N3C	67.50
24x42 610x1066	8 3.6	SF54N3C	70.50
24x48 610x1219	9 4.1	SF55N3C	70.50
24x60 610x1524	10 4.5	SF56N3C	83.50
24x72 610x1829	11 5.0	SF57N3C	108.00




Three-sided Double Snake Frame

Hanger Rails — 10.05

Convenient rail fits on posts along the width or length of the unit. Optional hooks can hang from rail at any point.

Length† (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors	List Price Each
14 355	1 .45	H114C	18.50	H114B	H114W	H114-DSG	18.50	H114-D	20.00
18 457	1 1/4 .57	H118C	19.50	H118B	H118W	H118-DSG	19.50	H118-D	21.50
24 610	1 1/2 .68	H124C	20.50	H124B	H124W	H124-DSG	20.50	H124-D	22.50
30 760	1 1/2 .68	H130C	23.00	H130B	H130W	H130-DSG	22.50	H130-D	25.00
36 914	2 .90	H136C	24.00	H136B	H136W	H136-DSG	23.50	H136-D	25.50
48 1219	2 1/2 1.13	H148C	27.00	H148B	H148W	H148-DSG	27.00	H148-D	29.00



Hanger Rail

†14", 18" and 24" (355, 457 and 610mm) sizes fit shelf width (depth). 30", 36" and 48" (760, 914 and 1219mm) sizes fit shelf length.



Decorator Shelf Inlays

Decorator Shelf Inlays — **10.06**

Hardboard mats prevent small items from falling through wire shelves. Fit between posts and level with top of shelf edge. Reversible, black and white. Packed individually.

Width/Length (in.) (mm)	Cat. No.	List Price 1-Pack
14x36 355x914	1436BWI	32.50
14x48 355x1219	1448BWI	34.50
18x24 457x610	1824BWI	32.50
18x36 457x914	1836BWI	34.50
18x48 457x1219	1848BWI	35.50
24x24 610x610	2424BWI	33.50
24x36 610x914	2436BWI	37.50
24x48 610x1219	2448BWI	40.50




Clear Shelf Inlays

Clear Shelf Inlays — **10.06**

Nearly invisible plastic mat retains open-wire look of shelves and allows light penetration. Sold in packages of 4.

Width/Length (in.) (mm)	Cat. No.	List Price 4-Pack	Width/Length (in.) (mm)	Cat. No.	List Price 4-Pack
14x36 355x914	1436CI-4	66.50	21x36 530x914	2136CI-4	71.00
14x48 355x1219	1448CI-4	77.50	21x48 530x1219	2148CI-4	83.50
14x60 355x1524	1460CI-4	92.00	21x60 530x1524	2160CI-4	97.00
18x36 457x914	1836CI-4	67.50	24x36 610x914	2436CI-4	73.00
18x48 457x1219	1848CI-4	81.50	24x48 610x1219	2448CI-4	85.50
18x60 457x1524	1860CI-4	94.50	24x60 610x1524	2460CI-4	99.00




Snap-on Hooks

Snap-On Hooks — **10.05**

Multi-purpose hooks in three styles attach to hanger rails, mounting rails or shelves for instant access.

Description	Height (in.) (mm)	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each
Style A — Small	3 ⁷ / ₁₆ 90	HK23C	5.10	HK23B	5.00
Style B — Large	3 ⁷ / ₁₆ 90	HK25C	5.70	HK25B	5.70
Style C — Double	3 ⁷ / ₁₆ 90	HK26C	9.20		



Garment Hanger Tube with Brackets

Garment Hanger Tube with Brackets — **10.05**

Hanger tubes attach easily under Super Erecta shelves for hanging garments. Available in 18", 21" and 24" (457, 530 and 610mm) widths and in same length as shelves.

Tube Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Shelf Width 18" (457mm)	Shelf Width 21" (530mm)	Shelf Width 24" (610mm)	List Price Each
24 610	2 ¹ / ₂ 1.1	AT2418NC	AT2421NC	AT2424NC	35.50
30 760	2 ¹ / ₂ 1.1	AT3018NC	AT3021NC	AT3024NC	37.50
36 914	3 1.4	AT3618NC	AT3621NC	AT3624NC	39.00
42 1066	3 ¹ / ₂ 1.6	AT4218NC	AT4221NC	AT4224NC	40.00
48 1219	3 ¹ / ₂ 1.6	AT4818NC	AT4821NC	AT4824NC	41.00
60 1524	4 1.8	AT6018NC	AT6021NC	AT6024NC	49.00
72 1828	4 ¹ / ₂ 2.0	AT7218NC	AT7221NC	AT7224NC	51.00

Tray Slides — 10.04

Free up shelves for more efficient use of space. Available in chrome and Metroseal 3 finish.
22³/₄" H. (578mm).

Width (in.) 14⁵/₈ 20	Overall Depth (in.) 2¹/₄ 508	Slide Profile (in.) 56 1 ¹ / ₂	On Center Slide Spacing (in.) 37 37	Fits Shelf Width (in.) 18 24	Approx. Weight/Pair (lbs.) 457 610	Cat. No. Chrome 15SNC 20SNC	List Price Each	Cat. No. Metroseal 3 with Microban® 15SNK3 20SNK3	List Price Each				
14⁵/₈	2¹/₄	56	1¹/₂	37	18	457	9¹/₂	4.3	15SNC				
20	508	2 ¹ / ₄	56	1 ¹ / ₂	37	1 ¹ / ₂	37	11	5.0	20SNC	83.00	20SNK3	100.50




Tray Slides

Super Erecta® Slide System — 10.04

A super space-saving solution. Using Super Erecta® wire units 21" or 24" (530 and 610mm) wide, tote boxes and this innovative slide system, you have the flexibility to create a custom configuration that can be positioned quickly on new or existing units without the use of tools. Finish is nickel-chrome wire with clear protective coating.

Outside Slide Dimensions Height/Width/Length (in.) 10¹/₄x20³/₈x21¹/₈	Fits Shelf Width (in.) 256x510x537	Adaptable Boxes 24	Approx. Pkd. Wt. (lbs.) 4³/₄	Cat. No. SS2NC	List Price Each 113.00
		TB/MTB93030 TB/MTB93060 TB/MTB93080	2.1		
10¹/₄x14x17¹/₈	256x355x430	21	530	TB/MTB92035 TB/MTB92060 TB/MTB92080	3¹/₂ 1.5
10¹/₄x25¹/₈x17¹/₈	256x630x430	21	530	TB/MTB93030* TB/MTB93060* TB/MTB93080*	4 1.8



Super Erecta Slide System in place on shelf (Tote box sold separately)

*Fits SS4NC with box turned sideways.

Adjustable Undershelf Slides — 10.04

These slides can be spaced to fit any width container or tote box.

Item	Approx. Pkd. Wt. (lbs.) 1	Cat. No. (pair) US18NA	List Price Each 49.00
For 18" (457mm) wide shelf	0.4		
*For 21" (530mm) wide shelf	0.4	US21NA	54.00
For 24" (610mm) wide shelf	0.4	US24NA	56.50



Adjustable Undershelf Slide

*Not adaptable to 24" (610mm) long shelf.

File Basket — 10.05

The convenient place to keep files and papers.

- Measures 2⁵/₈"W. x 12³/₄" L. x 8³/₄" H. (67mm W. x 324mm L. x 222mm H.).
- Large enough to hold standard-size file folders.
- Attaches easily.

Width/Length (in.) 2⁵/₈x12³/₄	Height (in.) 63x330	Approx. Pkd. Wt. (lbs.) 2.1	Cat. No. PH1239C	List Price Each 43.00
Width/Length (in.) 8³/₄	Height (in.) 228	Approx. Pkd. Wt. (kg) 1.0		



File Basket



Indicates antimicrobial product.




Large Display/Storage Basket

Storage Baskets — 10.05

Generous-sized baskets attach in seconds to hanger rail or shelves.


Width/Length/Depth (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors	List Price Each
13 ³ / ₈ x5x7 345x127x180	8 ¹ / ₂ 4 440x190x127	H209C H210C	H209B H210B	H209W H210W	H209-DSG H210-DSG	33.50 36.50	H209-D H210-D	36.00 39.00
17 ³ / ₈ x7 ¹ / ₂ x5 440x190x255	7 3 11 5	H212C	H212B	H212W	H212-DSG	49.00	H212-D	51.00



Swing Hanger

Swing Hanger — 10.05Attaches to post to provide convenient storage for hanging items.
Red epoxy finish.

Arm Length (in.) (mm)	Weight Capacity (lbs.) (kg)	Cat. No.	List Price Each
6 ¹ / ₄ 160	20 9	H110R	15.50



Extension Display Hanger

Extension Display Hanger — 10.05

Snaps on Super Erecta Shelf hanger rails and shelf frames. Accepts standard carded merchandise.

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Finish/Color*	Cat. No.	List Price Each
6 152	.25 .1	Chrome	HHK6C	9.20
6 152	.25 .1	Black	HHK6B	9.00
8 203	.25 .1	Chrome	HHK8C	10.40
8 203	.25 .1	Black	HHK8B	10.10

*White, smoked glass and designer colors also available. Allow 4-6 week lead time.



Color Identification Tubes

Color Identification Tubes — 10.05

Provide color-coded organization to shelf contents. Tubes slip onto posts.

Length (in.) (mm)	Diameter		Approx. Pkd. Wt. (lbs.) (kg)	Color	Cat. No.	List Price Each
	Inside (in.) (mm)	Outside (in.) (mm)				
8 200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈ 2.5	Yellow	CIT8Y	11.00
8 200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈ 2.5	Flame	CIT8F	11.00
8 200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈ 2.5	Black	CIT8BL	11.00
8 200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈ 2.5	Gray	CIT8G	11.00
8 200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈ 2.5	White	CIT8W	11.00

Color Shelf Marker — **10.05**

Color code for effective organization. Snaps securely to the front edge of Super Erecta and Super Adjustable Super Erecta Wire Shelving.

Shelf Marker Size (in.) (mm)	Color	Cat. No.	List Price Each
6x1 ¹ / ₄ 152x32	Blue	CSM6-B	4.90
6x1 ¹ / ₄ 152x32	Green	CSM6-G	4.90
6x1 ¹ / ₄ 152x32	Red	CSM6-R	4.90
6x1 ¹ / ₄ 152x32	Tan	CSM6-T	4.90

Shelf Marker Size (in.) (mm)	Color	Cat. No.	List Price Each
6x1 ¹ / ₄ 152x32	White	CSM6-W	4.90
6x1 ¹ / ₄ 152x32	Yellow	CSM6-Y	4.90
6x1 ¹ / ₄ 152x32	Gray	CSM6-GR	4.90



Color Shelf Markers



CSM6-B




CSM6-G




CSM6-R



CSM6-T



CSM6-W



CSM6-Y



CSM6-GR

Label Holders

It's easy to identify shelf contents with these snap-on plastic holders, available in four styles and a variety of sizes. Labels not included.

1¹/₄" (32mm) Label Holders — **10.05**

Gray. Holds most commercial labels. Available in a variety of lengths.

Label Size (in.) (mm)	Fits Shelf Length (in.) (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄ 75x32	All	9990P	4.40
13x1 ¹ / ₄ 330x32	18 457	9990P1	6.10
19x1 ¹ / ₄ 480x32	24 610	9990P2	8.80
25x1 ¹ / ₄ 635x32	30 760	9990P30	9.90
31x1 ¹ / ₄ 725x32	36 914	9990P3	11.00
43x1 ¹ / ₄ 1090x32	48 1219	9990P4	13.70
55x1 ¹ / ₄ 1395x32	60 1520	9990P5	19.00

For Cantilever Shelves, use 3" (75mm) label holder only.



1¹/₄" (32mm) Label Holder

Clear Label Holders — **10.05**

Clear plastic allows decorator colors to show through. Holds most commercial 1¹/₄" (32mm) labels.

Label Size (in.) (mm)	Fits Shelf Length (in.) (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄ 75x32	All	9990CL	4.40
13x1 ¹ / ₄ 330x32	18 457	9990CL1	6.10
19x1 ¹ / ₄ 480x32	24 610	9990CL2	8.80
25x1 ¹ / ₄ 635x32	30 760	9990CL30	9.90
31x1 ¹ / ₄ 725x32	36 914	9990CL3	11.00
43x1 ¹ / ₄ 1090x32	48 1219	9990CL4	13.70
55x1 ¹ / ₄ 1395x32	60 1520	9990CL5	18.60

For Cantilever Shelves, use 3" (75mm) label holder only.



Clear Label Holder

Slanted Label Holders — **10.05**

Gray solid plastic holder puts 1¹/₄" (32mm) labels on slant for easier viewing.

Label Size (in.) (mm)	Fits Shelf Length (in.) (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄ 75x32	All	9990SL	4.40
13x1 ¹ / ₄ 330x32	18 457	9990SL1	6.10
19x1 ¹ / ₄ 480x32	24 610	9990SL2	8.80
25x1 ¹ / ₄ 635x32	30 760	9990SL30	9.90
31x1 ¹ / ₄ 725x32	36 914	9990SL3	11.00
43x1 ¹ / ₄ 1090x32	48 1219	9990SL4	13.70
55x1 ¹ / ₄ 1395x32	60 1520	9990SL5	19.00

For Cantilever Shelves, use 3" (75mm) label holder only.




Slanted Label Holder

Metro Bins — 10.08

Convenient way to organize and identify small items.

- Hopper-front design allows for easy access and clear visibility
- Lightweight, durable polypropylene and polyethylene bins have molded front slots to accept labels.
- For application specific totes refer to index.



Shelf Bins — Nesting



Supply Bins — Stacking



MB30265B



MB30283B



MB34240G

Shelf Bins — Nesting

These bins are sized to work on the two most popular shelf widths 18" (457mm) and 24" (610mm) for efficient handling and exchange.

Outside Dimensions Width/Length/Height (in.) (mm)	Approx. Pkd. Wt./Ctn. (lbs.) (kg)	Bin Carton Quantity	Color	Bin Cat. No.	List Price Each	Divider Cat. No.	Divider Carton Quantity	List Price Each
11 ⁵ / ₈ x4 ¹ / ₈ x4 295x105x102	9 4.1	24	Yellow	MB30120Y	5.20	MB40120	24	27.00
11 ⁵ / ₈ x6 ¹ / ₈ x4 295x168x102	7 3.2	12	Yellow	MB30130Y	6.80	MB40130	24	33.00
17 ⁷ / ₈ x4 ¹ / ₈ x4 454x105x102	7 3.2	12	Yellow	MB30128Y	6.30	MB40120	24	27.00
17 ⁷ / ₈ x6 ⁵ / ₈ x4 454x168x102	9 4.1	12	Yellow	MB30138Y	9.70	MB40130	24	33.00
17 ⁷ / ₈ x11 ¹ / ₈ x4 454x283x102	15 6.8	12	Yellow	MB30178Y	22.50	MB40170	24	70.50
23 ⁵ / ₈ x4 ¹ / ₈ x4 600x105x102	11 4.9	12	Yellow	MB30124Y	15.50	MB40120	24	27.00
23 ⁵ / ₈ x6 ⁵ / ₈ x4 600x168x102	8 3.6	6	Yellow	MB30164Y	18.50	MB40130	24	33.00
23 ⁵ / ₈ x11 ¹ / ₈ x4 600x283x102	11 4.9	6	Yellow	MB30174Y	32.00	MB40170	24	70.50

Note: Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.

(For example: MB30138Y is available in quantities of 12, 24, 36. List price refers to the price of 1 bin.)

Dividers are available in carton quantities only. Dividers are sold by the carton and priced by the carton.

(For example: 1 MB40120 = 24 dividers, the list price is for 24 dividers).

Supply Bins — Stacking

Stackable design maximizes vertical storage efficiency. Reinforced design adds strength and prevents spreading.

Outside Dimensions Width/Length/Height (in.) (mm)	Approx. Pkd. Wt./Ctn. (lbs.) (kg)	Bin Carton Quantity	Color	Bin Cat. No.	List Price Each	Divider Cat. No.	Divider Carton Quantity	List Price Each
10 ⁷ / ₈ x5 ¹ / ₂ x5 276x140x127	10 4.5	12	Blue	MB30230B	13.50	MB40230	6	24.00
10 ⁷ / ₈ x11x5 276x279x127	10 4.5	6	Blue	MB30235B	18.50	MB40230	6	24.00
14 ³ / ₈ x5 ¹ / ₂ x5 375x140x127	13 5.9	12	Blue	MB30234B	21.00	N/A		
14 ³ / ₈ x8 ¹ / ₂ x7 375x210x178	24 10.9	12	Blue	MB30240B	22.50	MB40245	6	32.00
14 ³ / ₈ x16 ¹ / ₂ x7 375x419x178	21 9.5	6	Blue	MB30250B	31.00	MB40245	6	32.00
18x8 ¹ / ₂ x9 457x210x229	17 7.7	6	Blue	MB30265B*	42.50	MB40265	6	53.00
20x12 ⁵ / ₈ x6 508x314x203	9 4.1	3	Blue	MB30281B*	40.00	N/A		
20x18 ⁵ / ₈ x12 508x467x305	7 3.2	1	Blue	MB30283B*	69.50	N/A		
8x20 ¹ / ₂ x7 205x521x178	21 9.5	6	Tan	MB30348T†	31.00			

*MB30265B, MB30281B, MB30283B are not designed for use with hanging rail system.

†Includes two dividers.

Note: MB30234B, MB30281B, MB30283B — no dividers available.

Bins feature a full-width hanger lip that is designed for use with hanging systems.

Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.

(For example: MB30235B is available in quantities of 6, 12, 18. List price refers to the price of 1 bin.)

Dividers are available in carton quantities only. Dividers are sold by the carton and priced by the carton.

(For example: 1 MB40230 = 6 dividers, the list price is for 6 dividers).

Bulk Supply Tub — Nesting

Ruggedly constructed, perfect for storing large bulky items.

Outside Dimensions Width/Length/Height (in.) (mm)	Approx. Pkd. Wt./Ctn. (lbs.) (kg)	Carton Quantity	Bin Color	Bin Cat. No.	List Price Each
24 ¹ / ₂ x19x9 ¹ / ₂ 622x483x241	20 9.1	6	Gray	MB34240G	62.00

Note: Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.

(For example: MB34240G is available in quantities of 6, 12, 18 etc. List price refers to the price of 1 bin.)

Shelving and Cart Covers — 11.80
Opaque Solid Fabric Covers

Protect contents from dust and other airborne contaminants.

- Deter pilferage: Allow units to be loaded prior to transport.
- Available in:
 - Uncoated White (100% knitted polyester)
 - Coated White (waterproof vinyl-nylon)
 - Uncoated Mariner Blue (200 denier nylon)
 - Coated Mariner Blue (waterproof vinyl-nylon)
- Choice of Velcro® or zipper closures.

Catalog numbers shown are for white cover. Add "MB" suffix to order Mariner Blue (i.e. 21X48X54UCMB)



21X48X54UCMB
(shown in Mariner Blue)

Length/Height (in.)	Zippered Closure Cat. No.	White Nylon Uncoated			Zippered Closure Cat. No.	White Vinyl Coated			List Price Each
		List Price Each	Velcro Closure Cat. No.	List Price Each		Velcro Closure Cat. No.	List Price Each	Velcro Closure Cat. No.	
FOR SHELF TRUCKS & CARTS 18" (457mm) DEEP									
36x54	914x1370	18X36X54UC	125.50	18X36X54VUC	135.00	18X36X54C	212.50	18X36X54VC	220.50
36x62	914x1550	18X36X62UC	131.00	18X36X62VUC	140.50	18X36X62C	218.50	18X36X62VC	228.00
48x54	1219x1370	18X48X54UC	138.50	18X48X54VUC	146.50	18X48X54C	220.50	18X48X54VC	233.00
48x62	1219x1550	18X48X62UC	139.50	18X48X62VUC	149.50	18X48X62C	227.00	18X48X62VC	236.50
60x54	1524x1370	18X60X54UC	143.00	18X60X54VUC	151.50	18X60X54C	238.50	18X60X54VC	247.00
60x62	1524x1550	18X60X62UC	144.00	18X60X62VUC	152.50	18X60X62C	243.00	18X60X62VC	253.00
FOR SHELF TRUCKS & CARTS 21" (530mm) DEEP									
48x54	1219x1370	21X48X54UC	160.50	21X48X54VUC	170.00	21X48X54C	245.50	21X48X54VC	256.00
48x62	1219x1550	21X48X62UC	176.50	21X48X62VUC	185.00	21X48X62C	256.00	21X48X62VC	266.50
48x74	1219x1850	21X48X74UC	199.50	21X48X74VUC	209.50	21X48X74C	261.00	21X48X74VC	268.50
60x54	1524x1370	21X60X54UC	169.00	21X60X54VUC	179.00	21X60X54C	281.50	21X60X54VC	288.00
60x62	1524x1550	21X60X62UC	185.00	21X60X62VUC	193.50	21X60X62C	286.00	21X60X62VC	297.50
60x74	1524x1850	21X60X74UC	215.50	21X60X74VUC	226.00	21X60X74C	290.50	21X60X74VC	301.50
FOR SHELF TRUCKS & CARTS 24" (610mm) DEEP									
36x54	914x1370	24X36X54UC	141.50	24X36X54VUC	150.50	24X36X54C	218.50	24X36X54VC	228.00
36x62	914x1550	24X36X62UC	146.50	24X36X62VUC	156.50	24X36X62C	228.00	24X36X62VC	238.50
36x74	914x1850	24X36X74UC	179.00	24X36X74VUC	184.00	24X36X74C	235.50	24X36X74VC	244.00
48x54	1219x1370	24X48X54UC	152.50	24X48X54VUC	165.00	24X48X54C	258.50	24X48X54VC	267.50
48x62	1219x1550	24X48X62UC	181.00	24X48X62VUC	191.50	24X48X62C	268.50	24X48X62VC	281.50
48x74	1219x1850	24X48X74UC	197.50	24X48X74VUC	208.50	24X48X74C	273.50	24X48X74VC	285.00
60x54	1524x1370	24X60X54UC	206.00	24X60X54VUC	215.50	24X60X54C	287.00	24X60X54VC	299.00
60x62	1524x1550	24X60X62UC	212.50	24X60X62VUC	220.50	24X60X62C	293.50	24X60X62VC	305.00
60x74	1524x1850	24X60X74UC	242.00	24X60X74VUC	251.50	24X60X74C	299.00	24X60X74VC	308.00
72x54	1825x1370	24X72X54UC	209.50	24X72X54VUC	219.50	24X72X54C	293.50	24X72X54VC	305.00
72x62	1825x1550	24X72X62UC	227.00	24X72X62VUC	236.50	24X72X62C	300.00	24X72X62VC	309.00
72x74	1825x1850	24X72X74UC	247.00	24X72X74VUC	258.50	24X72X74C	306.00	24X72X74VC	313.00

*Cart covers are non-returnable.

Note: 86" (2185mm) high covers, in 24" (610mm) depth, available by special order.

Clear Vinyl Cart Covers

- Allows visual access while protecting shelf contents from dust and other airborne contaminants.
- Vinyl construction with Velcro closures.
- Available for 18x36" (457x914mm) shelving.

Length/Height (in.)	Cat. No.	List Price Each
36x32	914x889	GWCVC41
36x52	914x1320	GWCVC62



Clear Vinyl
Cart Cover

✓ Indicates antimicrobial product.



Keyboard Tray

Keyboard Tray — **10.06**

Attaches to all Metro wire shelves, 36" (914mm) length or longer. Mouse Tray adapts to left or right of Keyboard Tray. Flip-top compartment provides convenient storage. Constructed of durable high-impact polystyrene. Assembles easily.

- Hardware included for attachment to Metro wire shelves; template provided for attachment to solid desk surfaces.
- Keyboard Tray Dimensions: 22" L. (559mm) x 15 $\frac{1}{2}$ " W. (394mm).
- Dimension with Mouse Tray fully extended: 29 $\frac{1}{2}$ " L. (749mm) x 15 $\frac{1}{2}$ " W. (394mm).

Cat. No. **CKS1522BL**

List Price 80.00 each



Wire Management Clip

Wire Management Clip — **10.06**

Keeps wires and cables neatly organized both horizontally and vertically. Easily snaps over the edge of any Super Erecta wire or qwikSLOT shelf. Black epoxy finish.

Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2 51 (51mm)	2 51 (51mm)	.5 .25 (.25kg)	CWM	8.60




Power Strip

Power Strip — **10.06**

- Mounts quickly and easily to either a Super Erecta or qwikSLOT post.
- Includes a 15 foot (4572mm) long cord.
- Mounting brackets and hardware included.
- UL/CSA approved.
- 15 Amp Circuit Breaker.
- Illuminated Power Switch. 15A/125VAC.60Hz/1875 W.
- Gray/blue finish.
- 14/3 SJT Molded Power Supply Cord.

Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
1 $\frac{1}{2}$ 38 (38mm)	48 1219 (1219mm)	6 2.72 (2.72kg)	CPS48	187.50

Surface Mount Swing Arm for Flat Monitor — **10.06**Cat. No. **LTFMA** List Price 544.00 each



Call today!

1.800.992.1776

A customer service representative is standing by to assist you.




Not in the USA? Look on the back cover
of your catalog for the contact information you need.

“Thank you
for calling Metro,
how can we
help you?”



Flat Solid Stainless Shelves with black powder-coated corners



SiteSelect™ Posts are grooved at 1" (25mm) increments and numbered at 2" (50mm) increments. Posts are double-grooved every 8" (203mm) for easy identification.

Super Erecta® Solid Shelving

Setting the standard for solid shelving.

Perfect for applications involving spillage. Provides barrier between floor and bottom shelf contents to deter contamination.

- Shelf design features a $1/8"$ (3.2mm) raised "ship's edge" on all four sides to contain spills.
- Louvered/embossed shelf allows air circulation.
- Available in several styles and materials for a variety of applications. Shelves are constructed with 18-gauge stainless steel (Type 304) or galvanized materials.
- **Galvanized shelves** with uncoated cast corners are ideal for applications requiring a solid shelving or work surface and minimum resistance to corrosion. Available in flat solid and louvered/embossed styles.
- **Standard Stainless Steel solid shelves** (Type 304) with epoxy-coated cast corners address the majority of applications for solid, corrosion resistant shelves or work surfaces. Available in flat solid and louvered/embossed styles.
- **Premium Autoclave/Cart Washable Stainless Steel solid shelves** (Type 304) feature an all-stainless construction to withstand high temperature, corrosive applications. Available in flat solid style.

Metro Tip:

Use Metro Flat Solid Shelving at the bottom of a storage unit to maintain cleanliness by providing a barrier between floor and shelf contents above.

SiteSelect Posts for Super Erecta® Solid Shelving — 10.20

Stationary posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt to accommodate stem casters. Special length posts are available.†

Height* (in.)	Height* (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome Stationary	Cat. No. Chrome Mobile	List Price Each	Cat. No. Stainless Stationary**	Cat. No. Stainless Mobile	List Price Each
7 $\frac{1}{2}$	191	1/2	0.3	7P	7UP	12.50			
14 $\frac{1}{2}$	370	1	0.5	13P	13UP	14.50	13PS	13UPS	30.00
27 $\frac{1}{2}$	699	1 $\frac{3}{4}$	0.75	27P	27UP	17.50	27PS	27UPS	42.00
34 $\frac{1}{2}$	875	2	0.9	33P	33UP	18.50	33PS	33UPS	47.50
54 $\frac{9}{16}$	1385	3	1.4	54P	54UP	21.50	54PS	54UPS	52.50
62 $\frac{9}{16}$	1590	3 $\frac{1}{2}$	1.6	63P	63UP	23.00	63PS	63UPS	59.00
74 $\frac{5}{8}$	1895	4	1.8	74P	74UP	25.00	74PS	74UPS	66.00
86 $\frac{5}{8}$	2200	5	2.3	86P	86UP	31.00	86PS	86UPS	76.00
96 $\frac{5}{8}$	2454	5 $\frac{1}{2}$	2.5	***96P		35.50			

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.

Post lengths to be specified as cut to a round number, i.e.: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69 $\frac{1}{8}$ " (1762mm) to 69 $\frac{7}{8}$ " (1775mm).

*Height includes leveling bolt and cap.

**Stainless stationary post includes stainless leveling bolt.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

Super Erecta® Solid Shelving — 10.20

Shelves are priced and sold individually. For standard packaging, the number of shelves per box varies by size. 14"/18" (355/457mm) wide solid shelving: less than 60" (1524mm) long (no more than 4 per carton); 60" (1524mm) long (no more than 2 per carton); 21" (530mm) wide solid shelving: less than 42" (1066mm) long (no more than 4 per carton); 42" (1066mm) or longer (no more than 2 per carton); 24" (610mm) wide solid shelving: 24", 30" (610, 760mm) long (no more than 4 per carton); 36" (914mm) or longer (no more than 2 per carton). Galvanized solid shelving has uncoated, aluminum cast corners. Standard Stainless Steel solid shelving has black powder-coated corners. Autoclavable/Cart-Washable Stainless Steel solid shelving has stainless steel corners.

GALVANIZED				STANDARD STAINLESS STEEL			
Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Flat	List Price Each	Width/Length (in.)	Cat. No. Louvered/Embossed	List Price Each	Cat. No. Flat
14x24	355x610	10	4.5	1424FG	80.50	1424LG	91.00
14x30	355x760	12	5.4	1430FG	86.50	1430LG	96.50
14x36	355x914	14	6.4	1436FG	86.50	1436LG	96.50
14x42	355x1066	15	6.8	1442FG	95.50	1442LG	106.00
14x48	355x1219	17	7.7	1448FG	95.50	1448LG	106.00
14x60	355x1524	22	9.9	1460FG	104.00	1460LG	114.00
18x24	457x610	11	5.0	1824FG	86.50	1824LG	96.50
18x30	457x760	14	6.4	1830FG	92.50	1830LG	102.50
18x36	457x914	16	7.3	1836FG	92.50	1836LG	102.50
18x42	457x1066	18	8.2	1842FG	104.00	1842LG	114.00
18x48	457x1219	20	9.1	1848FG	104.00	1848LG	114.00
18x60	457x1524	24	10.9	1860FG	117.50	1860LG	128.00
21x24	530x610	13	5.9	2124FG	94.50	2124LG	105.00
21x30	530x760	15	6.8	2130FG	99.00	2130LG	109.50
21x36	530x914	18	8.2	2136FG	99.00	2136LG	109.50
21x42	530x1066	21	9.5	2142FG	115.50	2142LG	126.00
21x48	530x1219	23	10.4	2148FG	115.50	2148LG	126.00
21x60	530x1524	26	11.8	2160FG	132.00	2160LG	142.50
24x24	610x610	15	6.8	2424FG	104.00	2424LG	114.00
24x30	610x760	17	7.7	2430FG	110.00	2430LG	120.00
24x36	610x914	19	8.6	2436FG	110.00	2436LG	120.00
24x42	610x1066	21	9.5	2442FG	125.00	2442LG	135.00
24x48	610x1219	24	10.9	2448FG	125.00	2448LG	135.00
24x60	610x1524	31	14.0	2460FG	140.50	2460LG	150.50
							2460FS
							407.00
							2460LS
							417.50

Autoclavable/Cart-Washable Solid Stainless Shelving

All-stainless construction will address autoclave and cart washing applications.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Autoclavable Stainless	List Price Each	Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Autoclavable Stainless	List Price Each
14x24	355x610	10	4.5	1424NFS	224.50	2124NFS	290.00
14x30	355x760	12	5.4	1430NFS	230.50	2130NFS	296.00
14x36	355x914	14	6.4	1436NFS	230.50	2136NFS	296.00
14x42	355x1066	15	6.8	1442NFS	279.00	2142NFS	361.50
14x48	355x1219	17	7.7	1448NFS	279.00	2148NFS	361.50
14x60	355x1524	22	9.9	1460NFS	333.50	2160NFS	451.50
18x24	457x610	11	5.0	1824NFS	255.00	2424NFS	312.50
18x30	457x760	14	6.4	1830NFS	261.00	2430NFS	319.50
18x36	457x914	16	7.3	1836NFS	261.00	2436NFS	319.50
18x42	457x1066	18	8.2	1842NFS	318.00	2442NFS	384.50
18x48	457x1219	20	9.1	1848NFS	318.00	2448NFS	384.50
18x60	457x1524	24	10.9	1860NFS	388.00	2460NFS	469.00

Metro Tip:

Order aluminum split sleeves with stainless C-rings for corrosive, high-temperature autoclave or cart washing applications. (Cat. No. 9986S, one bag required per shelf).



Counter Unit with galvanized shelves.

Super Erecta® Counter Units — 10.35

To create a counter unit, select the following components:

2 each — 14" (355mm) deep upper shelves, listed above

2 each — 24" (610mm) deep lower shelves, listed above

2 each — upper front posts, listed below

2 each — lower front posts, listed below

2 each — 63" (1600mm) or 74" (1880mm) high back posts (page 64).

Special Posts For Counter Units — 10.35

	Unit Height (in.)	Post Height* (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each	
Upper Front Posts	63	1600	28 5/8	727	1 1/2	0.7	27PF	21.50
	74	1880	40 5/8	1032	2	0.9	39PF	23.50
Lower Front Posts	All Heights	34 1/2	877	2	0.9	33PM	22.50	
						33PMS	53.50	

*Height includes leveling bolt and cap.



4" (101mm) Ledges

Shelf Ledges for Solid Shelves — 10.25

Sturdy 4" (101mm) ledges contain items on shelves. Spring-clip tabs included for attachment.

Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14 355	7½ 3.4	L14WC	19.00	L14WS	39.00
18 457	9 4.1	L18WC	20.00	L18WS	40.50
21 530	10½ 4.7	L21WC	21.00	L21WS	45.50
24 610	12 5.4	L24WC	22.00	L24WS	50.00
30 760	13½ 6.0	L30WC	28.50	L30WS	59.50
36 914	16½ 7.4	L36WC	32.00	L36WS	71.00
42 1066	19½ 8.7	L42WC	33.00	L42WS	76.00
48 1219	22½ 10.1	L48WC	38.00	L48WS	88.00
60 1524	30 13.5	L60WC	41.00	L60WS	100.50

*Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.



Rods with Tab in place

Rods and Tabs for Solid Shelves — 10.25

Create a more versatile system by enclosing sides and back of an entire unit. Tabs required to attach rods to a 4-shelf unit are supplied. Additional tabs also available in bags of 6.

Rods

Min. Post Height (in.)	Rod Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each
54	52 1320	1 0.5	R52FC	10.00
63	60 1524	1 0.5	R60FC	11.20
74	72 1830	1¼ 0.6	R72FC	12.30
86	84 2135	1½ 0.7	R84FC	13.90

Additional Tabs**Bag of 6****Cat. No. 9184Z****List Price 11.20**

Shelf Dividers

Shelf Dividers — 10.25

The easy way to keep shelves orderly. Eight inch (203mm) high dividers attach with spring clips (provided).

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14 355	12 5.4	DD14FC	20.00		
18 457	13½ 6.0	DD18FC	23.50	DD18FS	62.50
21 530	15 6.8	DD21FC	26.00		
24 610	16½ 7.4	DD24FC	29.50	DD24FS	75.00

Shelf Dividers

Solid Shelf Joining Clamp — 10.25

Save time and money by eliminating adjacent posts and replacing with solid shelf joining clamps. Join units end-to-end, back-to-back or at right angles. Two clamps required per shelf to attach to adjacent units.

Zinc. Cat. No. **9998Z** List Price 5.00 each

Note: Shelves with joining clamps can only be attached to shelves supported by two or more posts.



Joining Clamp



Adjustable Undershelf Slides

Adjustable Undershelf Slides — 10.25

Create a convenient drawer system by combining a tote box with these slides. Two slides are required, and can be spaced to fit any width container.

Item	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Solid	List Price Each
For 18" (457mm) wide shelf	1 0.4	US18FA	52.00
For 21" (530mm) wide shelf	1 0.4	US21FA	55.50
For 24" (610mm) wide shelf	1 0.4	US24FA	58.50

*For application-specific totes, refer to index.

Erecta Shelf® Shelving

This easy-to-assemble system puts space to work practically anywhere.

- Units go together without tools — shelf grooves simply lock into uprights at 5" (127mm) increments.
- Accessories create a truly versatile system.



Erecta Shelf® Uprights — **10.50**

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
12x53½	305x1359	7	3.2	1252C	55.00
12x63½	305x1613	8	3.3	1262C	60.50
12x73½	305x1867	9	4.1	1272C	65.00
12x88½	305x2248	11	5.0	1287C	68.50
18x53½	457x1359	8	3.3	1852C	66.50
18x63½	457x1613	9	4.1	1862C	71.00
18x73½	457x1867	11	5.0	1872C	73.50
18x88½	457x2248	13½	6.2	1887C	79.00

Packaging: 6 uprights to a carton.


Erecta Shelf® Wire Shelves — **10.50**

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
12x24	305x610	5	2.2	1224C	41.00
12x30	305x760	6	2.7	1230C	48.50
12x36	305x914	7	3.1	1236C	54.00
12x42	305x1066	8¼	3.7	1242C	63.00
12x48	305x1219	9½	4.2	1248C	67.50
12x60	305x1524	12	5.4	1260C	88.00
18x24	457x610	6½	2.9	1824C	51.50
18x30	457x760	8	3.6	1830C	63.00
18x36	457x914	10	4.5	1836C	70.00
18x42	457x1066	11	4.9	1842C	79.50
18x48	457x1219	12½	5.6	1848C	88.50
18x60	457x1524	16	7.2	1860C	111.50

Shelf Dividers — **10.56**

Keep shelves orderly with these snap-in-place, 8" (203mm) high dividers.

Shelf Width (in.)	Shelf Width (mm)	Approx. Pkd. Wt. Per 6 Pieces (lbs.)	Approx. Pkd. Wt. Per 6 Pieces (kg)	Cat. No. Plated	List Price Each
12	305	12	5.4	DD12C	18.00
18	457	13½	6.1	DD18C	21.00
24	610	16½	7.4	DD24C	27.50



Shelf Divider

Corner Braces

Join units at right angles and eliminate the need for one upright with the use of two corner braces per shelf.

Cat. No. **9999Z** List Price 5.20 each



Corner Brace



HD Super Solid Stainless Shelving with black powder-coated corners



HD Super Post



HD Super Stem Caster Post



HD Super Stem Caster

HD Super™ Solid Shelving

Heavy-duty system features 16-gauge solid shelves.

- Large 1⁵/₈" (41mm) diameter posts and 2" (51mm) shelf adjustability.
- Shelf options include flat or louvered/embossed styles, and galvanized or stainless steel finishes.

HD Super Flat Shelves — 10.65

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
18x36 457x914	21 9.5	1836HFG	157.50	1836HFS	355.50
18x42 457x1066	23 10.4	1842HFG	179.00	1842HFS	433.50
18x48 457x1219	26 11.7	1848HFG	179.00	1848HFS	433.50
18x54 457x1370	28 12.7	1854HFG	207.00	1854HFS	519.00
18x60 457x1524	31 14.0	1860HFG	207.00	1860HFS	519.00
24x36 610x914	25 11.3	2436HFG	177.50	2436HFS	454.00
24x42 610x1066	29 13.1	2442HFG	207.00	2442HFS	542.50
24x48 610x1219	32 14.4	2448HFG	207.00	2448HFS	542.50
24x54 610x1370	35 15.8	2454HFG	245.50	2454HFS	649.50
24x60 610x1524	38 17.1	2460HFG	245.50	2460HFS	649.50

HD Super Louvered/Embossed Shelves — 10.65

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless	List Price Each
18x36 457x914	21 9.5	1836HLS	377.00
18x42 457x1066	23 10.4	1842HLS	446.50
18x48 457x1219	26 11.7	1848HLS	446.50
18x54 457x1370	28 12.7	1854HLS	536.50
18x60 457x1524	31 14.0	1860HLS	536.50
24x36 610x914	25 11.3	2436HLS	471.00
24x42 610x1066	29 13.1	2442HLS	553.50
24x48 610x1219	32 14.4	2448HLS	553.50
24x54 610x1370	35 15.8	2454HLS	662.50
24x60 610x1524	38 17.1	2460HLS	662.50

Note: The weight capacity of a HD Super Shelf is 1,000 lbs. (457kg) per shelf, evenly distributed across shelf.

HD Super Stationary Posts — 10.65

Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
56 1421	5.8 2.6	54HPC	62.50	54HPS	128.50
64 1624	6.3 2.9	63HPC	66.50	63HPS	139.50
76 1929	7.5 3.4	74HPC	70.00	74HPS	151.00

*Height includes leveling foot and cap.

Note: Special length posts are available. For more information, contact your Metro representative.

Packaging: 4 posts to a carton.

HD Super Stem Caster Posts — 10.65

Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
54 ⁹ / ₁₆ 1386	5.7 2.5	54UHPC	62.50	54UHPS	128.50
62 ⁹ / ₁₆ 1590	6.3 2.8	63UHPC	66.50	63UHPS	139.50
74 ⁵ / ₈ 1894	7.5 3.3	74UHPC	70.00	74UHPS	151.00

HD Super Stem Casters — 10.65


Includes donut bumpers with each caster.

Wheel Diameter (in.) (mm)	Face Diameter (in.) (mm)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
5 127	1 ¹ / ₂ 38.1	Swivel	Polyurethane	3 ¹ / ₂ 1.5	5HH	67.00
5 127	1 ¹ / ₂ 38.1	Brake	Polyurethane	3 ³ / ₄ 1.5	5HHPB	73.00

HD Super™ Dunnage Shelves — 10.67

Static load capacity (uniformly distributed)

- 48" (1219mm) shelf: 3,000 lbs. (1361kg).
- 60" (1524mm) shelf: 2,400 lbs. (1089kg).
- For use on H.D. 1⁵/₈" (41mm) posts only.
- Removable wire deck.



HD Super Dunnage Shelf

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x48 457x1219	35	15.7	1848HDRC	390.50	1848HDRK3	465.00	1848HDRS	875.00
18x60 457x1524	43	19.3	1860HDRC	465.50	1860HDRK3	554.50	1860HDRS	1,027.00
24x48 610x1219	38	17.1	2448HDRC	419.00	2448HDRK3	499.00	2448HDRS	950.50
24x60 610x1524	47	21.1	2460HDRC	493.00	2460HDRK3	588.00	2460HDRS	1,126.50

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Keep units as wide and low as possible, using the dunnage shelf as the bottom shelf. If two dunnage shelves are being used, both should be placed within the lower half of the unit.

Note: Not compatible with Super Erecta or Super Adjustable Super Erecta components.

HD Super™ Cantilever Shelf — 10.67

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12x54 304x1372	11.8	5.3	1254CHC	103.00	1254CHS	242.00
12x60 304x1524	12.7	5.7	1260CHC	103.00	1260CHS	242.00

HD Super™ Replacement Parts — 10.65

Replacement HD Super™ Aluminum Split Sleeves with Zinc Ring
4 pair per bag
Cat. No. 9986HZ
List Price 20.00 each


Replacement HD Super™
Aluminum Split Sleeve

Replacement HD Super™ Plastic Split Sleeves
4 pair per bag
Plastic — Cat. No. 9985H
List Price 14.70 each


Replacement HD Super™
Plastic Split Sleeve

Post Clamps
Cat. No. 9994HZ
List Price 11.70 each



Post Clamp

Replacement 5¹/₂" (140mm) Donut Bumpers

Cat. No. 9992H
List Price 11.70 each
Above fit 1⁵/₈" (41mm) posts only.


Replacement 5¹/₂" (140mm)
Donut Bumper

3¹/₂" (89mm) Foot Plates

Cat. No. 9993HS
List Price 31.00 each



3¹/₂" (89mm) Foot Plate

Wall Mounting Brackets

(not shown)
Cat. No. 9984HZ
List Price 9.40 each



Indicates antimicrobial product.



WALL SHELVING & CARTS

Wall Shelving & Storage Systems	72-80
Heavy-Duty Polymer Utility Carts	81
Polymer Utility Carts	82-83
Utility Carts	84
Heavy-Duty Utility Carts	85

Wall-to-wall efficiency.

SmartWall G3™ Productivity System
Organized, efficient wall space at work.



A unique storage and work station system for often underutilized wall space.

Wall-mounted tracks are the foundation for attaching ...

- Productivity stations with grids, accessories, and storage shelves
- Wall Shelving using uprights and Metro shelves
- Customizable storage space using combinations of shelving, grids, and specialized accessories

SmartWall G3 will keep these areas cleaner and more organized.

- Prep areas
- Janitorial supply
- Above carts that are in a staging area or a storage room
- Above sinks, work tables, casework, equipment, or bulk floor storage



Flexible, Robust Design: Wall tracks and uprights are designed to interface with wood studs, plywood, concrete, and other suitable wall structures.

Easy to Adapt: Uprights and grid brackets can be easily repositioned along the track before being fastened to the wall. Shelves and accessories are easy to add and remove.

Easy to Install: Once the tracks are installed level, shelving and task stations can be quickly configured.

Easy to Clean: Shelves, shelf supports, and grids can easily be removed for thorough cleaning of walls. Wall tracks and uprights can easily be wiped clean.

Durable Finishes: Super Erecta Brite for dry environments; Metroseal 3 epoxy for wet or damp environments with built-in Microban® antimicrobial product protection to inhibit the growth of bacteria, mold, mildew, and fungus that cause odors and product degradation.

General Guidelines

Selecting Wall Tracks.

Wall track or combination of tracks must be at least 2" (51mm) longer than the desired span of shelves. 1" (25mm) on each end of the span of tracks is reserved for hardware that acts as a stop. (*Example: If 152" (3860mm) of wall track could be mounted, then the length of a shelf tier cannot exceed 150" (3810mm).*)

Uprights.

- 15" (381mm) uprights: 1 shelf tier maximum
- 30" (762mm) uprights: 3 shelf tiers maximum
- 45" (1143mm) uprights: 4 shelf tiers maximum

Shelves.

When configuring side-by-side shelving units, the adjacent shelves on the same tier must have the same depth. Minimum space between shelf tiers is 9" (229mm).

Note: When using MetroMax i shelves with SmartWall G3 shelf supports, order one adapter kit per shelf (Cat. No. M9997-4).

Shelf Supports.

Order to match up with the depth of the shelf.

Configuring Basic Wall Shelving



Ordering Guide

Single Shelving Unit

1. Select a wall track or tracks.
2. Select two uprights.
3. Select from Super Erecta wire or solid shelves, MetroMax Q, or MetroMax i shelves.
4. Select single shelf supports (2 per shelf)

To order the unit pictured:

Qty.	Cat. No.	
1	SW40BR	Wall Track
2	SWU45BR	Upright
1	2436BR	Wire Shelf
2	SWS24BR	Single Shelf Support
2	1836BR	Wire Shelf
4	SWS18BR	Single Shelf Support



Side-by-Side Shelving Unit

To order the unit pictured:

Qty.	Cat. No.	
1	SW56K3	Wall Track
1	SW40K3	Wall Track
4	SWU30K3	Upright
6	1830NK3	Wire Shelf
4	SWS18K3	Single Shelf Support
4	SDW18K3	Double Shelf Support



Single shelf supports are used on the ends of the wall shelf unit. Double (or Intermediate) shelf supports are used to join adjacent units.



S
Single Shelf Support



D
Double (Intermediate) Shelf Support

Configuring Basic Task Stations



Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
2	SWU30K3	Upright
1	1836NK3	Wire Shelf
2	SWS18K3	Single Shelf Support
1	WG1836K3	Wire Grid
1	SWA1	Accessory Pack



Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
1	WG3036K3	Wire Grid
1	SWGB1	Grid Bracket Kit
1	GS1836K3	Grid Shelf
1	SWA2	Accessory Pack

General Guidelines

Selecting Wall Tracks

Wall track or combination of tracks must be at least 2" (51mm) longer than the desired span of shelves. 1" (25mm) on each end of the span of tracks is reserved for hardware that acts as a stop. (Example: If 152" (3860mm) of wall track could be mounted, then the length of a shelf tier cannot exceed 150" (3810mm).)

Grids

Grids may attach directly to the uprights. Grids may not overhang the uprights by more than 6" (152mm). When uprights are not used, select the appropriate grid bracket kit based on the configuration.

Uprights and Shelf Supports

Enable standard Super Erecta, Super Erecta Pro, MetroMax Q, and MetroMax i shelves to be used as part of the task station.

Combinations of Grids and Shelves

Grids can be mounted directly behind shelves, but shelf supports and grids cannot occupy the same slots on the upright. Once the grid has been mounted to the upright, the shelf support can be mounted to its own slots and can be adjusted on 3" (76mm) increments within the grid space.

Ordering Guide

Medium-Duty Task Station

1. Select wall track or tracks.
2. Select uprights. (two per task station)
3. Select shelves and single shelf supports. (two supports per shelf)
4. Select grid and accessories.

Notes:

- Most often shelves and grids of the same length are used together.
- Maximum unit capacity when mounted to wood studs or plywood is 400 lbs. (180kg).

Note: Refer to catalog sheet 10.42 for weight capacities in other types of wall construction.

Standard-Duty Task Station

1. Select wall track or tracks.
2. Select grid or multiple grids.
3. Select SWGB1 grid bracket kit. (one per grid)
4. Select accessories including bulk grid shelves (pictured).

Notes:

- Maximum unit capacity when mounted to wood studs or plywood is 250 lbs. (113kg).

Note: Refer to catalog sheet 10.42 for weight capacities in other types of wall construction.

- Grids may be mounted to the wall without wall tracks using SWGB2 or WGBRKT grid bracket kits.

Medium-Duty Task Station

Cat. No. SWK36-1 List Price 406.00 each

- Bulk overhead storage space with a 1836NK3 wire shelf
- 18" x 36" (457 x 914mm) grid space
- 40" (1016mm) track
- Overall dimensions: Length x Height
40" x 31¹/₄" (1016 x 793mm)

Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
2	SWU30K3	Upright
2	SWS18K3	Single Shelf Support
1	1836NK3	Shelf
1	WG1836K3	Wire Grid



Standard-Duty Task Station

Cat. No. SWK36-2 List Price 311.00 each

- Standard duty 50 lb. capacity overhead shelf
- 40" (1016mm) track and 30" x 36" (762 x 914mm) grid space
- Overall dimensions: Length x Height
40" x 39¹¹/₁₆" (1016 x 1008mm)

Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
1	SWGB1	Grid Bracket Kit
1	WG3036K3	Grid
1	GS1836K3	Grid Shelf



Accessory Pack — Sink

Cat. No. SWA1 List Price 191.00 each

- Packaged in one carton
- To fit minimum 18" x 36" (457 x 914mm) grid space
- Grids not included

Consists of:

Qty.	Cat. No.	
1	H210K3	Wire Basket
1	IWA-11K3	Lid Holder
1	FCH	Utensil Cylinder
1	FC1	Cylinder Holder
2	PGHK6K3	Prong Hook
6	HK23C	Standard Hook



Wire Grid and Grid Brackets Not Included.

Accessory Pack — Prep

Cat. No. SWA2 List Price 247.50 each

- Packaged in one carton
- To fit minimum 18" x 36" (457 x 914mm) grid space
- Grids not included

Consists of:

Qty.	Cat. No.	
1	PBA-GSDK3	Small Shelf
2	H210K3	Wire Basket
1	DD3722A	Bin Holder
1	MB30230B	Small Bin
2	PGHK6K3	Prong Hook
6	HK23C	Standard Hook




Wire Grid and Grid Brackets Not Included.

SmartWall G3 can be configured in endless combinations of storage shelves, task station grids, and space management accessories. Visit metro.com/SWG3 for more ideas on how to put wall space to work.



Wall Track




Hardware

Wall Tracks (minimum one per system)

- Joiner plates and stop fastener hardware included. Does not include hardware to mount wall tracks to the wall.
- Replacement joiner plate (1) and stop fastener hardware (2 sets): Cat. No. R PTRK-HDWE

Actual Length (in.) (mm)	Actual Depth (in.) (mm)	Actual Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
40 1016	3/4 19	1 9/16 40	5.0 2.2	SW40BR	46.50	SW40K3	51.50
56 1423	3/4 19	1 9/16 40	6.0 2.6	SW56BR	52.00	SW56K3	57.00
72 1829	3/4 19	1 9/16 40	7.0 3.1	SW72BR	58.50	SW72K3	64.00

*Note: Tracks can be cut to length, but Metro does not provide this service. Touch-up paint for Metroseal 3 tracks is available. Cat. No. TP-K2.


**Uprights** (For medium-duty applications, minimum two per system. Sold by the piece)

- Built-in slots allow shelf supports and grids to attach without tools or hardware.
- 1 1/2" (38mm) slot spacing allows shelves and grids to be adjusted on 1 1/2" (38mm) increments


Actual Length (in.) (mm)	Actual Width (in.) (mm)	Actual Depth (in.) (mm)	Number of Slots	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
16 406	1 1/8 29	1 7/8 48	7	1.8 0.8	SWU15BR	46.50	SWU15K3	55.50
31 787	1 1/8 29	1 7/8 48	17	3.5 1.5	SWU30BR	54.50	SWU30K3	65.00
44 1/2 1130	1 1/8 29	1 7/8 48	26	5.3 2.3	SWU45BR	66.00	SWU45K3	76.00

Shelf Supports (Sold by the piece)

- Mount directly to slotted uprights. Suitable for use with Super Erecta, MetroMax Q, and MetroMax i shelves.
- Single shelf supports are used on each end of a single unit or side-by-side unit.
- Double (intermediate) shelf supports are used when configuring side-by-side wall shelving units.

Single Shelf Supports


Single Support

Double
(intermediate)
Support**Double (Intermediate) Shelf Supports**

Fits shelf depth	Actual Length (in.) (mm)	Actual Width (in.) (mm)	Actual Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
14" (355mm)	16 9/16 421	1 1/2 38	8 3/16 208	2.5 1.1	SWS14BR	39.00	SWS14K3	46.00
18" (457mm)	20 9/16 522	1 1/2 38	8 3/16 208	3.0 1.3	SWS18BR	41.00	SWS18K3	47.50
21" (530mm)	23 9/16 598	1 1/2 38	8 3/16 208	3.5 1.5	SWS21BR	41.00	SWS21K3	47.50
24" (610mm)	26 9/16 675	1 1/2 38	8 3/16 208	3.5 1.5	SWS24BR	42.50	SWS24K3	51.00

*Note: Replacement plastic sleeve for shelf support. Cat. No. RP-SPSLV.

Note: When using MetroMax i shelves with shelf supports, please order 1 adapter kit per shelf. Cat. No. M9997-4 List Price 10.30 each



SWGB1



SWGB2

x6



WGBRKT




x6

Grid Mounting Brackets (for standard-duty applications without uprights)

- Use to connect the grid to the wall when uprights are not used. One kit required per grid.

Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Bracket kit to connect grid to wall track; includes (2) top and (4) bottom (stainless steel)	2.0 0.9	SWGB1	32.00
Direct wall mount bracket kit; consists of (6) bottom brackets (stainless steel)	2.0 0.9	SWGB2	32.00
Direct wall mount bracket kit; consists of (6) black plastic brackets	2.0 0.9	WGBRKT	20.00




Grid: 18" x 36" (457 x 914mm)

Wire Grids

- Brackets to mount the grid to the wall track or the wall are not included and can attach directly to uprights without brackets or tools.
- Grid openings measure approximately 3" x 3" (76 x 76mm)

Width x Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
18x30 457x760	7.5 3.3	—		WG1830K3	51.00
18x36 457x914	9.0 4.1	WG1836BR	37.50	WG1836K3	54.00
18x48 457x1219	12.0 5.4	WG1848BR	47.00	WG1848K3	67.50
18x60 457x1524	14.0 6.4	WG1860BR	58.00	WG1860K3	84.50
24x36 610x914	12.0 5.4	—		WG2436K3	93.50
24x48 610x1219	15.5 7.0	—		WG2448K3	117.00
30x36 760x914	12.8 5.8	—		WG3036K3	93.50
30x48 760x1219	16.5 7.5	—		WG3048K3	117.00
33x54 838x1370	21.0 9.5	PBA-GPC	81.00	—	

*Note: Can be retrofitted to original MetroMax and MetroMax Q shelving.


Shelves for Grids

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
A	14"x36" (356x914mm) Shelf w/Retaining Edge	15 ³ / ₈ x35 ¹ / ₄ x7 ³ / ₄	391x895x197	12	4.5	—	GS1436K3 122.00
A	14"x48" (356x1219mm) Shelf w/Retaining Edge	15 ³ / ₈ x47 ¹ / ₄ x7 ³ / ₄	391x1200x197	16	6.0	—	GS1448K3 145.50
A	18"x30" (457x762mm) Shelf w/Retaining Edge	19 ³ / ₈ x29 ¹ / ₄ x7 ³ / ₄	492x743x197	15	5.6	—	GS1830K3 122.00
A	18"x36" (457x914mm) Shelf w/Retaining Edge	19 ³ / ₈ x35 ¹ / ₄ x7 ³ / ₄	492x895x197	18	6.7	—	GS1836K3 134.00
A	18"x48" (457x1219mm) Shelf w/Retaining Edge	19 ³ / ₈ x47 ¹ / ₄ x7 ³ / ₄	492x1200x197	24	9.0	—	GS1848K3 161.00
B	Light-Duty Shelf with Side Ledges	9 W.x18 ¹ / ₂ L.	228 W.x470 L.	4	1.8	PBA-GSD	58.00 PBA-GSDK3 65.00
C	Small Grid Shelf — 18" (457mm)	16 ³ / ₄ W.x16 ³ / ₄ L.	425 W.x425 L.	6	2.7	PBA-MS	59.00 PBA-MSK3 66.00
D	Flat Grid Shelf — 24" (610mm)	12 ¹¹ / ₁₆ x24x4	322x610x102	7	2.6	—	FGS1224K3 109.50

Hooks

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal	List Price Each
E	Small Hook	1 ¹ / ₄ x3 ¹ / ₂	32x89	—	HK23C 5.10	—	—
F	Large Hook	2x3 ¹ / ₂	50x89	—	HK25C 5.70	—	—
G	Double Large Hook	2x3 ¹ / ₂	50x89	—	HK26C 9.20	—	—
H	6" (152mm) Pronged Hook	1 ¹ / ₄ x7 ⁵ / ₈ x5 ⁵ / ₈	32x194x92	.3	0.1	—	PGHK6K3 13.50

Baskets

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3	List Price Each
I	Small Basket	13 ³ / ₈ x5x7	345x127x180	8.5	4	H209C 33.50	H209K3 37.00
I	5" (127mm) Deep Large Basket	17 ³ / ₈ x7 ¹ / ₂ x5	440x190x127	7	3	H210C 36.50	H210K3 46.50
I	10" (254mm) Deep Large Basket	17 ³ / ₈ x7 ¹ / ₂ x10	440x190x255	11	5	H212C 49.00	H212K3 54.50

Bins and Holders

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	
J	Blue Bin Packed 12/Ctn.	10 ⁷ / ₈ x5 ¹ / ₂ x5	279x140x127	1	0.45	MB30230B 13.50
J	Blue Bin Packed 6/Ctn.	10 ⁷ / ₈ x11x5	279x280x127	1.5	0.68	MB30235B 18.50
J	Blue Bin Packed 12/Ctn.	14 ³ / ₄ x8 ¹ / ₄ x7	375x210x180	2	0.91	MB30240B 22.50
K	Single Bin Holder	3x ¹ / ₂ (LxH)	76x13 (LxH)	0.5	0.23	DD3722A 17.00
K	Small Bin Holder	11x3 (LxH)	280x76 (LxH)	1	.45	PBA-1BH 25.50
K	Large Bin Holder	22x3	559x76 (LxH)	2	.91	PBA-2BH 32.50

Drying Rack Accessories

	Width/Length/Height (in.)	Width/Length/Height (mm)	Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
L	Slanted Lid Holder/Drying Shelf	14 ¹ / ₈ x20 ³ / ₈ x12 ¹ / ₈	359x527x307	5.0	2.3	—	IWA-S11K3 98.00
M	Lid Holder/Drying Shelf	8 ¹ / ₈ x13 ¹ / ₂ x4 ¹ / ₂	210x343x114	2	0.9	—	IWA-11K3 44.00
N	Tray Drying Rack	14 ⁹ / ₁₆ x46 ¹ / ₁₆ x10 ³ / ₁₆	371x1175x259	12.0	5.4	—	TDR48K3 189.00
O	6-Prong Bottle Holder	14 ⁷ / ₈ x5 ¹ / ₈ x11	378x130x279	2.3	0.8	—	BH6K3 52.00

Utensil Holders

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
P	Large Utensil Holder	10 ¹ / ₂ x10 ³ / ₈ x4	267x264x102	4	1.8	—	IWA-12K3 50.00
Q	Small Utensil Holder	4 ³ / ₈ x10 ³ / ₈ x4	111x264x102	4	1.8	—	IWA-14K3 53.00
R	Flatware/Instrument Cylinder	4 ⁵ / ₁₆ x4 ⁵ / ₁₆ x5 ¹ / ₂	109x109x140	0.3	0.1	—	FC1 12.00
S	Cylinder Holder	2 ⁵ / ₈ x5 ⁷ / ₈ x5 ³ / ₄	67x149x146	1.0	0.5	—	FCH 31.00

Miscellaneous Accessories

	Width/Length/Height (in.)	Width/Length/Height (mm)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
T	Spice Rack/Utility Shelf	5 ¹ / ₄ x22 ¹ / ₂ x4	133x571x102	3.5	1.6	SR24BR 45.00	SR24K3 64.00
U	Grid Mounted Can Rack, 4 Capacity	8 ¹ / ₄ x13 ³ / ₈ x12	210x349x305	4	1.8	CR4BR 67.50	—
V	Low-Profile Can Rack, 4 Capacity	6 ¹ / ₂ x7 ³ / ₈ x28 ¹ / ₂	165x197x724	4.3	2.0	CR4LPBR 67.50	—
W	Insert Pan Holder	7 ¹ / ₂ x12 ¹ / ₂ x4	190x317x102	2.3	1.0	STP3BR 26.00	—
X	Hanging File Holder	6 ¹ / ₄ W.x12 ¹ / ₂ L.	159 W.x317 L.	3	1.4	PBA-PFH 27.00	—
Y	Book Holder	2 W. x 9 H.	50 W.x228 H.	3	1.4	PBA-CHD 31.50	—
Z	Glove Box Holder (Vertical)	6 ³ / ₈ W.x10 ¹ / ₂ H.	162 W.x267H.	2	0.9	—	GBHVK3 30.00
Inside Dimensions 5 ⁷ / ₈ W.x37 ¹ / ₁₆ D. [267mm W.x87mm D.]							



Wall Mounts with Shelf
(Shelf sold separately, see page 39)



12WS12C
Erecta Shelf® Wall Kit



Wall Mount Brackets shown with MetroMax i
Open Frame and Drop-In Basket.

Erecta Shelf® Wall Mounts — 10.56

Used to create wall-mounted shelving units with 12" (305mm) or 18" (457mm) Erecta shelves of any length.

- Models are available to accommodate from one to five shelves.
(Each mount consists of two shelf supports and mounting brackets.)
- Wall bolts or screws not included; they must be selected according to type of wall.
- Order shelves from page 67.

Width (in.) (mm)	Height (in.) (mm)	Capacity	Approx. Pkd. Wt. (Pr.) (lbs.) (kg)	Cat. No. Chrome	List Price Each
12 305	10 ³ / ₄ 273	1 Shelf	2 ¹ / ₂ 1.1	12WB1C	30.00
12 305	20 ¹³ / ₁₆ 528	1 to 3 Shelves	5 2.3	12WB3C	48.50
12 305	30 ¹³ / ₁₆ 782	1 to 5 Shelves	7 ¹ / ₄ 3.2	12WB5C	66.50
18 457	11 ³ / ₄ 298	1 Shelf	3 1.4	18WB1C	34.00
18 457	21 ⁵ / ₈ 548	1 to 3 Shelves	6 2.7	18WB3C	54.00
18 457	31 ⁵ / ₈ 807	1 to 5 Shelves	8 ¹ / ₂ 3.8	18WB5C	72.00

For additional mounting brackets (single) order Cat. No. 9975C List Price 3.50 each
Double mounting brackets are also available for use where continuous wall shelving is to be installed. Cat. No. 9976C List Price 6.20 each

Load Rating: 200 lbs. (91kg) per shelf, not to exceed 200 lbs. (91kg) per unit.

Units must be secured to sufficient wall support structure.

Erecta Shelf® Wall Kit — 10.56

Kit includes two shelves, shelf supports, and mounting brackets. Wall bolts and screws not included; they must be selected according to type of wall. Chrome.

Shelf Length (in.) (mm)	Overall Length (in.) (mm)	Shelf Width (in.) (mm)	Overall Width (in.) (mm)	Overall Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24 610	26 ¹ / ₄ 673	12 305	13 330	21 530	18 ¹ / ₂ 8.3	12WS12C	110.50
36 914	38 ¹ / ₄ 971	12 305	13 330	21 530	25 ¹ / ₄ 11.3	12WS32C	134.00
48 1219	50 ¹ / ₄ 1283	12 305	13 330	21 530	32 14.4	12WS52C	156.50

Kit packaged in one box and UPS shippable.

Load Rating: 200 lbs. (91kg) per shelf, not to exceed 200 lbs. (91kg) per unit.

Units must be secured to sufficient wall support structure.

Direct Wall Mount Shelving — 9.20

Use standard Super Erecta stainless steel direct wall mount shelf supports with MetroMax shelves or open frames with wire drop in baskets. Order one MetroMax corner adapter kit with each shelf or shelf frame. Shelf supports are sold individually.

Single — Use at shelf ends; two are required for a stand-alone shelf.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
18 457	2 0.9	1WD18S	82.00
24 610	2 ¹ / ₄ 1.0	1WD24S	89.50

Double — When constructing a run of shelves, use double shelf supports to join adjacent shelves.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
18 457	3 1.4	2WD18S	124.00
24 610	4 ¹ / ₄ 2.0	2WD24S	131.50

For MetroMax i Open Frame and Drop-In Basket, see page 27.

MetroMax i® Corner Adapter Kit

Order one kit per MetroMax i shelf or shelf frame.

Cat. No. M9997-4 List Price 10.70 each

Wall Mounts

An ideal method for storing items overhead or above work surfaces.

- Brackets accommodate all Super Erecta® sizes and types of shelves.
- Use double supports to mount adjacent shelves, single supports at ends.
- Metal caps to cover openings are provided.
- Available in chrome, Metroseal 3 or stainless steel.

Post-Type Wall Mounts — 10.40

Standard Units

Post-type wall mounts are available in pre-packaged "End Units" and "Mid Units"; complete with all needed components except shelves, wall bolts or screws, which must be selected according to type of wall. *Shelf supports are chrome-plated.

A "End Unit" consists of two posts with wall mounting brackets, and two single shelf supports for each shelf level.

B "Mid Unit" consists of one post with brackets and double support for each shelf.

If shelving is to be the length of one shelf, order End Unit only.

If two-shelf lengths, order one End Unit and one Mid Unit; three lengths, one End and two Mid Units; four lengths, one End and three Mid Units; etc.

For 14" (355mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Mid Unit	List Price Each
1	7 3.2	SW21C	141.00	5 2.3	AW21C	90.00
2	14 6.4	SW23C	250.00	9 4.1	AW23C	163.50
3	22 10	SW25C	323.00	14 6.4	AW25C	219.50
4	28 12.7	SW26C	396.00	18 8.2	AW26C	275.00

For 18" (457mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Mid Unit	List Price Each
1	7 3.2	SW31C	145.00	5 2.3	AW31C	91.00
2	14 6.4	SW33C	258.00	11 5	AW33C	165.50
3	22 10	SW35C	335.00	17 8	AW35C	222.50
4	28 12.7	SW36C	412.00	21 9.5	AW36C	279.00

For 21" (530mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Mid Unit	List Price Each
1	8 3.6	SW41C	145.00	6 2.7	AW41C	92.00
2	16 7.3	SW43C	258.00	12 5.5	AW43C	168.00
3	25 11.3	SW45C	335.00	18 8.2	AW45C	226.00
4	32 14.4	SW46C	412.00	23 10.4	AW46C	284.00

For 24" (610mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Mid Unit	List Price Each
1	9 4.1	SW51C	147.00	6 2.7	AW51C	93.00
2	18 8.2	SW53C	262.00	12 5.5	AW53C	170.00
3	28 12.7	SW55C	341.00	19 9	AW55C	229.00
4	36 16	SW56C	420.00	24 10.9	AW56C	288.00


*Note: User should determine that wall material and method of mounting are suitable to support the shelves and their contents. Mounting hardware not included.

Maximum Load Rating: 250 lbs. (113kg) per shelf, not to exceed 250 lbs. (113kg) per unit.

See page 42 for Super Erecta shelves.



Post-Type Wall Mount Installation



Post-Type Wall Mounts

Metro Tip:

Have you looked at your walls lately?


Unused wall space provides the perfect opportunity for a significant increase in storage capacity. Metro offers a complete line of wall shelving systems to maximize storage density.

Posts and Brackets — 10.40

Two end brackets (BES) are supplied with each of these double-footed posts. One intermediate bracket (BCS) is supplied with 33PDF posts and two are supplied with 54PDF and 63PDF posts. Order desired number/style of shelf supports below.

Post Height (in.) (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
13 ⁷ / ₈ 350	Post for 1 tier	1 ¹ / ₄ 0.6	13PDF	35.00	13PDFK3	42.00	13PDFS	64.50
33 ⁵ / ₈ 854	Post for 2 tiers	2 ³ / ₄ 1.2	33PDF	54.00	33PDFK3	64.00	33PDFS	111.50
54 1370	Post for 3 or more tiers	5 2.3	54PDF	55.00	54PDFK3	65.50	54PDFS	144.50
62 1573	Post for 4 or more tiers	6 2.7	63PDF	56.00	63PDFK3	66.50	63PDFS	153.00
	End Bracket	1 ¹ / ₂ 0.2	BES	11.90	BESK3	14.00	SBES	21.50
	Intermediate Bracket	1 ¹ / ₂ 0.2	BCS	8.60	BCSK3	9.00	SBCS	15.50

Note: User should determine that wall material and method of mounting are suitable to support the shelves and their contents.
Mounting hardware not included. Order shelves from page 42.



Maximum Load Rating:
250 lbs. (113kg) per shelf,
not to exceed 250 lbs. (113kg)
per unit.

See page 42 for Super
Erecta shelves.

Corner Adapters for MetroMax i shelving

Use when joining
MetroMax i shelves with
wire shelf supports. Box
of 4. Use one box per shelf.
Cat. No. **M9997-4**
List Price 10.70
per box of 4

Metro Tip:

MetroMax Q and MetroMax i
shelves can be used with Super
Erecta Post Mounting Shelf
Supports and Direct Wall
Mounts.

Typical configuration using two end units and one mid unit

Shelf Supports — Post Mounting — 10.40

Single —

Two required per shelf (one at each end.)

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	2 0.9	1WS14C	35.50	1WS14K3	42.50	1WS14S	74.00
18 457	2 0.9	1WS18C	37.50	1WS18K3	44.00	1WS18S	79.00
21 530	2 ¹ / ₂ 1.1	1WS21C	37.50			1WS21S	81.00
24 610	3 1.4	1WS24C	38.50	1WS24K3	47.50	1WS24S	85.00

Double —

For run of multiple shelves.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	3 1.4	2WS14C	54.50	2WS14K3	63.50	2WS14S	111.50
18 457	3 ³ / ₄ 1.7	2WS18C	55.50	2WS18K3	66.00	2WS18S	120.00
21 530	4 ¹ / ₄ 1.9	2WS21C	57.00			2WS21S	122.00
24 610	4 ¹ / ₂ 2.0	2WS24C	58.00	2WS24K3	69.50	2WS24S	128.50

Order shelves from page 42.

Direct Wall Mounts — 10.40

Each consists of one shelf support and mounting plate, with two shelf collar caps. Use single support at shelf ends; double support for adjoining shelves.


Single — Two required per shelf.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	1 ¹ / ₂ 0.7	1WD14C	37.50	1WD14K3	43.50	1WD14S	78.00
18 457	2 0.9	1WD18C	38.50	1WD18K3	44.50	1WD18S	82.00
21 530	2 0.9	1WD21C	38.50	1WD21K3	46.50	1WD21S	85.00
24 610	2 ¹ / ₄ 1.0	1WD24C	40.00	1WD24K3	47.50	1WD24S	89.50

Double

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	3 1.4	2WD14C	57.00	2WD14K3	66.00	2WD14S	117.00
18 457	3 1.4	2WD18C	58.00	2WD18K3	67.00	2WD18S	124.00
21 530	4 1.8	2WD21C	59.00	2WD21K3	70.00	2WD21S	127.50
24 610	4 ¹ / ₂ 2.0	2WD24C	60.50	2WD24K3	71.00	2WD24S	131.50

Note: User should determine that wall material and method of mounting are suitable to support the shelves and their contents.



Single Shelf Support



Double Shelf Support



Hole Plugs — 10.06

This chrome-plated cover is used to fill shelf-corner openings. Use wherever posts have been eliminated by "S" hooks.

Cat. No. **9997C** List Price 3.00 each

✓ Indicates antimicrobial product.

Push ahead.

Give yourself the versatility you need with Metro Utility Carts.

Utility Carts

- Can be used in a variety of unique transport applications.
- Durable materials, ergonomic handles, and premium casters promote long life and ease of use.
- Microban product protection built into the shelf mats, frames, and posts.
- Easier to clean with removable shelf mats.

MetroMax i® Utility Carts

- Corrosion proof shelves, posts, and Type 304 stainless steel handle.
- Corrosion resistant 5PCX casters with 5" (127mm) polyurethane wheels, polymer horns, and stainless steel axles.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.) (mm)	Actual Width/Length (in.) (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
18x30 457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂ 516 x 876	2-shelf	35.5 15.8	MXUC1830G-25	786.50
24x36 610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂ 668 x 1029	2-shelf	46.0 20.5	MXUC2436G-25	846.50
18x30 457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂ 516 x 876	3-shelf	46.0 20.5	MXUC1830G-35	916.50
24x36 610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂ 668 x 1029	3-shelf	61.5 27.5	MXUC2436G-35	1,004.50



MetroMax Q® Utility Carts

- Quick adjust corrosion resistant shelves and posts.
- Corrosion proof Type 304 stainless steel handle.
- Includes four 5MPX casters with 5" (127mm) polyurethane wheels.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.) (mm)	Actual Width/Length (in.) (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
18x30 457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂ 16 x 876	2-shelf	35.5 15.8	MQUC1830G-25	570.50
24x36 610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂ 668 x 1029	2-shelf	46.0 20.5	MQUC2436G-25	612.50
18x30 457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂ 516 x 876	3-shelf	46.0 20.5	MQUC1830G-35	659.50
24x36 610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂ 668 x 1029	3-shelf	61.5 27.5	MQUC2436G-35	720.50



Helpful Hints

- Configure a cart to your exact needs using a combination of MetroMax i® and Q™ shelves and posts.
- Consider MetroMax i solid shelves when spill containment is required or to protect supplies from dirt during transport.
- A typical utility cart will be configured using 27" (685mm) or 33" (875mm) stem caster posts with 5" (127mm) casters.



Solid bottom shelf and 5PCX/5PCBX casters pictured

Shelves and posts: pages 14-15 Casters: page 16 Handles: page 17



Gray (G)



Blue (BU)

Slate Blue with
Microban Antimicrobial (MB)

Black (BL)

Weight Load Capacity:
150 lbs. (68kg) per shelf.
400 lbs. (181kg) per unit.

BC Series Utility Carts — 12.28

- Metro BC carts are available in aesthetic colors: Gray, Blue, Black and Slate Blue.
- Shelves specially designed to resist staining and wipe clean easily. Shelves with Microban® antimicrobial helps keep shelves “cleaner between cleanings” by inhibiting the growth of bacteria, mold, and mildew that cause odors, stains and product degradation. Slate blue color.
- $7/16"$ (11mm) deep ship's edge lip around shelf perimeter contains spills.
- Available in 2-shelf and 3-shelf styles.



Utility Cart Accessories — 12.28

Baskets and Bins for Two- and Three-Shelf 16"x27" (406x685mm) and 20"x30" (508x760mm) Models



Description	Fits Cart	Width/Height/Depth (in.)	Width/Height/Depth (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
Wastebasket (including holder)	BC1627	17 ^{3/8} x27 ^{1/2} x13 ^{1/4}	440x700x337	5.5	2.5	BCWB1	69.50
Wastebasket (including holder)	BC2030	21 ^{1/4} x27 ^{1/2} x13 ^{1/4}	540x700x337	8.0	3.8	BCWB2	69.50
Utility Bin (including holder)	BC1627	17 ^{1/2} x7 ^{3/4} x14 ^{1/2}	445x197x368	3.8	1.7	BCUB1	58.00
Utility Bin (including holder)	BC2030	21 ^{1/4} x7 ^{3/4} x14 ^{1/2}	540x197x368	6.0	2.7	BCUB2	58.00
Wastebasket Only	—	14 ^{3/8} x15 ^{5/8} x10 ^{1/8}	365x391x264	2.8	1.3	MF222	35.50
Utility Bin Only	—	16 ^{3/8} x6x11	416x152x279	2.0	.9	UB1	35.50



Gray (G)



Blue (BU)


 Slate Blue with
Microban Antimicrobial (MB)


Black (BL)

Deep Ledge Utility Carts — 12.28

Specially designed with a 2³/₄" (70mm) deep ledge to contain product and spills.

- Easy-to-position center shelf option adjusts at 1" (25mm) increments.
- Polymer shelves are easy to clean and corrosion proof.
- Shelves with Microban® antimicrobial helps keep shelves "cleaner between cleanings" by inhibiting the growth of bacteria, mold, and mildew that cause odors, stains and product degradation. Slate blue color.
- 2-shelf and 3-shelf models are available in four colors including: Gray, Blue, Black and Slate Blue.

Width/Length/Height (in.)	Width/Length/Height (mm)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.*	List Price Each
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	2-shelf unit	29	31.1	BC2030-2D	240.00
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	3-shelf unit	37 ¹ / ₂	17.0	BC2030-3D	296.00
27x38 ³ / ₄ x41	685x984x1041	2-shelf unit	35	15.9	BC2636-2D	281.50
27x38 ³ / ₄ x41	685x984x1041	3-shelf unit	46 ¹ / ₂	21.1	BC2636-3D	345.00
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	Antimicrobial 2-shelf unit	29	13.1	BC2030-2DMB	266.00
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	Antimicrobial 3-shelf unit	37 ¹ / ₂	17.0	BC2030-3DMB	326.50

*Add color designation to part number when specifying, i.e.: BC2030-3DG = Three-shelf deep ledge cart in Gray.

(G) = Gray

(BU) = Blue

(BL) = Black

(MB) = Slate Blue with Microban Antimicrobial



Weight Load Capacity:
150 lbs. (68kg) per shelf.
400 lbs. (181kg) per unit.

Utility Cart Accessories — 12.28

Baskets and Bins for Deep Ledge

Description	Fits Cart	Width/Height/Depth (in.)	Width/Height/Depth (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
Wastebasket (including holder)	BC2030	21 ¹ / ₄ x27 ¹ / ₂ x13 ¹ / ₄	540x700x337	8.0	3.8	BCWB2D	69.50
Utility Bin (including holder)	BC2030	21 ¹ / ₄ x7 ³ / ₄ x14 ¹ / ₂	540x197x368	6.0	2.7	BCUB2D	58.00
Wastebasket Only	—	14 ³ / ₈ x15 ³ / ₈ x10 ³ / ₈	365x391x264	2.8	1.3	MF222	35.50
Utility Bin Only	—	16 ³ / ₈ x6x11	416x152x279	2.0	.9	UB1	35.50



Microban®
antimicrobial product protection
3-Shelf Deep
Ledge Cart

Replacement Casters for BC Series and
Deep Ledge Utility Carts
4 per box.

Cat. No. **RPBC4M-4**
List Price 74.50 each



*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



MW200 Series



MW400 Series



MW600 Series



MW700 Series

MW Series Utility Carts — **12.01**

- Consist of Super Erecta wire shelves with plastic split sleeves, two one-piece handles of matching finish, and designated casters with donut bumpers.
- Two- and three-tier models available.
- 375 lbs. (170kg) weight capacity per cart. MW carts use light-duty resilient casters.
- 18" (457mm) wide carts have 4" (102mm) casters. Cart is 38" (965mm) high.
- 21" and 24" (530 and 610mm) wide carts have 5" (127mm) casters. Cart is 39" (990mm) high.

Utility Carts with Stainless Steel Solid Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. 2-Shelf	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No. 3-Shelf	List Price Each			
18x24	457x610	40	18.1	MW103	657.00	48	21.8	MW203	878.50
18x30	457x760	45	20.4	MW104	743.00	53	24.0	MW204	969.50
18x36	457x914	48	21.8	MW105	743.00	59	26.8	MW205	969.50
21x36	530x914	54	24.5	MW106	803.00	74	33.6	MW206	1,060.00
24x36	610x914	60	27.2	MW108	849.50	66	29.9	MW208	1,127.00

Utility Carts with 1 Solid, 2 Wire Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Shelf Material	Handles	Cat. No.	List Price Each		
18x24	457x610	43	19.5	Stainless Steel, Chrome	Chrome	MW401	445.50
18x30	457x760	47	21.3	Stainless Steel, Chrome	Chrome	MW402	504.00
18x36	457x914	52	23.6	Stainless Steel, Chrome	Chrome	MW403	504.00
21x36	530x914	59	26.8	Stainless Steel, Chrome	Chrome	MW404	550.00
24x36	610x914	65	29.5	Stainless Steel, Chrome	Chrome	MW406	579.50

Utility Carts with 2 Wire Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Shelf Material	Handles	Cat. No.	List Price Each		
18x24	457x610	34	15.4	Chrome	Chrome	MW601	288.50
18x24	457x610	34	15.4	Stainless Steel	Stainless Steel	MW602	615.50
18x30	457x760	37	16.8	Chrome	Chrome	MW603	306.50
18x30	457x760	37	16.8	Stainless Steel	Stainless Steel	MW604	702.00
18x36	457x914	40	18.1	Chrome	Chrome	MW605	306.50
18x36	457x914	39	17.7	Stainless Steel	Stainless Steel	MW606	702.00
21x36	530x914	44	20.0	Chrome	Chrome	MW607	334.00
21x36	530x914	44	20.0	Stainless Steel	Stainless Steel	MW608	785.50
24x36	610x914	47	21.3	Chrome	Chrome	MW611	344.00
24x36	610x914	46	20.9	Stainless Steel	Stainless Steel	MW612	829.00

Utility Carts with 3 Wire Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Shelf Material	Handles	Cat. No.	List Price Each		
18x24	457x610	39	17.6	Chrome	Chrome	MW701	349.00
18x24	457x610	38	17.2	Stainless Steel	Stainless Steel	MW702	833.50
18x30	457x760	43	19.5	Chrome	Chrome	MW703	368.50
18x30	457x760	42	19.1	Stainless Steel	Stainless Steel	MW704	922.50
18x36	457x914	47	21.3	Chrome	Chrome	MW705	368.50
18x36	457x914	45	20.4	Stainless Steel	Stainless Steel	MW706	922.50
21x36	530x914	50	22.7	Chrome	Chrome	MW707	408.50
21x36	530x914	50	22.7	Stainless Steel	Stainless Steel	MW708	1,038.00
24x36	610x914	60	27.7	Chrome	Chrome	MW711	423.50
24x36	610x914	57	25.9	Stainless Steel	Stainless Steel	MW712	1,101.50

SP Series Utility Carts

- Consist of Super Erecta wire shelves with plastic split sleeves, two one-piece handles of matching finish, and designated casters with donut bumpers.
- Two- and three-tier models available.
- 5" (127mm) casters allow for transport of heavier loads than the MW Series Carts.
- 39" (990mm) high.

Super Erecta Brite finish — 600 lbs. (273kg) capacity per cart

- 5M Resilient Rubber Casters; casters have plated horns and axles.

2-TIER MODELS				3-TIER MODELS			
Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	
18x36 457x914	40 18	2SPN33ABR	325.00	50 22.5	3SPN33ABR	399.00	
21x36 530x914	44 20	2SPN43ABR	358.50	55 24.7	3SPN43ABR	425.00	
24x36 610x914	48 22	2SPN53ABR	367.00	61 27.4	3SPN53ABR	438.00	
24x48 610x1219	54 24	2SPN55ABR	394.50	70 31.5	3SPN55ABR	480.00	
24x60 610x1524	64 29	2SPN56ABR	433.00	85 38.2	3SPN56ABR	537.50	



2-Tier with 5M casters

Chrome finish — 900 lbs. (410kg) capacity per cart

- 5MP Polyurethane Casters; casters have plated horns and axles.

2-TIER MODELS				3-TIER MODELS			
Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	
18x36 457x914	40 18	2SPN33DC	416.00	50 22.5	3SPN33DC	478.00	
21x36 530x914	44 20	2SPN43DC	443.50	55 24.7	3SPN43DC	518.00	
24x36 610x914	48 22	2SPN53DC	452.50	61 27.4	3SPN53DC	532.00	
24x48 610x1219	54 24	2SPN55DC	482.00	70 31.5	3SPN55DC	576.00	
24x60 610x1524	64 29	2SPN56DC	516.00	85 38.2	3SPN56DC	627.00	



3-Tier with 5MP casters

Type 304 Stainless Steel — 900 lbs. (410kg) capacity per cart

- 5PC Polyurethane Casters; casters have polymer horns and stainless steel axles.

2-TIER MODELS				3-TIER MODELS			
Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each	
18x36 457x914	40 18	2SPN33PS	930.50	50 22.5	3SPN33PS	1,151.00	
21x36 530x914	44 20	2SPN43PS	996.50	55 24.7	3SPN43PS	1,248.50	
24x36 610x914	48 22	2SPN53PS	1,039.50	61 27.4	3SPN53PS	1,312.00	
24x48 610x1219	54 24	2SPN55PS	1,153.00	70 31.5	3SPN55PS	1,482.00	
24x60 610x1524	64 29	2SPN56PS	1,299.00	85 38.2	3SPN56PS	1,701.50	




3-Tier with 5PC casters

One-Piece Handles — **12.20**

May be used with Super Erecta shelving, casters, and components to customize a cart to your exact needs.

Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	5½ 2.5	H3C	41.00	H3S	96.50
21 533	5¾ 2.6	H4C	42.00	H4S	97.50
24 610	6 2.7	H5C	42.00	H5S	99.00

Height: 34½" (876mm).



One-Piece Handle



HIGH-DENSITY STORAGE, DUNNAGE & SECURITY

High-Density Movable Aisle Shelving	88-95
Vertical High-Density Shelving	96
Dunnage Racks & Shelves.....	97-98
Security Storage.....	99-103
Seismic Shelving	104-105

So smart...

qwikTRAK® High-Density Storage



qwikTRAK key facts

The aluminum and stainless steel floor tracks provide a smooth, gliding surface for mobile units.

- Mobile units are designed to move easily and store heavy weight loads. MetroMax i mobile qwikTRAK units can hold up to 1,200 lbs. (544kg). MetroMax Q, Super Adjustable, and Super Erecta mobile qwikTRAK units can hold up to 2,000 lbs. (907kg).
- Floor tracks protect the floors from wear and tear and do not require to be mounted to the floor.
- Floor tracks compensate for rough or choppy floor surfaces.

[Double-Deep Configurations](#) can be created where two systems are joined together to increase the overall depth of the storage system for even greater storage capacity.

[Choose the shelving type based on the application.](#)

Both single- and double-deep systems can be used with Metro wire shelving (Super Erecta or Super Adjustable Super Erecta) and polymer shelving systems (MetroMax i and MetroMax Q).

THE SECRET TO
HIGH-DENSITY
STORAGE IS THE
**ACTIVE
 AISLE**
CONCEPT.

it's dense.

Top-Track® High-Density Storage



ADA Compliant



HIGH DENSITY
STORAGE . . .
THE SMART WAY
TO PUT SPACE
TO WORK.



Top-Track key facts

The guide track is positioned above the shelving system.


- Floors are easy to clean.
- Utility carts can easily be rolled into and out of the active aisle.
- The guide track compensates for uneven floor surfaces and keeps units in alignment.
- Mobile units are designed to address medium-duty applications. The weight capacity of a Top-Track mobile unit is 900 lb. (410kg).

Choose the shelving type based on your application.

Top-Track (single deep) can be used with Metro wire shelving (Super Erecta or Super Adjustable Super Erecta) and polymer shelving systems (MetroMax i and MetroMax Q).

Double-Deep configurations can be created when two systems are joined together to increase the overall depth of the storage system for even greater storage capacity. Double-Deep Top-Track is only available for Super Erecta and Super Adjustable Super Erecta style shelving.

High-Density qwikTRAK® Storage Systems for: Super Erecta, Super Erecta Pro™, Super Adjustable, MetroMax Q, and MetroMax i Systems.



qwikTRAK Storage System — 11.15



Stationary End Unit Kits

Includes 74" high posts (1880mm) high stationary posts, and hardware necessary for connecting stationary end units to tracks and anchoring tracts to the floor. Order one kit per system. Shelves are sold separately.

Shelves Sold Separately

Super Erecta — Pg. 42
Super Erecta Pro — Pg. 34
Super Adjustable — Pg. 37
MetroMax Q — Pg. 15
MetroMax i — Pg. 14

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	
39.6 18.0	BTEC	416.00	BTEK3	499.00	BTES	799.00	42.0 19.1	BTEQ3	547.00	25.0 11.4	BTEX3	663.00		

Stationary Intermediate Unit Kits

Includes 74" high posts (1880mm) high stationary posts, and hardware necessary for connecting one stationary intermediate unit to tracks and anchoring tracts to the floor. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	
22.6 10.3	BTAC	316.00	BTAK3	381.00	BTAS	531.00	24.2 11.0	BTAQ3	405.00	15.7 7.1	BTAX3	463.00		

Mobile Unit Kits

Includes four 74" high posts (1880mm) high mobile posts, four casters, donut bumpers, and other hardware to assemble a mobile unit. Shelves are sold separately. One kit required per mobile unit.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	
25.0 11.4	BTMC	363.00	BTMK3	608.00	BTMS	758.00	27.0 12.3	BTMQ3	632.00	18.5 8.4	BTMX3	690.00		

Track Sets

Includes tracks and hardware needed to assemble track runs up to 21' (6400mm).

Length (ft.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Length (ft.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2.5 762	4 1.8	BTS2.5NA	371.00	14 4267	19 8.6	BTS14NA	968.50
6 1828	9 4.1	BTS6NA	378.50	15 4572	21 9.5	BTS15NA	1,175.50
7 2135	10 4.5	BTS7NA	431.00	16 4877	22 10.0	BTS16NA	1,230.00
8 2440	11 5.0	BTS8NA	636.00	17 5182	23 10.5	BTS17NA	1,287.50
9 2473	13 5.9	BTS9NA	690.50	18 5486	25 11.4	BTS18NA	1,343.50
10 3048	14 6.4	BTS10NA	747.00	19 5791	26 11.8	BTS19NA	1,398.00
11 3352	15 6.8	BTS11NA	803.50	20 6096	27 12.3	BTS20NA	1,452.50
12 3657	17 7.7	BTS12NA	859.50	21 6400	29 13.2	BTS21NA	1,506.00
13 3962	18 8.2	BTS13NA	915.00				

Note: BTS2.5NA includes a joining kit to connect the tracks to other track sets.

✓ Indicates antimicrobial product.

Notes:

- All end, intermediate, and mobile units must be 18" (457mm) or wider.
- Each stationary end and intermediate unit must have a minimum of four shelves. Super Adjustable shelves may be used for all tiers.
- qwikTRAK is available with 74" posts (1880mm) as standard. Requests for TALLER posts must be reviewed by Metro Engineering. For applications requiring posts SHORTER than 74" (1880mm), contact your Metro representative.
- Existing Metro Super Erecta, Super Adjustable, MetroMax Q, and MetroMax i shelving units can be retrofitted as part of a HD qwikTRAK installation.
- Under normal conditions, aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- A stationary intermediate unit is required when the track length exceeds 21 feet (6400mm). A stationary intermediate unit may be used at the discretion of the user when the track lengths are less than 21 ft. (6400mm).
- It is recommended that the tracks are installed a minimum of 1 3/4" (45mm) from the wall.
- Actual width of a qwikTRAK system is the Nominal Shelf length + 3 1/2" (89mm).
- Actual height of a mobile qwikTRAK unit is: Nominal post height + 4.5" (115mm)
- Actual length of a qwikTRAK system is: Nominal track length + the nominal width of each end unit + 3" (76mm)
- Weight capacities for standard qwikTRAK: Super Erecta, Super Adjustable, MetroMax Q systems are designed to hold up to 2,000 lbs. (907kg) per shelving unit. MetroMax i stationary units can hold up to 2,000 lbs. (907kg); MetroMax i mobile units can hold up to 1,200 lbs. (544kg) per unit.

Double-Deep qwikTRAK® Storage System for: Super Erecta, Super Erecta Pro, Super Adjustable, MetroMax Q, and MetroMax i Systems.



Double-Deep qwikTRAK — [11.15](#)

Stationary End Unit Kits

Includes 74" high posts (1880mm) high stationary posts and hardware necessary for connecting stationary end units to tracks and anchoring tracts to the floor. Order one kit per double-deep system. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i					
Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome-Plated	List Price Each	✓ Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
73.6 33.5	LBTEC	867.00	LBTEK3	1,033.00	LBTES	1,633.00	76.3	34.7	LBTEQ3	1,129.00	42.3	19.2	LBTEX3	1,361.00	

Stationary Intermediate Unit Kits

Includes 74" high posts (1880mm) high stationary posts and hardware necessary for connecting one double-deep stationary intermediate unit to tracks and anchoring tracts to the floor. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i					
Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome-Plated	List Price Each	✓ Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
39.6 18.0	LBTAC	667.00	LBTAK3	797.00	LBTAS	1,097.00	41.3	18.8	LBTAQ3	845.00	24.3	11.0	LBTAZ3	961.00	

Mobile Units

Includes (8) 74" (1880mm) high –UP posts, (4) V-groove casters, (1) stainless steel center channel caster assembly, donut bumpers, Tie Bar Brackets, and other hardware. Shelves are sold separately. One kit required per Double-Deep Mobile Unit.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta					MetroMax Q					MetroMax i				
Shelf Width (in.) (mm)	Cat. No. Chrome	List Price Each	✓ Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Cat. No.	List Price Each						
18 457	LBTM18C	845.00	LBTM18K3	1,253.00	LBTM18S	1,553.00	LBTM18Q3	1,327.00	LBTM18X3	1,443.00				
21 530	LBTM21C	867.00	LBTM21K3	1,280.00	LBTM21S	1,580.00	LBTM21Q3	1,354.50	—					
24 610	LBTM24C	888.50	LBTM24K3	1,307.50	LBTM24S	1,607.50	LBTM24Q3	1,381.50	LBTM24X3	1,497.50				



Track Sets

Includes tracks and hardware needed to assemble Double-Deep qwikTRAK systems up to 21' (6400mm).

Length (ft.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Length (ft.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2.5 762	4 1.8	LBTS2.5NA	556.50	14 4267	19 8.6	LBTS14NA	1,452.50
6 1828	9 4.1	LBTS6NA	567.50	15 4572	21 9.5	LBTS15NA	1,763.00
7 2135	10 4.5	LBTS7NA	646.00	16 4877	22 10.0	LBTS16NA	1,845.00
8 2440	11 5.0	LBTS8NA	953.50	17 5182	23 10.5	LBTS17NA	1,931.50
9 2473	13 5.9	LBTS9NA	1,035.50	18 5486	25 11.4	LBTS18NA	2,015.00
10 3048	14 6.4	LBTS10NA	1,120.50	19 5791	26 11.8	LBTS19NA	2,097.00
11 3352	15 6.8	LBTS11NA	1,205.50	20 6096	27 12.3	LBTS20NA	2,178.50
12 3657	17 7.7	LBTS12NA	1,289.00	21 6400	29 13.2	LBTS21NA	2,259.00
13 3962	18 8.2	LBTS13NA	1,372.00				

Note: LBTS2.5NA includes a joining kit to connect the track to other track sets.

✓ Indicates antimicrobial product.



SYSTEM COMPONENTS
A = Stationary End Units
B = Mobile Units
C = qwikTRAK
D = Stationary Intermediate Unit
E = Active Aisle

Shelves Sold Separately
Super Erecta — Pg. 42
Super Erecta Pro — Pg. 34
Super Adjustable — Pg. 37
MetroMax Q — Pg. 15
MetroMax i — Pg. 14

Wire Shelving – Super Erecta®, Super Erecta Pro™ and Super Adjustable Top-Track — **11.12**

Super Erecta® Top-Track®

Stationary End Unit Kits

Includes hardware necessary for connecting stationary end units to track. One kit is required per single system. 86" (2185mm) posts are included. Shelves sold separately — See pages 34, 37 and 42.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	11 4.9	TTE18C	591.50	TTE18K3	623.00	TTE18S	994.00
21 530	11.5 5.1	TTE21C	604.00	TTE21K3	634.00	TTE21S	1,006.50
24 610	12 5.4	TTE24C	616.00	TTE24K3	645.00	TTE24S	1,020.00

Stationary Intermediate Unit Kits

Includes hardware necessary for connecting intermediate unit to track on both sides. 86" (2185mm) posts are included. Shelves sold separately — See pages 34, 37 and 42.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	7.5 3.3	TTA18C	354.00	TTA18K3	366.00	TTA18S	551.50
21 530	8 3.6	TTA21C	362.50	TTA21K3	374.50	TTA21S	561.50
24 610	8.5 3.8	TTA24C	371.00	TTA24K3	383.00	TTA24S	572.00

Track Sets

Includes necessary sections of track for assembling track runs up to 21' (6400mm).


Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2½ 762	15 6.8	TTS2.5NA	383.50	14 4267	98 44.1	TTS14NA	1,049.00
6 1828	40.5 18.2	TTS6NA	411.00	15 4572	106.5 47.9	TTS15NA	1,271.50
7 2135	47.5 21.3	TTS7NA	467.00	16 4877	113.5 51	TTS16NA	1,331.00
8 2440	56 25.2	TTS8NA	689.50	17 5182	121 54.4	TTS17NA	1,395.00
9 2743	62.5 28.1	TTS9NA	748.00	18 5486	128 51.6	TTS18NA	1,454.50
10 3048	69.5 31.2	TTS10NA	809.00	19 5791	135 60.7	TTS19NA	1,511.50
11 3353	76.5 34.4	TTS11NA	871.50	20 6096	142 63.9	TTS20NA	1,572.00
12 3657	83.5 37.5	TTS12NA	930.50	21 6400	149 67	TTS21NA	1,629.50
13 3962	92 41.4	TTS13NA	990.00				

Note: TTS2.5NA includes a joining kit to connect the track to other track sets.


Mobile Unit Kits (shelves sold separately — see pages 34, 37 and 42)

One kit required per mobile unit. Kit includes posts, casters/caster channels, donut bumpers, and roller bearing assemblies.

Shelf Width (in.) (mm)	Overall Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	20½ 514	32 14.4	TTM18C	384.00	TTM18K3	654.50	TTM18S	841.00
21 530	23½ 590	33 14.8	TTM21C	395.50	TTM21K3	658.50	TTM21S	851.00
24 610	26½ 667	34 15.3	TTM24C	407.00	TTM24K3	677.00	TTM24S	861.00



A = Stationary End Units
B = Stationary Intermediate Unit (Optional)
C = Track Set
D = Mobile Units
E = Open Aisle



Refer to pages 53-60 for a complete selection of Super Erecta Shelf accessories. For Top-Track accessories, see page 96.

Notes:

1. Each stationary end and intermediate unit must have a minimum of four shelves. For all Super Adjustable applications, the top and bottom shelves must be non "quick adjust" Super Erecta shelves.
2. The standard Deep Top-Track system requires the use of 86" (2185mm) posts (i.e., 86P, 86PK, or 86PS) on the stationary end and intermediate units. Shelves for the stationary end and intermediate units are sold separately.
3. The mobile unit kit include special 74" (1880mm) posts with casters. Shelves for mobile units are sold separately.
4. Recommended maximum load rating for a mobile unit is 900 lbs. (410kg). Floor should be level, smooth, and free from large cracks and raised obstacles.
5. Under normal conditions, an aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
6. A stationary intermediate unit is required when track length exceeds 21 feet (6400mm). A stationary intermediate unit may be used at the discretion of the user when track lengths are less than 21 feet (6400mm).
7. To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (52mm).
8. To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

Ⓐ Indicates antimicrobial product.

Super Erecta® and Super Adjustable Double-Deep Top-Track® — 11.12

Stationary End Unit Kits

Includes hardware necessary for connecting stationary end units in Double Deep systems and connecting to an overhead track set. One kit is required for the entire double deep configuration. Shelves sold separately — See pages 37 and 42. 86" (2185mm) posts included.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	33 14.8	LTTE18C	1,263.00
21 530	37 16.6	LTTE21C	1,280.50
24 610	41 18.4	LTTE24C	1,296.50

Stationary Intermediate Unit Kits

Includes hardware necessary for connecting intermediate units in Double Deep systems and connecting to an overhead track set on each side. One kit is required for Intermediate units connected end-to-end. Shelves sold separately — See pages 37 and 42. 86" (2185mm) posts included.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	18 8	LTTA18C	694.00
21 530	20 9	LTTA21C	699.50
24 610	22 9.9	LTTA24C	709.00

Track Sets

Includes necessary sections of track for assembling track runs up to 21' (6400mm). For track sizes within the even 1-foot (305mm) increments, contact your Metro representative. Only one track set is required between stationary units.

Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2½ 762	15 6.8	TTS2.5NA	14 4267	98 44.1	TTS14NA	1,049.00
6 1828	40.5 18.2	TTS6NA	15 4572	106.5 47.9	TTS15NA	1,271.50
7 2135	47.5 21.3	TTS7NA	16 4877	113.5 51	TTS16NA	1,331.00
8 2440	56 25.2	TTS8NA	17 5182	121 54.4	TTS17NA	1,395.00
9 2743	62.5 28.1	TTS9NA	18 5486	128 51.6	TTS18NA	1,454.50
10 3048	69.5 31.2	TTS10NA	19 5791	135 60.7	TTS19NA	1,511.50
11 3353	76.5 34.4	TTS11NA	20 6096	142 63.9	TTS20NA	1,572.00
12 3657	83.5 37.5	TTS12NA	21 6400	149 67	TTS21NA	1,629.50
13 3962	92 41.4	TTS13NA				

Note: TTS2.5NA includes a joining kit to connect the track to other track sets.

Mobile Unit Kits


Includes posts, casters, caster channels, donut bumpers, roller bearing assemblies, and tie-together hardware to connect two mobile units (i.e., one in each system). Shelves sold separately — See pages 37 and 42.

Shelf Width (in.) (mm)	Overall Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	20½ 514	72 32.4	LTTM18C	801.50
21 530	23½ 590	75 33.7	LTTM21C	851.50
24 610	26½ 667	78 35	LTTM24C	875.00

Notes:


1. Each stationary end and intermediate unit **must** have a minimum of four shelves. For all Super Adjustable applications, the top and bottom shelves must be non "quick adjust" Super Erecta shelves.
2. The standard Double Deep Top-Track system requires the use of 86" (2185mm) posts (i.e., 86P) on the stationary end and intermediate units. **Shelves for the stationary end and intermediate units are sold separately.**
3. The mobile unit kits include special 74" (1880mm) posts with casters. **Shelves for mobile units are sold separately.**
4. Under normal conditions, an aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
5. Two intermediate shelving units connected end-to-end are required when the track length exceeds 21 feet (6400mm). Stationary intermediate shelving units may be used at the discretion of the user when track lengths are less than 21 feet (6400mm).
6. The maximum Double Deep system configuration is 10'6" (3200mm) (i.e., two systems, each having 60" (1524mm) long shelves, plus 6" (150mm) for Top-Track components).
7. Ease of rollability for the mobile units is an important consideration in evaluating Top-Track as a possible storage alternative. The floor should be level, smooth, and free from large cracks and raised obstacles. Two mobile shelving units connected end-to-end and loaded with between 800 to 1,200 lbs. (365-550kg) will require a human effort range (in lbs. of human force) of between 18-24 lbs. (8-11kg) to move the unit from a complete stop. Subjectively, an average 110 lb. (50kg) person will perceive this as acceptable effort levels. For loads over 1,200 lbs. (550kg), contact your Metro representative.
8. Mobile units should have the top shelf positioned as close as possible to the track.
9. To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (52mm).
10. To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

FRONT VIEW



A = Stationary End Units
B = Stationary Intermediate Unit (Optional)
C = Track Set
D = Mobile Units
E = Open Aisle

OVERHEAD VIEW



For Top-Track accessories,
see page 96.

Seismic Top-Track® Single Length System

End Unit Kit:

Includes four shelves, four staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Stationary End Unit	SA48TTS	1,478.50
Kit for 54" (1370mm) Stationary End Unit	SA54TTS	1,508.50
Kit for 60" (1524mm) Stationary End Unit	SA60TTS	1,537.00


Strut Kit:

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Wide Unit	TTB48STRUT	175.00
Kit for 54" (1370mm) Wide Unit	TTB54STRUT	191.00
Kit for 60" (1524mm) Wide Unit	TTB60STRUT	210.00

Note: Floor anchoring hardware not included.

Example: For a complete “Single-Length Top-Track® System,” the following would be required: Two Stationary End Units, One Track Set* (11-foot [3355mm] maximum), One Center Strut (if track length exceeds 7 feet), Mobile Units.

Note: Posts and shelves are included in the end and intermediate unit kits.
Shelves are sold separately for the mobile unit.




Add track sets and mobile unit kits, refer to page 92.

Seismic Top-Track® Double Length System

End Unit Kit:

Includes four shelves, four staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.



Double-Length System

OSHPD Preapproved Intermediate Unit Kit:

Includes eight shelves, eight staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Stationary End Unit	SA48TTS	1,478.50
Kit for 54" (1370mm) Stationary End Unit	SA54TTS	1,508.50
Kit for 60" (1524mm) Stationary End Unit	SA60TTS	1,537.00

Strut Kit:

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Wide Unit	TTB48STRUT	175.00
Kit for 54" (1370mm) Wide Unit	TTB54STRUT	191.00
Kit for 60" (1524mm) Wide Unit	TTB60STRUT	210.00

Note: Floor anchoring hardware not included.

Example: For a complete “Double-Length Top-Track® System,” the following would be required: Two Stationary End Units, Two Track Sets* (11-foot [3355mm] maximum), One Intermediate Unit, Two Center Struts (if track length exceeds 7 feet [2135mm]), Mobile Units.*

Note: Posts and shelves are included in the end and intermediate unit kits.
Shelves are sold separately for the mobile unit.

Notes:

1. Each installation must have two stationary end units for a single-track length of 7' (2135mm) to 11' (3355mm).
2. A center strut is required for each track section over 7' (2135mm).
3. For track lengths over 11' (3355mm), an intermediate unit is required, thus creating a double-length system.
4. OSHPD preapproval is based upon a weight-loading capacity of 25 lbs. (11kg) per square foot on a four-shelf stationary and mobile units, with maximum of 900 lbs. (408kg) per mobile unit. Additional shelves may be added, but are limited to a maximum load of 25 lbs. (11kg) per cubic foot per unit.
5. A maximum of four 21' (6400mm) or 24" (610mm), or five 18" (457mm) mobile units are allowed per an 11' (3355mm) track length, with no more than a 900 lb. (408kg) weight capacity per mobile unit.
6. Stationary End Units are available in 24"x48" (610x1219mm), 24"x54" (610x1370mm), and 24"x60" (610x1524mm).
7. OSHPD preapproved design is based on the use of HR concrete, at least 5 1/2" (140mm) thick, with a compressive strength of 3,000 psi (211kg/cm). Anchorage is not included.
8. To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

Add track sets and mobile unit kits,
refer to page 92.

See page 104-105 for Stationary Seismic shelving.

Notes:

1. Floor anchors are not included. The structural engineer of record must verify that the anchorage bolt and building structure are adequate for the applied load.
2. For OSHPD approval, the highest load shelf must be no more than 60" (1524mm) from the floor.
3. For OSHPD approval, a unit must have no more than four loaded shelves within 60" (1524mm) height.
4. If a fifth shelf is used, it must serve only as a cover and not be used for load bearing.
5. According to the California State Fire Marshall, there must be a clearance of at least 18" (457mm) below sprinkler systems.
6. Each shelving unit, whether single or “back-to-back,” cannot connect to other shelving units or walls.



MetroMax iQ™ Top-Track — 9.29

The system compensates for uneven floor surfaces. Floor should be smooth and free from large cracks or raised obstacles. Maximum load capacity for mobile units is 900 lbs. (400kg).

Stationary End Unit Kit — Order one per Top-Track system.

- Includes hardware and components to connect track sets to two stationary end units. 86" (2185mm) posts included. Shelves are ordered separately (see pages 14 and 15).

Fits Shelf Width (in.) (mm)	i Cat. No. End Unit Kit	List Price Each	Q Cat. No. End Unit Kit	List Price Each
18 457	MXTTE18	880.00	MQTTE18	740.00
21 530	—	—	MQTTE21	751.00
24 610	MXTTE24	902.00	MQTTE24	762.00

Stationary Intermediate Unit Kit —

Required when the desired length of track exceeds 21' (6405mm).

- A stationary intermediate kit may be used at the discretion of the end user when track lengths are less than 21' (6405mm) to increase the overall rigidity of the system. Kit includes the hardware and components needed to connect track sets to one stationary intermediate unit. 86" (2185mm) posts included. Shelves are ordered separately (see pages 14 and 15).

Fits Shelf Width (in.) (mm)	i Cat. No. Intermediate Unit Kit	List Price Each	Q Cat. No. Intermediate Unit Kit	List Price Each
18 457	MXTTA18	522.00	MQTTA18	452.00
21 530	—	—	MQTTA21	460.50
24 610	MXTTA24	539.00	MQTTA24	469.00

Mobile Unit Kit — Order one per mobile unit.

- Kit includes posts, rigid casters, caster channels, bumpers, and roller assemblies. Shelves are sold separately.

Fits Shelf Width (in.) (mm)	i Cat. No. with Plated Casters	List Price Each	i Cat. No. with Stainless Casters	List Price Each	Q Cat. No. with Plated Casters	List Price Each	Q Cat. No. with Stainless Casters	List Price Each
18 457	MXTTM18C	452.00	MXTTM18S	741.00	MQTTM18C	394.00	MQTTM18S	683.00
21 530	—	—	—	—	MQTTM21C	405.50	MQTTM21S	693.00
24 610	MXTTM24C	470.00	MXTTM24S	761.00	MQTTM24C	417.00	MQTTM24S	703.00

Track Sets — One track set is required between stationary units

- Includes necessary sections of track for assembling track runs of 6' to 21' (1830-6405mm).

Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each	Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
	TTS2.5NA	TTS13NA				TTS14NA	TTS15NA		
2½ 762	15	6.8	TTS2.5NA	383.50	14 4267	98	44.1	TTS14NA	1,049.00
6 1828	40.5	18.2	TTS6NA	411.00	15 4572	106.5	47.9	TTS15NA	1,271.50
7 2135	47.5	21.3	TTS7NA	467.00	16 4877	113.5	51	TTS16NA	1,331.00
8 2440	56	25.2	TTS8NA	689.50	17 5182	121	54.4	TTS17NA	1,395.00
9 2743	62.5	28.1	TTS9NA	748.00	18 5486	128	51.6	TTS18NA	1,454.50
10 3048	69.5	31.2	TTS10NA	809.00	19 5791	135	60.7	TTS19NA	1,511.50
11 3353	76.5	34.4	TTS11NA	871.50	20 6096	142	63.9	TTS20NA	1,572.00
12 3657	83.5	37.5	TTS12NA	930.50	21 6400	149	67	TTS21NA	1,629.50
13 3962	92	41.4	TTS13NA	990.00					

Note: TTS2.5NA includes a joining kit to connect the tracks to longer track sections.

Maximizes Storage Capacity: Top-Track can increase the storage capacity of a given area by 30% to 40%. Put more storage units into a defined space. A movable, open aisle allows full access to each entire shelving unit—eliminating hard to reach or “dead” spaces.



Easy Access: The overhead track system guides the mobile units and opens an access aisle between any two units. The track is above the storage units enabling easy access.

Clean Design: Guide tracks are installed overhead enabling easy cleaning of floors. MetroMax i® and MetroMax Q shelves feature removable polymer shelf mats and built-in Microban antimicrobial product protection to promote easier routine cleaning.


Uniquely Interchangeable: Mix and match MetroMax i® and Q shelves and posts based on the application. Corrosion proof MetroMax i® offers solid shelf option and better chemical resistance. Corrosion resistant MetroMax Q steel posts can improve the overall rigidity of the Top-Track system in higher weight bearing applications.

Configuration Guidelines

- Standard Top-Track models include 86" (2185mm) stationary posts and 74" (1880mm) stem caster mobile posts. If a taller system is required, consult Metro Engineering.
- Mobile, stationary end, and intermediate units must have a minimum of 4 shelves.
- Stationary Intermediate Unit is required when the track length exceeds 21' (6405mm). Intermediate kits include special support rails that attach to the overhead tracks on both sides of the intermediate unit. A stationary intermediate unit may be used at the discretion of the user when track lengths are less than 21' (6405mm) for the purpose of adding greater stability to the overall system.
- Mobile Units: If 18" (457mm) wide mobile units are planned, the maximum allowable size shelf is 60" (1524mm) long. If 18" (457mm) wide by 60" (1524mm) long mobile units are planned, a maximum of five 18" (457mm) mobile units are allowable between two stationary units. 18" (457mm), 21" (530mm) and 24" (610mm) wide mobile units can be intermixed in a given system. The standard system requires 74" (1880mm) posts on the mobile units. Recommended maximum load rating for a mobile unit is 900 lbs. (410kg).
- Under normal conditions, an aisle of 30" to 36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (521mm).
- To calculate the overall length of a MetroMax i or MetroMax Q Top-Track System, add the following: Nominal track length + Nominal widths of each end unit + 2" (51mm).



A = Stationary End Units
B = Stationary Intermediate Unit (Optional)
C = Track Set
D = Mobile Units
E = Open Aisle



Top-Track® Floor Protectors



Top-Track® Wall Mount Bracket



Top-Track® Stop Plate Kit



Super Erecta Hi-Rise Shelving

Top-Track® Floor Pad Protectors — **9.12** **11.12**

Use for both MetroMax Top-Track and Super Erecta Top-Track Systems.

For Track Length (in.) (mm)	Cat. No.	List Price Each	For Track Length (in.) (mm)	Cat. No.	List Price Each
6 1.8 152	FPS6N	238.00	14 4.2 106	FPS14N	471.00
7 2.1 175	FPS7N	259.00	15 4.6 117	FPS15N	520.50
8 2.4 191	FPS8N	288.50	16 4.9 127	FPS16N	544.00
9 2.7 216	FPS9N	332.00	17 5.2 139	FPS17N	566.50
10 3 229	FPS10N	359.50	18 5.5 152	FPS18N	618.00
11 3.3 333	FPS11N	381.50	19 5.8 164	FPS19N	633.50
12 3.6 365	FPS12N	428.50	20 6.1 176	FPS20N	665.50
13 3.9 404	FPS13N	451.50	21 6.4 188	FPS21N	710.00

Top-Track® Wall Mount Bracket — **11.12**

Used to attach one set of tracks to the wall. Eliminates the need for a stationary end unit. Includes one pair of wall brackets and hardware to attach tracks to the wall brackets. Hardware to attach the wall brackets to the wall is NOT included.

Cat. No. **TTWM** List Price 118.50 eachTop-Track® Stop Plate Kit — **11.12**

Used in conjunction with the Wall Mount Bracket Kit. The stop plates bolt to the underside of the track next to the wall brackets to prevent the mobile units from bumping into the wall.

Cat. No. **TTSTP** List Price 37.00 each**Metro Tip:**

Floor pad protectors compensate for soft flooring materials by protecting the floor from wear and tear. For new construction projects, it is recommended that flooring of suitable durability is used in areas where Top-Track will be installed.

Super Erecta® Hi-Rise Shelving — **10.17**

- For light-duty storage applications where floor space is at a premium.
- Construct shelving up to 24 feet (7315mm) high — 3 times the height of conventional shelving
- Metro's computerized engineering system assures correct specifications and load rating of Hi-Rise materials for your application.

All Hi-Rise installations must be reviewed and approved by Metro Engineering. Hi-Rise certification plate supplied. Only Super Erecta and Super Adjustable Super Erecta wire shelves (found on pages 37 and 42) can be used in Hi-Rise applications. Contact Metro customer service or your local Metro representative for details.

Material part numbers will be provided by Metro Product Development upon review of application.

Metro Tip:

One frequently overlooked opportunity to gain additional storage capacity is the efficient use of vertical space. By connecting Super Erecta posts, storage areas may be created that utilize every available cubic foot of unused vertical air space.

Off-the-floor efficiency.

Bow-Tie™ Dunnage Racks — 9.09

12" (305mm) high; 22" (559mm) wide.

- Metro Bow-Tie Dunnage Racks are available with built-in Microban® antimicrobial product protection to protect from bacteria, mold, mildew and fungi that cause odors, stains and product degradation. Standard models, without Microban, are also available.
- Rust and corrosion-proof polymer material.
- Helps protect floors: legs have a larger radius than traditional dunnage racks and distribute the storage load across a wider area.
- Racks join together easily without tools in "end-to-end" and "back-to-back" configurations with the exclusive Bow-Tie™ feature.
- Heavy-duty construction gives racks the strength to hold up to 1,500 lbs. (683kg) for 30" (760mm) and 36" (914mm) long racks, and 3,000 (1365kg) for 48" (1219mm) and 60" (1524mm) racks.


Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Capacity (lbs.) (kg)	Cat. No. Microban®	List Price Each	Cat. No. Standard	List Price Each
30 760	12 305	24 10.8	1500 68	HP2230PDMB	240.50	HP2230PD	206.50
36 914	12 305	26 11.7	1500 68	HP2236PDMB	240.50	HP2236PD	206.50
48 1219	12 305	34 15.3	3000 136	HP2248PDMB	270.50	HP2248PD	237.50
60 1524	12 305	42 19	3000 136	HP2260PDMB	305.00	HP2260PD	273.50

✓ Indicates antimicrobial product.



Microban®
antimicrobial product protection

Bow-Tie Dunnage Rack



Standard racks joined in
"end-to-end" configuration.

Dunnage Platforms (Standard Duty) — 10.44

Space-saving platforms let you keep bulky items off the floor.

- Open wire provides air circulation and minimizes dust.
- All platforms use 13P or 13PS posts — height 14^{5/8}" (371mm) including cap and leveling bolt.



Super Erecta Platform

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each	
18x24	457x610	11	5.0	P1824BR	115.50	P1824NC	118.50	P1824NS	338.00
18x30	457x760	12	5.5	P1830BR	117.00	P1830NC	120.00	P1830NS	340.50
18x36	457x914	13 ^{1/2}	6.1	P1836BR	117.00	P1836NC	120.00	P1836NS	340.50
21x24	530x610	12	5.5	P2124BR	122.50	P2124NC	129.50	P2124NS	369.50
21x30	530x760	13	5.9	P2130BR	124.50	P2130NC	132.50	P2130NS	372.50
21x36	530x914	15	6.8	P2136BR	124.50	P2136NC	132.50	P2136NS	372.50
24x24	610x610	13	5.9	P2424BR	127.00	P2424NC	134.50	P2424NS	389.00
24x30	610x760	15	6.8	P2430BR	129.00	P2430NC	137.50	P2430NS	392.50
24x36	610x914	17	7.7	P2436BR	129.00	P2436NC	137.50	P2436NS	392.50



Dunnage Rack with Mat

Heavy-Duty Dunnage Racks — 10.46

A space-efficient way to store large, bulky items off the floor.

- Removable top mat lifts off for cleaning.
- Dunnage racks are 14^{1/2}" (368mm) high including mat, cap and leveling bolt.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
18x24	457x610	22	10	HP31C	239.50	HP31K3	275.00		
18x30	457x760	25	11	HP32C	254.50	HP32K3	292.00		
18x36	457x914	30	13	HP33C	254.50	HP33K3	292.00	HP33S	629.50
18x48	457x1219	38	17	HP35C*	301.50	HP35K3*	351.50	HP35S*	811.50
24x24	610x610	28	12	HP51C	258.50	HP51K3	302.50		
24x30	610x760	30	14	HP52C	275.50	HP52K3	318.50		
24x36	610x914	36	16	HP53C	275.50	HP53K3	318.50	HP53S	697.50
24x48	610x1219	42	19	HP55C*	325.00	HP55K3*	376.00	HP55S*	889.00

Note: Maximum distributed static load capacity for stationary dunnage racks is 1,600 lbs. (725kg), except on units marked * which have a 1,300 lb. (590kg) capacity.



Mobile Dunnage Rack shown in Metroseal 3 finish

Mobile Dunnage Racks (Heavy Duty) — 10.46

These easy-to-maneuver racks feature two swivel and two swivel/brake casters; with non-marking polyurethane tread.

- Support frames: 1" (25mm) square tubing.
- Removable wire mat: 5/16" (7.9mm) diameter wire.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
18x36	457x914	42	18.9	MHP33C	553.00	MHP33K3	609.00	MHP33S	965.50
18x48	457x1219	50	22.5	MHP35C	603.00	MHP35K3	668.00	MHP35S	1,140.50
24x36	610x914	48	21.6	MHP53C	570.00	MHP53K3	629.00	MHP53S	1,030.00
24x48	610x1219	54	24.3	MHP55C	621.00	MHP55K3	691.00	MHP55S	1,215.50

Maximum distributed static load capacity is 800 lbs. (363kg).

Note: These units are designed for only the 5HP and 5HPB casters, which are shipped assembled with the special posts.

HD Super Duty Dunnage Racks — 10.68

Stores more than a ton safely off the floor.

- 48" (1219mm) rack has a 3,000 pound (1361kg) static load capacity (uniformly distributed); 60" (1524mm) rack carries up to 2,400 pounds (1089kg).
- HD Super™ design features fast, secure assembly without tools.
- Posts of 1^{5/8}" (41mm) diameter provide greater rigidity.
- HD Super™ Dunnage Racks are 16^{1/4}" (413mm) high including cap and leveling bolt.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
18x48	457x1219	52	23.4	HDP35C	590.50	HDP35K3	699.00	HDP35S	1,187.00
18x60	457x1524	62	27.9	HDP36C	672.00	HDP36K3	801.50	HDP36S	1,373.00
24x48	610x1219	57	26.6	HDP55C	623.00	HDP55K3	743.50	HDP55S	1,274.50
24x60	610x1524	66	29.7	HDP56C	708.50	HDP56K3	849.50	HDP56S	1,475.00

Maximum capacity 2,400 pounds (1089kg) uniformly distributed static load on the 60" (1524mm) length racks; 3,000 pounds (1361kg) on the 48" (1219mm) length racks.

Note: Capacity will be reduced and the unit will become less stable if the 3-sided frame is mounted higher than 6" (152mm) from the floor.

✓ Indicates antimicrobial product.



Keep out!

Security Units

Protect valuable materials and sensitive items from loss or pilferage.

- Ready View of Contents: Heavy-gauge open wire construction keeps contents visible at all times, making it easy to check inventory.
- Optional Adjustable Intermediate Shelves: Patented easily adjustable shelf designs — Super Adjustable Super Erecta, MetroMax Q, and qwikSLOT — allow flexibility to meet changing needs. Can be positioned in 1" (25mm) increments along the entire height of post.
- Double Door: Each door opens 270 degrees and can be secured along the sides of the unit.
- Shipped Knocked-Down: Saves on freight costs. Easily assembled.



MetroMax Q Security Unit



Super Adjustable Super Erecta Security Unit

Ordering Guide for Security Units

	DRY ENVIRONMENTS		WET ENVIRONMENTS		
1) Choose the right finish and shelving style based on the usage environment and/or cleaning methods.	Super Erecta Chrome Finish	qwikSLOT Chrome Finish	Super Erecta Metroseal 3 Finish	MetroMax Q Polymer & Epoxy Coated Steel Finish	Super Erecta Type 304 Stainless Steel Finish
Corrosion protection	N/A	N/A	Corrosion Resistant	Corrosion Resistant	Corrosion Proof
NSF Listed	YES	NO	YES	YES	YES
2) Choose from Stationary and Mobile Options.					
Stationary	8 Models	5 Models	5 Models	3 Models	8 Models
Mobile: Medium-Duty Recommended security models with stem casters.	DC & EC Models Include casters with zinc-plated horns	DCQ & ECQ Models Include casters with zinc-plated horns	VK3 Models Include casters with polymer horns	VE Models Include casters with polymer horns	Casters are NOT provided with Stainless Steel Standard-Duty Stem Caster base models. Casters are sold separately for "SD" models.
Mobile: Heavy-Duty applications are best addressed by carts with dolly bases. Recommended when the cart will frequently be moved long distances, over doorways and thresholds, or between facilities or buildings. NOTE: Super Erecta security units are most often selected for these applications.	Dollies/casters included LC Models	Dollies/casters included LCQ Models	Dollies/casters included LK3 Models	Dollies/casters included LE Models	Dollies and plate casters are NOT provided with the Heavy-Duty Stainless Steel base models. Dollies & plate casters are ordered separately S-HD Models
3) Select Intermediate Shelves. Intermediate shelves are not included with base models.					



SEC55C shown with optional Super Adjustable intermediate shelves.



SEC55DC shown with optional Super Adjustable intermediate shelves (sold separately). Doors rotate 270° and can be secured to the sides of the cart while contents are being loaded on the shelves.



SEC55LC shown with optional Super Adjustable intermediate shelves.

Super Erecta® Shelf Stationary Security — 66^{13/16}" (1695mm) high
Intermediate shelves are not included with base models and must be ordered separately. See page 101 for intermediate shelf options.

Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
21 ^{1/2} 546	38 ^{1/2} 980	18x36 457x914	138 63	SEC33C	1,077.00	SEC33K3	1,296.00	SEC33S	2,773.00
21 ^{1/2} 546	50 ^{1/2} 1295	18x48 457x1219	157 71	SEC35C	1,340.50	SEC35K3	1,610.00	SEC35S	3,371.50
27 ^{1/4} 692	38 ^{1/2} 980	24x36 610x914	154 70	SEC53C	1,106.50	SEC53K3	1,330.50	SEC53S	2,876.00
27 ^{1/4} 692	50 ^{1/2} 1295	24x48 610x1219	174 79	SEC55C	1,377.00	SEC55K3	1,654.50	SEC55S	3,504.50
27 ^{1/4} 692	62 ^{1/2} 1587	24x60 610x1524	195 89	SEC56C	1,493.50	SEC56K3	1,796.50	SEC56S	3,627.00
33 ^{1/2} 851	38 ^{1/2} 980	30x36 760x914	167 76	SEC63C	1,385.00			SEC63S	3,594.00
33 ^{1/2} 851	50 ^{1/2} 1295	30x48 760x1219	193 88	SEC65C	1,721.50			SEC65S	4,379.00
33 ^{1/2} 851	62 ^{1/2} 1587	30x60 760x1524	215 98	SEC66C	1,867.00			SEC66S	4,533.50

Super Erecta® Mobile Security

Standard-Duty Stem Caster Models — Chrome and Metroseal 3

Chrome and Metroseal 3 Standard-Duty Stem Caster Models include 5" (127mm) casters.

Intermediate shelves are not included with base models and must be ordered separately. See page 101 for intermediate shelf options.

Caster Type	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
(2) 5MP/(2) 5MPB	21 ^{1/2} 546	40 ^{3/4} 1035	18x36 457x914	146 66	SEC33EC	1,285.00	SEC33EK3	1,507.00
(2) 5MP/(2) 5MPB	21 ^{1/2} 546	52 ^{3/4} 1340	18x48 457x1219	165 75	SEC35EC	1,547.50	SEC35EK3	1,825.00
(4) 5MP	27 ^{1/4} 692	40 ^{3/4} 1035	24x36 610x914	162 74	SEC53DC	1,301.50	SEC53DK3	1,529.50
(4) 5MP	27 ^{1/4} 692	52 ^{3/4} 1340	24x48 610x1219	182 83	SEC55DC	1,572.00	SEC55DK3	1,856.50
(4) 5MP	27 ^{1/4} 692	65 1651	24x60 610x1524	203 92	SEC56DC	1,688.50	SEC56DK3	1,996.50
(2) 5MP/5MPB	27 ^{1/4} 692	40 ^{3/4} 1035	24x36 610x914	162 74	SEC53EC	1,313.50	SEC53EK3	1,541.50
(2) 5MP/5MPB	27 ^{1/4} 692	52 ^{3/4} 1340	24x48 610x1219	182 83	SEC55EC	1,591.00	SEC55EK3	1,868.50
(2) 5MP/5MPB	27 ^{1/4} 692	65 1651	24x60 610x1524	203 92	SEC56EC	1,701.50	SEC56EK3	2,008.50
(2) 5PC/5PCB	27 ^{1/4} 692	40 ^{3/4} 1035	24x36 610x914	162 74			SEC53VK3	1,644.50
(2) 5PC/5PCB	27 ^{1/4} 692	52 ^{3/4} 1340	24x48 610x1219	182 83			SEC55VK3	1,971.50
(2) 5PC/5PCB	27 ^{1/4} 692	65 1651	24x60 610x1524	203 92			SEC56VK3	2,111.50
(2) 5MP/(2) 5MPB	33 ^{1/2} 851	40 ^{3/4} 1035	30x36 760x914	175 80	SEC63EC	1,643.50		
(2) 5MP/(2) 5MPB	33 ^{1/2} 851	52 ^{3/4} 1340	30x48 760x1219	202 92	SEC65EC	1,980.00		
(2) 5MP/(2) 5MPB	33 ^{1/2} 851	65 1651	30x60 760x1524	223 101	SEC66EC	2,128.00		

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread.

5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high-moisture environments.

Large casters can create a tipping hazard. On security units using 18" (457mm) deep shelving, do not use casters larger than 5" (127mm) in diameter.

Overall height: Models with 5MP casters — 67^{15/16}" (1726mm) high

Models with 5PC casters — 68^{7/16}" (1739mm) high

Heavy-Duty Models — Chrome and Metroseal 3 — 68^{7/16}" (1739mm) high

Chrome and Metroseal 3 models feature aluminum dollies with wraparound bumpers and 5" (127mm) diameter casters.

Caster Type	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
(2) B5P/B5PB	28 ^{1/16} 713	38 ^{1/2} 980	24x36 610x914	187 85	SEC53LC	1,559.00	SEC53LK3	1,778.50
(2) B5P/B5PB	28 ^{1/16} 713	50 ^{1/2} 1285	24x48 610x1219	210 95	SEC55LC	1,842.50	SEC55LK3	2,119.00
(2) B5P/B5PB	28 ^{1/16} 713	63 ^{1/8} 1600	24x60 610x1524	235 107	SEC56LC	1,977.50	SEC56LK3	2,281.50

✓ Indicates antimicrobial product.

Microban®
antimicrobial product protection

Standard-Duty Stem Caster Models — Stainless Steel — 62" (1575mm) high

Casters must be ordered separately. See pages 48-49, or consult your Metro representative for the proper caster for your application. Intermediate shelves are not included with base models and must be ordered separately.

Description	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
Standard Duty	21½ 546	40¾ 1035	18x36 457x914	138 63	SEC33S-SD	2,773.00
Standard Duty	21½ 546	52¾ 1340	18x48 457x1219	157 71	SEC35S-SD	3,371.50
Standard Duty	27¼ 692	40¾ 1035	24x36 610x914	154 70	SEC53S-SD	2,876.00
Standard Duty	27¼ 692	52¾ 1340	24x48 610x1219	174 79	SEC55S-SD	3,504.50
Standard Duty	27¼ 692	65 1651	24x60 610x1524	195 89	SEC56S-SD	3,627.00
Standard Duty	33½ 851	40¾ 1035	30x36 760x914	167 76	SEC63S-SD	3,594.00
Standard Duty	33½ 851	52¾ 1340	30x48 760x1219	193 88	SEC65S-SD	4,379.00
Standard Duty	33½ 851	65 1651	30x60 760x1524	215 98	SEC66S-SD	4,533.50

Note: Given height is for unit without casters. For approximate overall unit height add chosen caster diameter plus 1" (25mm).

Note: Large casters can create a tipping hazard. On security units using 18" (457mm) deep shelving, do not use casters larger than 5" (127mm) in diameter.

Heavy-Duty Models — Stainless Steel — 62" (1575mm) high

Heavy-duty stainless steel models include staked posts for use with standard Metro dollies. Dolly bases and plate casters must be ordered separately. See pages 50-52, or consult your Metro representative for the proper caster for your application. Intermediate shelves are not included with base models and must be ordered separately.

Description	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
Heavy Duty	28½ 713	38½ 980	24x36 610x914	154 70	SEC53S-HD	2,876.00
Heavy Duty	28½ 713	50½ 1285	24x48 610x1219	174 79	SEC55S-HD	3,504.50
Heavy Duty	28½ 713	63¾ 1600	24x60 610x1524	195 89	SEC56S-HD	3,627.00

Note: Given height is for unit without a Metro dolly or casters.


Note: To calculate the actual height of the unit using plate casters: 62" [1575mm] + 1/4" [6mm] for dolly + load height of the caster (found on page 49). Dolly bases are recommended for applications where security units will be transported over the road. Please consult your Metro representative for the appropriate casters and accessories for these applications.

Intermediate Shelves for Super Erecta Shelf Security Units

Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Cat. No. Super Erecta Pro	List Price Each
18 457	36 914	9½ 4.3	A1836NC	68.00	A1836NK3	82.50	A1836NS	226.50	PR1836NK3	89.00
18 457	48 1219	12 5.4	A1848NC	81.50	A1848NK3	98.00	A1848NS	267.50	PR1848NK3	107.00
24 610	36 914	13 6	A2436NC	85.50	A2436NK3	99.00	A2436NS	278.50	PR2436NK3	108.00
24 610	48 1219	16 7	A2448NC	100.00	A2448NK3	119.50	A2448NS	335.50	PR2448NK3	132.00
24 610	60 1524	21 9.5	A2460NC	117.00	A2460NK3	140.50	A2460NS	408.50	PR2460NK3	156.50
30 760	36 914	15 6.8	A3036NC	116.00			A3036NS	365.00		
30 760	48 1219	21 9.5	A3048NC	134.00			A3048NS	426.00		
30 760	60 1524	26½ 11.8	A3060NC	148.00			A3060NS	473.50		

Note: Standard Super Erecta shelves can also be used as intermediate shelves.

Refer to page 42 for more information.



SECM2430NC
Assembled on Shelving Unit

Super Erecta Security Modules — 14.01

Convert a standard 24" (610mm) wide unit into a security module with this convenient kit.

- Used to enclose one or more areas of a unit.
- Fits between shelves spaced 20" (510mm) apart on any Super Erecta Shelving unit.
- Adapts to 24" (610mm) wide shelves in 30," 48" and 60" (760, 1219 and 1524mm) lengths.

Width/Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless Steel	List Price Each
24x30 610x760	20 510	29½ 14	SECM2430NC	358.00	SECM2430NS	761.00
24x48 610x1219	20 510	39½ 18	SECM2448NC	411.50	*	*
24x60 610x1524	20 510	45½ 21	SECM2460NC	445.50	*	*

Note: Security Module consists of side panels, back panels and door. Posts and shelves sold separately, see page 42.

When multiple security modules are stacked on one shelving unit, separate top and bottom shelves are still necessary for each module.

Security modules must be used with Super Erecta Shelf wire shelves.

*Consult your Metro representative for availability.

Metro Tip:

Caster Selection:

For highly corrosive environments, choose casters constructed of appropriate materials. While most wheels are corrosion resistant, the horns and axles are not. Select from a variety of Metro casters with polymer and stainless components. See pages 48-49 and 51 for more information.

✓ Indicates antimicrobial product.





SEC53DCQ shown with
Intermediate Shelves (optional)

qwikSLOT™ Security Units — 14.01

- Add/Remove-A-Shelf Feature: Allows the unit to quickly adapt to your changing storage needs.
- Shelves can be adjusted easily in seconds.
- Each unit requires a standard Super Erecta shelf at the top and bottom (see page 42).

qwikSLOT Stationary Security

Width (in.) (mm)	Actual Length (in.) (mm)	Height (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
21½ 546	38½ 980	66¹³/₁₆ 1695	18x36 457x914	138 63	SEC33CQ	1,119.50
21½ 546	50½ 1283	66¹³/₁₆ 1695	18x48 457x1219	157 71	SEC35CQ	1,379.50
27¼ 705	38½ 980	66¹³/₁₆ 1695	24x36 610x914	154 70	SEC53CQ	1,149.00
27¼ 705	50½ 1283	66¹³/₁₆ 1695	24x48 610x1219	174 79	SEC55CQ	1,415.00
27¼ 705	62½ 1587	66¹³/₁₆ 1695	24x60 610x1524	195 89	SEC56CQ	1,535.50



Clips snap easily into slots along post length to support shelves.

qwikSLOT Mobile Security

Standard-Duty Stem Caster Models: feature 5" (127mm) swivel casters.

Please note model numbers for specific caster types.

Caster Type	Width (in.) (mm)	Actual Length (in.) (mm)	Height (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
(2) 5MP/5MPB	21½ 546	40¾ 1035	67¹⁵/₁₆ 1726	18x36 457x914	146 66	SEC33ECQ	1,323.50
(2) 5MP/5MPB	21½ 546	52¾ 1340	67¹⁵/₁₆ 1726	18x48 457x1219	165 75	SEC35ECQ	1,599.00
(4) 5MP	27¼ 692	40¾ 1035	67¹⁵/₁₆ 1726	24x36 610x914	162 74	SEC53DCQ	1,342.00
(4) 5MP	27¼ 692	52¾ 1340	67¹⁵/₁₆ 1726	24x48 610x1219	182 83	SEC55DCQ	1,623.50
(4) 5MP	27¼ 692	65 1651	67¹⁵/₁₆ 1726	24x60 610x1524	203 92	SEC56DCQ	1,739.00
(2) 5MP/5MPB	27¼ 692	40¾ 1035	67¹⁵/₁₆ 1726	24x36 610x914	162 74	SEC53ECQ	1,354.00
(2) 5MP/5MPB	27¼ 692	52¾ 1340	67¹⁵/₁₆ 1726	24x48 610x1219	182 83	SEC55ECQ	1,636.50
(2) 5MP/5MPB	27¼ 692	65 1651	67¹⁵/₁₆ 1726	24x60 610x1524	203 92	SEC56ECQ	1,751.00

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread. 5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high moisture environments.

NOTE: Large casters can create a tipping hazard. On 18" (457mm) security units, do not use casters larger than 5" (127mm) in diameter.

Heavy-Duty Models: feature aluminum dollies with wraparound bumpers and 5" (127mm) diameter casters.

Caster Type	Width (in.) (mm)	Actual Length (in.) (mm)	Height (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
(2) 5BP/5BPP	28¹/₁₆ 713	38½ 980	68¹/₁₆ 1739	24x36 610x914	187 85	SEC53LCQ	1,686.00
(2) 5BP/5BPP	28¹/₁₆ 713	50½ 1283	68¹/₁₆ 1739	24x48 610x1219	210 95	SEC55LCQ	1,981.00
(2) 5BP/5BPP	28¹/₁₆ 713	63¹/₈ 1600	68¹/₁₆ 1739	24x60 610x1524	235 107	SEC56LCQ	2,096.00

Intermediate Shelves for Super Erecta Shelf Security Units

Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
18 457	36 914	8½ 3.8	1836QBR	65.50
18 457	48 1219	11¼ 5.0	1848QBR*	76.50
24 610	36 914	13 6.0	2436QBR*	77.50
24 610	48 1219	16 7.0	2448QBR*	92.00
24 610	60 1524	21 9.5	2460QBR	111.00

*Chrome qwikSLOT shelves available in sizes 18x36, 18x48, 24x36, and 24x48 (457x914, 457x1219, 610x914, 610x1219, and 610x1524).

*Drop Mat qwikSLOT shelves with 1" (25mm) ledge also available in sizes 24x36, 24x48 (610x914, 610x1219).

qwikSLOT Locking Clip

Recommended for mobile applications. Must be used with 9985QS shelf clips.

(Package of 4)

Cat. No. **9985QSL**

List Price 10.00/pkg.

MetroMax iQ™ Storage System

Security.

MetroMax Q Security Units — 14.01

Protects valuable materials and sensitive items from loss or pilferage.

- Ready view of contents: Heavy gauge open wire construction keep contents visible at all times, making it easy to check inventory.
- Microban antimicrobial product protection is built into the enclosures, doors, handles, and shelves to keep the product "cleaner between cleanings."
- Optional intermediate shelves: MetroMax Q quick adjust shelves or corrosion proof MetroMax i.
- Double door with ergonomic 1/4-turn handle: Each door opens 270 degrees and can be secured along the sides of the unit.
- Shipped knocked down to save on freight costs. Assembles in minutes.



MQSEC53VE with optional intermediate shelves

MetroMax Q Stationary Units — 66³/₁₆" (1681mm) High

Actual Outside Dimensions		Fits Shelf		Approx. Pkd. Wt.		Cat. No.	List Price Each
Width (in.) (mm)	Length (in.) (mm)	(in.) (mm)	(mm)	(lbs.) (kg)			
26 ¹⁵ / ₁₆ 685	38 ⁷ / ₈ 987	24x36	610x914	148 67	MQSEC53E	1,441.50	
26 ¹⁵ / ₁₆ 685	50 ⁷ / ₈ 1292	24x48	610x1219	156 71	MQSEC55E	1,795.00	
26 ¹⁵ / ₁₆ 685	62 ⁷ / ₈ 1597	24x60	610x1524	161 73	MQSEC56E	1,947.00	

Note: Leveling foot on post can be adjusted up to 1" (25mm) to compensate for uneven floors.

Standard Units consist of top and bottom wire shelves, tri-loval adapters, steel posts, wire enclosures, and doors. Casters are included with mobile units. Intermediate shelves are sold separately.

MetroMax Q Stem Caster Mobile Units — 67¹³/₁₆" (1723mm) High

Actual Outside Dimensions (including Bumpers and Handle)				Approx. Standard with four 5" (127mm) Diameter Swivel Casters		Cat. No. Resistant with four Polymer Casters (2 with brakes)	List Price Each
Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Diameter	Swivel Casters		
27 ¹³ / ₁₆ 707	40 ³ / ₄ 1035	24x36	610x914	166 75	MQSEC53DE	1,662.50	
27 ¹³ / ₁₆ 707	52 ³ / ₄ 1340	24x48	610x1219	176 80	MQSEC55DE	2,015.00	
27 ¹³ / ₁₆ 707	64 ³ / ₄ 1645	24x60	610x1524	179 81	MQSEC56DE	2,167.00	
				MQSEC53VE		1,779.50	
				MQSEC55VE		2,132.00	
				MQSEC56VE		2,284.00	



Ergonomic — 1/4 turn door handle

MetroMax Q Heavy-Duty Mobile Units — 68¹/₂" (1740mm) High

Mounted on aluminum dolly with 5" (127mm) plate casters and wraparound bumpers.

Actual Outside Dimensions (including Handle)				Approx. Pkd. Wt.		Cat. No.	List Price Each
Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.			
28 ¹ / ₁₆ 713	39 ⁷ / ₈ 994	24x36	610x914	166 75	MQSEC53LE	1,892.00	
28 ¹ / ₁₆ 713	51 ¹ / ₈ 1299	24x48	610x1219	176 80	MQSEC55LE	2,265.50	
28 ¹ / ₁₆ 713	63 ⁷ / ₈ 1603	24x60	610x1524	179 81	MQSEC56LE	2,438.00	

Note: The aluminum dollies used on the LE models have two B5P and two B5PB plate casters.

Intermediate Shelves

Width (in.) (mm)	Length (in.) (mm)	Cat. No. Shelf with Grid Mat	List Price Each	Cat. No. Shelf with Solid Mat	List Price Each	Cat. No. Shelf with Grid Mat	List Price Each
24 610	36 914	MX2436G	158.00	MX2436F	179.00	MQ2436G	108.00
24 610	48 1220	MX2448G	193.00	MX2448F	218.50	MQ2448G	132.00
24 610	60 1524	MX2460G	228.50	MX2460F	258.50	MQ2460G	156.50

Seismic Approved Shelving Systems

Super Erecta® (SES), Super Adjustable Super Erecta® (SASE), qwikSLOT™ (QS), HD Super (HD), MetroMax Q® (Q)

OSHPD Preapproved Bolt Plates Kits:

For 1" (25mm) diameter, Super Erecta Shelf, Super Adjustable Super Erecta, qwikSLOT stationary post assemblies. Kit includes plate assemblies and hardware to mount plates to posts. Floor anchors are not included.

Description	Qty.	Dimensions (Width/Length/Height) (in.) (mm)	Cat. No.	List Price Each	
One-Post Bolt Plate, 1/4" (6mm)	4	2 7/8 x 7 x 1/4	73x178x6	SASES25BP-1	203.00
Two-Post Bolt Plate, 1/4" (6mm)	2	2 7/8 x 11 x 1/4	73x279x6	SASES25BP-2	173.50
Four-Post Bolt Plate, 1/4" (6mm)	1	2 7/8 x 11 x 1/4	73x279x6	SASES25BP-4	179.00
One-Post Bolt Plate, 1/2" (13mm)	4	7 x 7 x 1/2	178x178x13	SASES50BP-1	333.00
Two-Post Bolt Plate, 1/2" (13mm)	2	7 x 12 x 1/2	178x305x13	SASES50BP-2	285.50
Four-Post Bolt Plate, 1/2" (13mm)	1	7 x 12 x 1/2	178x305x13	SASES50BP-4	292.00

Approved

Fixed Equipment
Anchorage California
Office of Statewide
Health Planning
and Development
OPA-0556


Required Components:

To meet requirements for preapproval, simply add floor bolt-plates to standard Metro stationary shelving configurations and follow the installation and usage guidelines. Just add floor plates


For 1.5" (38mm) diameter HD and trilobal Q stationary post assemblies. Kit includes plates and hardware to mount plates to posts. Floor anchors are not included.

Description	Qty.	Dimensions (Width/Length/Height) (in.) (mm)	Cat. No.	List Price Each	
One-Post Bolt Plate, 1/4" (6mm)	4	2 7/8 x 7 x 1/4	73x178x6	SAQHD25BP-1	232.00
Two-Post Bolt Plate, 1/4" (6mm)	2	2 7/8 x 11 x 1/4	73x279x6	SAQHD25BP-2	197.00
Four-Post Bolt Plate, 1/4" (6mm)	1	2 7/8 x 11 x 1/4	73x279x6	SAQHD25BP-4	203.00
One-Post Bolt Plate, 1/2" (13mm)	4	7 x 7 x 1/2	178x178x13	SAQHD50BP-1	366.00
Two-Post Bolt Plate, 1/2" (13mm)	2	7 x 12 x 1/2	178x305x13	SAQHD50BP-2	310.00
Four-Post Bolt Plate, 1/2" (13mm)	1	7 x 12 x 1/2	178x305x13	SAQHD50BP-4	315.50


Example A
Requires one 1-post starter kit.
(ie. SASES25BP-1).




Example B
Requires one starter kit, (ie. SASES25BP-1) and one 2-post adder kit, (ie. SASES25BP-2). Include one additional adder kit for each subsequent shelving unit added to the run.




Example C
Requires one 1-post starter kit, (ie. SASES25BP-1), two 2-post adder kits (ie. SASES25BP-2), and one 4-post adder kit, (ie. SASES25BP-4). Include one of each adder kit, (ie, one 2-post kit and one 4-post kit), for each additional pair of shelving units.




Super Adjustable Super Erecta, Super Erecta®, qwikSLOT™



SASES25BP-1




SASES25BP-2




SASES25BP-4



SASES50BP-1



SASES50BP-2




SASES50BP-4


Hint: It is recommended that a donut bumper be specified to cover any spaces between the post and the bolt plate anchor pipe. Specify the donut bumper to match the post type.




Super Erecta, Super Adjustable Super Erecta, qwikSLOT = 9992DB
Super Erecta Shelf HD = 9992H
MetroMax Q = 9992DBX

MetroMax Q®/HD Super



SAQHDS25BP-1




SAQHD25BP-2




SAQHD25BP-4



SAQHD50BP-1




SAQHD50BP-2



SAQHD50BP-4

“YOU CAN DO IT...
Visit us online and take
advantage of our easy-to-use
self-service tools.”



Self-service Tools Available...online!

- Web-based Room Layout and Product Planning
- Web-based Product Configuration
- Web-based Learning Modules

metroconfigurator.com

Visit metroconfigurator.com and test drive the Configurator...our web based software developed to give you the power to manage your space.



CONTENTS

Heated Cabinets & Racks.....108-165

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories.....	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164

Worktables & Service Carts.....166-170

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170

Ware Handling172-177

“Poker Chip” Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handing Racks/Carts & Accessories.....	177

Housekeeping & Specialty.....178-197

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197



HEATED CABINETS & RACKS

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories.....	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164

T-SERIES

PROTECTS AND INSULATES WITH
TRANSPORT ARMOUR™



C5 T-Series with Transport Armour™

Provides Durability, Efficiency, and Intelligence making it the
IDEAL solution for over-the-road transport of hot food.



9 SERIES

PROVIDES DIRECT TEMPERATURE
& HUMIDITY CONTROL



8 SERIES

OFFERS PRECISE
TEMPERATURE CONTROL

6 SERIES

DELIVERS PROFESSIONAL
RESULTS

1 SERIES

DELIVERS RELIABLE
PERFORMANCE

3 SERIES

DELIVERS VALUE WITH
INSULATION ARMOUR™



C5 3 Series with patented Insulation Armour™ is the ultimate in value and style — delivering energy savings and aesthetic appeal at an affordable price.



T-SERIES

with Transport Armour™

DURABLE, EFFICIENT,
INTELLIGENT.



Travelsafe™



Ergonomic Handles and Bumpers

Steel reinforced polymer handles that double as bumpers, protect the cabinet from impact and provide ergonomic grab points for easy handling while pushing, pulling, and crossing thresholds.



Intelligent or Basic Controls

Digital control option with mobile power gently circulates air in cabinet and provides temperature alerts while unplugged and in transit!



Rigid Door

2" Thick Foamed-in-Place Vaulted door for maximum structural integrity. 11-Gauge Stainless Steel Hinges, Flush Paddle Latch, and Multi-Functional Information Panel.



Slides

3 systems to choose from to hold a variety of pan sizes. Heavy-duty extrusions designed for transport.



Armour Panels

Polymer panels are optimally located to protect the cabinet from facility hazards. Molded-in hand holds create additional grab points.



Mobile Power

Battery Powered Fan that gently circulates air for superior stratification while cabinet is unplugged and in transit. (Digital Version Only)



Heavy-Duty

One-piece base bolted to heavy-duty caster channels, reinforced with foamed-in-place polyurethane insulation, provides superior rigidity and durability.

Uses
50% Less Energy
than leading fiberglass insulated cabinets!




Keeps Food Hot for
5 Hours or Longer.

Foamed-in-Place Insulation

Stainless steel structure with foamed-in-place polyurethane insulation provides superior heat retention & energy efficiency.

Uses 50% Less Energy.



* Average hourly energy consumption. Based off Energy Star Qualification, "Idle Energy, Rate-Dry" test. 150°F cabinet operating temperature. Based off full-height cabinet models.

With Energy costs on the rise, reducing energy usage is becoming more and more important. T-Series with Transport Armour™ utilizes 50% less Energy than the most efficient fiberglass insulated cabinets. Foamed-in-place polyurethane insulation delivers both Efficiency and Durability.

Uniform Temperature...

T-Series with Transport Armour™



Gentle circulation of air, while unplugged and in transit, eliminates hot and cold spots that endanger food safety. Temperature stratification is 3½ times better with Metro's mobile power option.

To prolong battery life, air circulation and display will shut down after 3 hours. Simply turn unit back on if additional runtime is needed.



Digital Display

Low/High Temp Alarms


Mobile Power



Recall Memory

Diagnostic Troubleshooting


Keeps Food Hot Twice As Long.



** Average food temperature 170° F, cabinets preheated to 180° F. Four 12" x 20" x 4" uncovered steam pans were placed inside cabinets. Additional food mass and covered pans may result in longer heat retention.

while unplugged.

Traditional Cabinet



The number one consideration when transporting hot food to satellite locations is keeping food hot, appetizing, and out of the danger zone. Heat retention plays a vital role in the success of any meal delivery program. T-Series' foamed-in-place polyurethane insulation keeps food hot while unplugged for **5 hours or longer**, which is more than twice as long as a standard cabinet with fiberglass insulation. Schools, institutions, banquet facilities, and caterers, just to name a few — can now Travelsafe™ with Transport Armour.™

Experience the Benefits. Keep Food Safe.

T-Series with Transport Armour™

Electro-Mechanical Temperature Control



Analog Thermometer

Flush Recessed Controls




T-SERIES WITH TRANSPORT ARMOUR™

Metro® C5™ T-Series Heated Holding Cabinets with Transport Armour™ are specifically designed for heavy-duty over-the-road applications. Foamed-in-place polyurethane insulation provides SUPERIOR heat retention and structural rigidity. While unplugged and in transit, an available mobile power option gently circulates air inside the cabinet, eliminating hot and cold spots that endanger food safety. The durability, efficiency, and intelligence of T-Series make it the IDEAL solution for all mobile applications.

Heated Holding	•
Heavy-Duty/Mobile Applications	•
Humidity Control	
Proofing	
Digital Solid State Controller	a
Analog Control	a
Perimeter Bumper	•
Handles	•
Low-Temp Alarm	a
High-Temp Alarm	a
Mobile Power (Battery)	a
FIP Polyurethane Insulation	•
Reach-In	•
Pass-Through	
Full Height	a
Dual Cavity	a
5/6 Height	a
1/2 Height	a
Insulated Doors	•
Clear Doors	
Vaulted Doors	•
Concealed Hinges	•
Field Reversible Doors	
15 Amp Service	•
Stainless Steel Construction	•
Aluminum Construction	
Energy Star	•

• Standard Feature

a Available Feature



Options:

Small-Item Shelf
Travel Latch/Hasp
Straight Plug
Adjustable Bottom Load Slide Pairs
Adjustable Lip Load Slide Pairs
Correctional Packages
220-240 Voltage for Export

- > Transport Armour™
- > Foamed-In-Place Polyurethane Insulation
- > Steel Reinforced Polymer Handles Double as Bumpers
- > Polymer Armour Panels With Built-In Hand Holds.
- > Mobile Power for Better Temperature Stratification and Temperature Alerts
- > Heavy-Duty Construction
- > Heavy-Duty Vaulted Door, Hinges, and Flush Paddle Latch.
- > Adjustable Slides on 1.675" Spacing.
- > Fixed Lip Load Slides for 12x20 and GN Pans
- > Heavy-Duty 6" Casters
- > Easy-To-Clean Surfaces
- > Interchangeable Slide Systems



Use small item shelf option for plated meals or odd sized pans.

T-SERIES — 13.9T

**HEAVY-DUTY HOLDING
SOLUTIONS FOR THE
MOST DEMANDING
MOBILE & STATIONARY
APPLICATIONS**

Controls	Slides	Cat No.	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height				
Digital	Adjustable Bottom Load	C5T9-DSB	490	10,115.00
Digital	Adjustable Lip Load	C5T9-DSL	482	10,115.00
Digital	Fixed Lip Load	C5T9-DSF	437	10,115.00
Analog	Adjustable Bottom Load	C5T9-ASB	484	9,100.00
Analog	Adjustable Lip Load	C5T9-ASL	476	9,100.00
Analog	Fixed Lip Load	C5T9-ASF	431	9,100.00
Full Height Dual Cavity				
Digital	Adjustable Bottom Load	C5T9D-DSB	509	11,415.00
Digital	Adjustable Lip Load	C5T9D-DSL	502	11,415.00
Digital	Fixed Lip Load	C5T9D-DSF	461	11,415.00
Analog	Adjustable Bottom Load	C5T9D-ASB	503	10,192.00
Analog	Adjustable Lip Load	C5T9D-ASL	496	10,192.00
Analog	Fixed Lip Load	C5T9D-ASF	455	10,192.00
5/6 Height				
Digital	Adjustable Bottom Load	C5T8-DSB	456	9,099.00
Digital	Adjustable Lip Load	C5T8-DSL	449	9,099.00
Digital	Fixed Lip Load	C5T8-DSF	404	9,099.00
Analog	Adjustable Bottom Load	C5T8-ASB	450	8,190.00
Analog	Adjustable Lip Load	C5T8-ASL	443	8,190.00
Analog	Fixed Lip Load	C5T8-ASF	398	8,190.00
1/2 Height				
Digital	Adjustable Bottom Load	C5T5-DSB	383	7,886.00
Digital	Adjustable Lip Load	C5T5-DSL	378	7,886.00
Digital	Fixed Lip Load	C5T5-DSF	337	7,886.00
Analog	Adjustable Bottom Load	C5T5-ASB	377	7,098.00
Analog	Adjustable Lip Load	C5T5-ASL	372	7,098.00
Analog	Fixed Lip Load	C5T5-ASF	331	7,098.00



C5 T9 - DSBA

An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.


C5 T9 D - DSBA

C5 T9 X - DS B

For Export (220-240V, 50/60Hz) Cabinets. (No Up-charge)



All cabinets are 30" (762mm) wide and 39.25" (997mm) deep




Cabinet Size	Adjustable Bottom Load Pan Capacity							
	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth	
	Provided	Max**	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1
Full Height	16	32	16	32	22	16	16	32
Full Height Dual Cavity	14	28	14	32*	20*	16*	16*	32*
5/6 Height	14	27	14	28	18	14	14	28
1/2 Height	9	17	9	18	12	8	9	18

*Floor of cabinet used for one pan level, two levels for dual cavity.

**Maximum number of slide pairs @ 1.675" spacing. Additional slide pairs ordered separately.



NEMA 5-15P
1400 Watt, 120 Volt,
Standard



Cabinet Size	Adjustable Lip Load Pan Capacity							
	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth	
	Provided	Max**	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1
Full Height	16	32	16	32	22*	16	16	32
Full Height Dual Cavity	14	28	14	28	20*	12	14	28
5/6 Height	14	27	14	26	18	12	13	26
1/2 Height	9	17	9	16	12*	8	8	16

*Floor of cabinet used for one pan level, two levels for dual cavity.

**Maximum number of slide pairs @ 1.675" spacing. Additional slide pairs ordered separately.

Cabinet Size	Fixed Lip Load							
	Slide Levels		Steam Pans			Gastronorm 100mm Depth		
	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	65mm Depth	100mm Depth	150mm Depth	
Full Height	32	32	22	16	16	32	11	22
Full Height Dual Cavity	30	32	20	16	16	32	10	20
5/6 Height	27	28	18	14	14	28	9	18
1/2 Height	17	18	12	8	9	18	6	12


9, 8 & 6 SERIES

LEVELS
OF CONTROL




9 SERIES

CONTROLLED TEMPERATURE & HUMIDITY




8 SERIES

CONTROLLED TEMPERATURE



6 SERIES

HEATED HOLDING





CONTROLLED TEMPERATURE & HUMIDITY

Metro® C5™ 9 Series Controlled Humidity Heated Holding & Proofing Cabinets are designed to maintain food quality for extended periods of time. By controlling both temperature and humidity, operators can be assured that their product will come out of the 9 Series as delectable as it went in. Realtime temperature and relative humidity levels are constantly displayed, giving the foodservice professional valuable feedback. With the 9 Series cabinet, operators can now specify holding criteria along with ingredients, preparation, cooking, and finishing for optimal results.



Heated Holding	•
Humidity Control	•
Proofing	•
Digital Solid State Controller	•
Analog Control	
Digital Display	•
Analog Thermometer	
Low-Temp Alarm	•
Low-Water Alarm	•
Corner Bumpers	•
Drip Trough and Pan	•
Active Water Reservoir	•
Passive Water Pan	
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
Energy Star	•

• Standard Feature

a Available Feature



Options:

Small Item Shelf
Stainless Steel Legs
Universal Slide Pairs
Stainless Steel Universal Wire Slides
Straight Plug
Twist-Lock Plug
Flush-Mounted Door Latch
Twist Locking Flush-Mounted Door Latch
Key Locking Flush-Mounted Door Latch
Control Panel Cover
Drain Hose Adapter
6" Casters
Stainless Steel Handles
Rigid Rear Casters
Factory Left Hand Hinging
1440 Watt, 12 Amp Power
220-240 Voltage for Export

- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > High-capacity water reservoir with drain
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > Double pane, insulated, tempered glass doors
- > High-quality casters
- > Recessed handles on all four corners
- > Integrated polymer bumper drip trough
- > Interchangeable slide systems



Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 | 9 | 9 - S DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

REACH-IN CABINETS

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C599-SFS-U	400	8,365.00	C599-NFS-U	270	7,492.00
Full Solid	Lip Load	C599-SFS-L	390	8,240.00	C599-NFS-L	265	7,367.00
Dutch Solid	Universal	C599-SDS-U	410	8,615.00	C599-NDS-U	270	7,742.00
Dutch Solid	Lip Load	C599-SDS-L	400	8,490.00	C599-NDS-L	270	7,617.00
Full Clear	Universal	C599-SFC-U	410	9,113.00	C599-NFC-U	280	8,240.00
Full Clear	Lip Load	C599-SFC-L	400	8,988.00	C599-NFC-L	270	8,115.00
Dutch Clear	Universal	C599-SDC-U	410	9,363.00	C599-NDC-U	280	8,490.00
Dutch Clear	Lip Load	C599-SDC-L	400	9,239.00	C599-NDC-L	270	8,364.00
3/4 Height							
Full Solid	Universal	C597-SFS-U	310	7,529.00	C597-NFS-U	210	6,765.00
Full Solid	Lip Load	C597-SFS-L	300	7,404.00	C597-NFS-L	205	6,641.00
Full Clear	Universal	C597-SFC-U	307	7,902.00	C597-NFC-U	215	7,140.00
Full Clear	Lip Load	C597-SFC-L	297	7,777.00	C597-NFC-L	210	7,015.00
1/2 Height							
Full Solid	Universal	C595-SFS-U	200	6,693.00	C595-NFS-U	140	6,014.00
Full Solid	Lip Load	C595-SFS-L	190	6,568.00	C595-NFS-L	135	5,890.00
Full Clear	Universal	C595-SFC-U	197	7,066.00	C595-NFC-U	145	6,388.00
Full Clear	Lip Load	C595-SFC-L	187	6,941.00	C595-NFC-L	140	6,263.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C593L-SFS-U	105	6,358.00	C593L-NFS-U	70	5,714.00
Full Solid	Lip Load	C593L-SFS-L	95	6,232.00	C593L-NFS-L	65	5,588.00
Full Clear	Universal	C593L-SFC-U	100	6,733.00	C593L-NFC-U	75	6,088.00
Full Clear	Lip Load	C593L-SFC-L	90	6,607.00	C593L-NFC-L	70	5,963.00

9 SERIES — 13.99

EXCEPTIONAL FOOD
QUALITY AND THE
PERFECT
FIT FOR YOUR
OPERATION.

Pass-Thru Model Number Description
C5 9 9 - S D S - U P D S

Pass Thru

Door Style
 FS = Full Length Solid
 FC = Full Length Clear
 DS = Dutch Solid
 DC = Dutch Clear

PASS-THRU CABINETS (Not available in 3/4 Height)


Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C599-SFS-UPFS	435	9,226.00	C599-NFS-UPFS	270	8,266.00
Full Solid/Full Clear	Universal	C599-SFS-UPFC	430	9,975.00	C599-NFS-UPFC	280	9,014.00
Full Solid/Full Solid	Lip Load	C599-SFS-LPFS	390	9,101.00	C599-NFS-LPFS	265	8,142.00
Full Solid/Full Clear	Lip Load	C599-SFS-LPFC	435	9,849.00	C599-NFS-LPFC	270	8,890.00
Dutch Solid/Dutch Solid	Universal	C599-SDS-UPDS	410	9,475.00	C599-NDS-UPDS	275	8,391.00
Dutch Solid/Dutch Clear	Universal	C599-SDS-UPDC	435	10,224.00	C599-NDS-UPDC	275	9,263.00
Dutch Solid/Dutch Solid	Lip Load	C599-SDS-LPDS	400	9,351.00	C599-NDS-LPDS	275	8,391.00
Dutch Solid/Dutch Clear	Lip Load	C599-SDS-LPDC	430	10,100.00	C599-NDS-LPDC	280	9,139.00
Full Clear/Full Clear	Universal	C599-SFC-UPFC	400	10,725.00	C599-NFC-UPFC	275	9,762.00
Full Clear/Full Solid	Universal	C599-SFC-UPFS	435	9,975.00	C599-NFC-UPFS	280	9,014.00
Full Clear/Full Clear	Lip Load	C599-SFC-LPFC	400	10,599.00	C599-NFC-LPFC	270	9,636.00
Full Clear/Full Solid	Lip Load	C599-SFC-LPFS	430	9,849.00	C599-NFC-LPFS	280	8,890.00
Dutch Clear/Dutch Clear	Universal	C599-SDC-UPDC	410	10,972.00	C599-NDC-UPDC	280	10,012.00
Dutch Clear/Dutch Solid	Universal	C599-SDC-UPDS	435	10,224.00	C599-NDC-UPDS	280	9,263.00
Dutch Clear/Dutch Clear	Lip Load	C599-SDC-LPDC	400	10,847.00	C599-NDC-LPDC	275	9,886.00
Dutch Clear/Dutch Solid	Lip Load	C599-SDC-LPDS	430	10,100.00	C599-NDC-LPDS	275	9,139.00
1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C595-SFS-UPFS	210	7,361.00	C595-NFS-UPFS	150	6,615.00
Full Solid/Full Clear	Universal	C595-SFS-UPFC	218	7,736.00	C595-NFS-UPFC	150	6,991.00
Full Solid/Full Solid	Lip Load	C595-SFS-LPFS	200	7,237.00	C595-NFS-LPFS	145	6,491.00
Full Solid/Full Clear	Lip Load	C595-SFS-LPFC	205	7,611.00	C595-NFS-LPFC	140	6,865.00
Full Clear/Full Clear	Universal	C595-SFC-UPFC	207	8,109.00	C595-NFC-UPFC	155	7,363.00
Full Clear/Full Solid	Universal	C595-SFC-UPFS	218	7,736.00	C595-NFC-UPFS	150	6,991.00
Full Clear/Full Clear	Lip Load	C595-SFC-LPFC	200	7,985.00	C595-NFC-LPFC	145	7,237.00
Full Clear/Full Solid	Lip Load	C595-SFC-LPFS	205	7,611.00	C595-NFC-LPFS	140	6,865.00

C5 9 9 L - S D S - U For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge) 

C5 9 9 X - S D S - U For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge) 

C5 9 9 - S D S - U A
C5 9 9 - S D S - U P D S A

An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.



All cabinets are 30" wide and 34" deep

Cabinet Size	Universal Wire Pan Capacity						Lip Load Pan Capacity	
	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth	Sheet Pans 18"x26"
Provided	Max*	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1	
Full Height	18	37	18	34	24	18	17	34
Full Height Dutch	18	35	17	32	22	16	16	32
3/4 Height	14	29	13	26	16	12	13	26
1/2 Height	8	17	8	16	10	8	8	16
Under Counter	5	10	5	10	6	4	5	10

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



(Full height, 3/4 height & 1/2 height models)



 NAFEM DATA PROTOCOL



CONTROLLED TEMPERATURE

Metro® C5™ 8 Series Controlled Temperature Heated Holding

Cabinets are designed to precisely maintain food temperature.

Intelligent temperature control takes the guesswork out of holding your food product. Simply set the desired cabinet temperature and the proprietary 8 Series controller does the rest by continuously monitoring, displaying, and maintaining the internal temperature of the cabinet. Precise control gives professional results.





- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > Removable water pan for passive humidity generation
- > Double pane, insulated, tempered glass doors
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > High-quality casters
- > Recessed handles on all four corners
- > Interchangeable slide systems

Options:

Small Item Shelf
Stainless Steel Legs
Universal Slide Pairs
Stainless Steel Universal Wire Slides
Straight Plug
Twist-Lock Plug
Flush-Mounted Door Latch
Twist Locking Flush-Mounted Door Latch
Key Locking Flush-Mounted Door Latch
Control Panel Cover
6" Casters
Full Perimeter Bumper
Polymer Bumper Drip Trough Pair
Rigid Rear Casters
Factory Left Hand Hinging
1440 Watt, 12 Amp Power
220-240 Voltage for Export

Heated Holding	•
Humidity Control	
Proofing	
Digital Solid State Controller	•
Analog Control	
Digital Display	•
Analog Thermometer	
Low-Temp Alarm	•
Low-Water Alarm	
Corner Bumpers	a
Drip Trough and Pan	a
Active Water Reservoir	
Passive Water Pan	•
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
Energy Star	•

• Standard Feature

a Available Feature



Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 | 8 | 9 - S | DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

REACH-IN CABINETS

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C589-SFS-U	375	7,559.00	C589-NFS-U	270	6,769.00
Full Solid	Lip Load	C589-SFS-L	365	7,446.00	C589-NFS-L	265	6,656.00
Dutch Solid	Universal	C589-SDS-U	385	7,785.00	C589-NDS-U	275	6,995.00
Dutch Solid	Lip Load	C589-SDS-L	375	7,672.00	C589-NDS-L	270	6,881.00
Full Clear	Universal	C589-SFC-U	415	8,236.00	C589-NFC-U	275	7,445.00
Full Clear	Lip Load	C589-SFC-L	415	8,124.00	C589-NFC-L	270	7,332.00
Dutch Clear	Universal	C589-SDC-U	415	8,464.00	C589-NDC-U	280	7,668.00
Dutch Clear	Lip Load	C589-SDC-L	415	8,350.00	C589-NDC-L	270	7,558.00
3/4 Height							
Full Solid	Universal	C587-SFS-U	285	6,805.00	C587-NFS-U	210	6,113.00
Full Solid	Lip Load	C587-SFS-L	307	6,691.00	C587-NFS-L	205	6,000.00
Full Clear	Universal	C587-SFC-U	307	7,144.00	C587-NFC-U	215	6,450.00
Full Clear	Lip Load	C587-SFC-L	280	7,029.00	C587-NFC-L	210	6,337.00
1/2 Height							
Full Solid	Universal	C585-SFS-U	175	6,048.00	C585-NFS-U	140	5,433.00
Full Solid	Lip Load	C585-SFS-L	175	5,936.00	C585-NFS-L	135	5,321.00
Full Clear	Universal	C585-SFC-U	205	6,386.00	C585-NFC-U	145	5,771.00
Full Clear	Lip Load	C585-SFC-L	205	6,272.00	C585-NFC-L	140	5,658.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C583L-SFS-U	80	5,745.00	C583L-NFS-U	70	5,162.00
Full Solid	Lip Load	C583L-SFS-L	70	5,635.00	C583L-NFS-L	65	5,049.00
Full Clear	Universal	C583L-SFC-U	105	6,085.00	C583L-NFC-U	75	5,500.00
Full Clear	Lip Load	C583L-SFC-L	100	5,970.00	C583L-NFC-L	70	5,387.00

8 SERIES — 13.98

PRECISE, ACCURATE,
REPEATABLE THERMAL
PERFORMANCE, NO
MATTER WHICH
CONFIGURATION
YOU CHOOSE.



PASS-THRU CABINETS (Not available in 3/4 Height)

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C589-SFS-UPFS	375	8,337.00	C589-NFS-UPFS	270	7,468.00
Full Solid/Full Clear	Universal	C589-SFS-UPFC	435	9,015.00	C589-NFS-UPFC	280	8,114.00
Full Solid/Full Solid	Lip Load	C589-SFS-LPFS	385	8,225.00	C589-NFS-LPFS	265	7,355.00
Full Solid/Full Clear	Lip Load	C589-SFS-LPFC	435	8,902.00	C589-NFS-LPFC	275	8,031.00
Dutch Solid/Dutch Solid	Universal	C589-SDS-UPDS	380	8,563.00	C589-NDS-UPDS	275	7,693.00
Dutch Solid/Dutch Clear	Universal	C589-SDS-UPDC	430	9,242.00	C589-NDS-UPDC	275	8,369.00
Dutch Solid/Dutch Solid	Lip Load	C589-SDS-LPDS	390	8,451.00	C589-NDS-LPDS	270	7,580.00
Dutch Solid/Dutch Clear	Lip Load	C589-SDS-LPDC	430	9,127.00	C589-NDS-LPDC	270	8,255.00
Full Clear/Full Clear	Universal	C589-SFC-UPFC	400	9,691.00	C589-NFC-UPFC	275	8,819.00
Full Clear/Full Solid	Universal	C589-SFC-UPFS	435	9,015.00	C589-NFC-UPFS	280	8,144.00
Full Clear/Full Clear	Lip Load	C589-SFC-LPFC	390	9,578.00	C589-NFC-LPFC	270	8,706.00
Full Clear/Full Solid	Lip Load	C589-SFC-LPFS	435	8,902.00	C589-NFC-LPFS	275	8,031.00
Dutch Clear/Dutch Clear	Universal	C589-SDC-UPDC	410	9,916.00	C589-NDC-UPDC	280	9,045.00
Dutch Clear/Dutch Solid	Universal	C589-SDC-UPDS	435	9,242.00	C589-NDC-UPDS	275	8,369.00
Dutch Clear/Dutch Clear	Lip Load	C589-SDC-LPDC	400	9,805.00	C589-NDC-LPDC	275	8,933.00
Dutch Clear/Dutch Solid	Lip Load	C589-SDC-LPDS	435	9,127.00	C589-NDC-LPDS	270	8,255.00
1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C585-SFS-UPFS	170	6,652.00	C585-NFS-UPFS	150	5,977.00
Full Solid/Full Clear	Universal	C585-SFS-UPFC	218	6,991.00	C585-NFS-UPFC	150	6,314.00
Full Solid/Full Solid	Lip Load	C585-SFS-LPFS	165	6,540.00	C585-NFS-LPFS	145	5,864.00
Full Solid/Full Clear	Lip Load	C585-SFS-LPFC	210	6,877.00	C585-NFS-LPFC	140	6,202.00
Full Clear/Full Clear	Universal	C585-SFC-UPFC	218	7,330.00	C585-NFC-UPFC	155	6,652.00
Full Clear/Full Solid	Universal	C585-SFC-UPFS	218	6,991.00	C585-NFC-UPFS	150	6,314.00
Full Clear/Full Clear	Lip Load	C585-SFC-LPFC	210	7,217.00	C585-NFC-LPFC	145	6,539.00
Full Clear/Full Solid	Lip Load	C585-SFC-LPFS	210	6,877.00	C585-NFC-LPFS	140	6,202.00



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



(Full height, 3/4
height & 1/2 height
models)




C589L - SDS - U For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge)

C589X - SDS - U For Export (220-240V, 50/60Hz) cabinets. (No Up-charge)

C589 - SDS - UA An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.

C589 - SDS - UPDSA



All cabinets are 28" wide and 30 1/2" deep
(Pass-thru are 32 1/2" deep)



Cabinet Size	Universal Wire Pan Capacity			Lip Load Pan Capacity		
	Slide Pairs	Sheet Pans	18"x26"	Steam Pans	Gastronorm 65mm Depth 2/1	Sheet Pans 18"x26"
	Provided	Max*	18"x26"	12"x20"x2.5" 12"x20"x4" 12"x20"x6"	1/1	
Full Height	18	37	18	34 24 18	17 34	35
Full Height Dutch	18	35	17	32 22 16	16 32	34
3/4 Height	14	29	13	26 16 12	13 26	27
1/2 Height	8	17	8	16 10 8	8 16	17
Under Counter	5	10	5	10 6 4	5 10	10

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



HEATED HOLDING

Metro® C5™ 6 Series Heated Holding Cabinets

are designed for the rigors of everyday use in the most demanding professional foodservice environments. Temperature controls and display are easy to use and understand.

Many configuration options make the 6 Series ideal for a wide variety of uses, including mobile applications.





Options:

Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Stainless Steel Universal Wire Slides
 Straight Plug
 Twist-Lock Plug
 Flush-Mounted Door Latch
 Twist Locking Flush-Mounted Door Latch
 Key Locking Flush-Mounted Door Latch
 Control Panel Cover
 6" Casters
 Stainless Steel Handles
 Full Perimeter Bumper
 Polymer Bumper Drip Trough Pair
 Rigid Rear Casters
 Factory Left Hand Hinging
 1440 Watt, 12 Amp Power
 220-240 Voltage for Export

- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > Removable water pan for passive humidity generation
- > Double pane, insulated, tempered glass doors
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > High-quality casters
- > Recessed handles on all four corners
- > Interchangable slide systems

Heated Holding	•
Humidity Control	
Proofing	
Digital Solid State Controller	
Analog Control	•
Digital Display	
Analog Thermometer	•
Low-Temp Alarm	
Low-Water Alarm	
Corner Bumpers	a
Drip Trough and Pan	a
Active Water Reservoir	
Passive Water Pan	•
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
Energy Star	•

• Standard Feature

a Available Feature



3/4 Height shown
with optional
Flush Door Latch,
Handles, and Full
Perimeter Bumper.

Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 6 9 - S DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

REACH-IN CABINETS

Doors	Slides	Cat. No.	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No.	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C569-SFS-U	375	6,944.00	C569-NFS-U	270	5,988.00
Full Solid	Lip Load	C569-SFS-L	365	6,840.00	C569-NFS-L	265	5,890.00
Dutch Solid	Universal	C569-SDS-U	385	7,151.00	C569-NDS-U	275	6,188.00
Dutch Solid	Lip Load	C569-SDS-L	375	7,047.00	C569-NDS-L	270	6,088.00
Full Clear	Universal	C569-SFC-U	415	7,566.00	C569-NFC-U	275	6,587.00
Full Clear	Lip Load	C569-SFC-L	415	7,462.00	C569-NFC-L	270	6,488.00
Dutch Clear	Universal	C569-SDC-U	415	7,772.00	C569-NDC-U	280	6,786.00
Dutch Clear	Lip Load	C569-SDC-L	415	7,668.00	C569-NDC-L	270	6,686.00
3/4 Height							
Full Solid	Universal	C567-SFS-U	285	6,250.00	C567-NFS-U	210	5,409.00
Full Solid	Lip Load	C567-SFS-L	307	6,145.00	C567-NFS-L	205	5,309.00
Full Clear	Universal	C567-SFC-U	307	6,561.00	C567-NFC-U	215	5,706.00
Full Clear	Lip Load	C567-SFC-L	280	6,457.00	C567-NFC-L	210	5,607.00
1/2 Height							
Full Solid	Universal	C565-SFS-U	175	5,555.00	C565-NFS-U	140	4,809.00
Full Solid	Lip Load	C565-SFS-L	175	5,451.00	C565-NFS-L	135	4,708.00
Full Clear	Universal	C565-SFC-U	205	5,866.00	C565-NFC-U	145	5,107.00
Full Clear	Lip Load	C565-SFC-L	205	5,762.00	C565-NFC-L	140	5,007.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C563L-SFS-U	80	5,276.00	C563L-NFS-U	70	4,568.00
Full Solid	Lip Load	C563L-SFS-L	70	5,173.00	C563L-NFS-L	65	4,468.00
Full Clear	Universal	C563L-SFC-U	105	5,587.00	C563L-NFC-U	75	4,867.00
Full Clear	Lip Load	C563L-SFC-L	100	5,484.00	C563L-NFC-L	70	4,767.00

6 SERIES — 13.96

PROFESSIONAL
HOLDING SOLUTIONS FOR
STATIONARY
OR MOBILE
APPLICATIONS

Pass-Thru Model Number Description

Pass Thru

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 6 9 - S DS - U P D S



PASS-THRU CABINETS (Not available in 3/4 Height)

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C569-SFS-UPFS	375	7,659.00	C569-NFS-UPFS	270	6,608.00
Full Solid/Full Clear	Universal	C569-SFS-UPFC	435	8,280.00	C569-NFS-UPFC	280	7,206.00
Full Solid/Full Solid	Lip Load	C569-SFS-LPFS	385	7,556.00	C569-NFS-LPFS	265	6,508.00
Full Solid/Full Clear	Lip Load	C569-SFS-LPFC	435	8,177.00	C569-NFS-LPFC	275	7,106.00
Dutch Solid/Dutch Solid	Universal	C569-SDS-UPDS	380	7,866.00	C569-NDS-UPDS	275	6,808.00
Dutch Solid/Dutch Clear	Universal	C569-SDS-UPDC	430	8,488.00	C569-NDS-UPDC	275	7,406.00
Dutch Solid/Dutch Solid	Lip Load	C569-SDS-LPDS	390	7,763.00	C569-NDS-LPDS	270	6,707.00
Dutch Solid/Dutch Clear	Lip Load	C569-SDS-LPDC	430	8,385.00	C569-NDS-LPDC	270	7,305.00
Full Clear/Full Clear	Universal	C569-SFC-UPFC	400	8,902.00	C569-NFC-UPFC	275	7,802.00
Full Clear/Full Solid	Universal	C569-SFC-UPFS	435	8,280.00	C569-NFC-UPFS	280	7,206.00
Full Clear/Full Clear	Lip Load	C569-SFC-LPFC	390	8,798.00	C569-NFC-LPFC	270	7,704.00
Full Clear/Full Solid	Lip Load	C569-SFC-LPFS	435	7,177.00	C569-NFC-LPFS	275	7,106.00
Dutch Clear/Dutch Clear	Universal	C569-SDC-UPDC	410	9,109.00	C569-NDC-UPDC	280	8,002.00
Dutch Clear/Dutch Solid	Universal	C569-SDC-UPDS	435	8,488.00	C569-NDC-UPDS	275	7,406.00
Dutch Clear/Dutch Clear	Lip Load	C569-SDC-LPDC	400	9,006.00	C569-NDC-LPDC	275	7,902.00
Dutch Clear/Dutch Solid	Lip Load	C569-SDC-LPDS	435	8,385.00	C569-NDC-LPDS	270	7,305.00
1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C565-SFS-UPFS	170	6,110.00	C565-NFS-UPFS	150	5,288.00
Full Solid/Full Clear	Universal	C565-SFS-UPFC	218	6,422.00	C565-NFS-UPFC	150	5,587.00
Full Solid/Full Solid	Lip Load	C565-SFS-LPFS	165	6,007.00	C565-NFS-LPFS	145	5,188.00
Full Solid/Full Clear	Lip Load	C565-SFS-LPFC	210	6,319.00	C565-NFS-LPFC	140	5,487.00
Full Clear/Full Clear	Universal	C565-SFC-UPFC	218	6,732.00	C565-NFC-UPFC	155	5,887.00
Full Clear/Full Solid	Universal	C565-SFC-UPFS	218	6,422.00	C565-NFC-UPFS	150	5,587.00
Full Clear/Full Clear	Lip Load	C565-SFC-LPFC	210	6,630.00	C565-NFC-LPFC	145	5,786.00
Full Clear/Full Solid	Lip Load	C565-SFC-LPFS	210	6,319.00	C565-NFC-LPFS	140	5,487.00

C5 6 9 L - S DS - U

For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge)



C5 6 9 X - S DS - U


For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge)



C5 6 9 - S DS - U A

An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.

C5 6 9 - S DS - U P D S A



All cabinets are 28" wide and 30 1/2" deep
(Pass-thru are 32 1/2" deep)



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



(Full height, 3/4
height & 1/2 height
models)




*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.

Cabinet Size	Universal Wire Pan Capacity						Sheet Pans 18"x26"
	Slide Pairs Provided	Max*	Sheet Pans 18"x26"	Steam Pans 12"x20"x2.5"	12"x20"x4"	12"x20"x6"	
Full Height	18	37	18	34	24	18	17 34
Full Height Dutch	18	35	17	32	22	16	16 32
3/4 Height	14	29	13	26	16	12	13 26
1/2 Height	8	17	8	16	10	8	8 16
Under Counter	5	10	5	10	6	4	5 10



PIZZA HOLDING — 13.9Z

Metro® C5™ Pizza Series heated holding cabinets hold pizza hot and maintain that “straight from the oven” taste. Double deep box capacity allows you to hold two 16" pizza boxes per level. Simple and effective temperature controls, passive humidity generation system, and a wide variety of configurations make the C5 Pizza Series the ideal solution for the high volume pizza purveyor.



All cabinets are 28" wide and 38 1/4" deep
(Pass-thru are 40 1/2" deep)



Cabinet Size	Slide Pairs	16" Pizza Boxes	Sheet Pans	Universal Wire Pan Capacity				Wire Shelf Capacity		
				18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	Gastronorm 65mm Depth	Shelves Provided	16" Pizza Boxes
Full Height Dutch	17	34	17	34	22	16	16	2/1	4	34+
1/2 Height	8	16	8	16	10	8	8	1/1	2	16+


*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.

- > 6 Series Temperature Control
- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Wire shelf models
- > Removable water pan for passive humidity generation
- > Double pane, insulated, tempered glass doors
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > High-quality casters
- > Recessed handles on all four corners



Options:

Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Straight Plug
 Twist-Lock Plug
 Flush-Mounted Door Latch
 Twist Locking Flush-Mounted Door Latch
 Key Locking Flush-Mounted Door Latch
 Control Panel Cover
 6" Casters
 Polymer Bumper Drip Trough Pair
 Rigid Rear Casters
 Factory Left Hand Hinging



NEMA 5-20P
2000 Watt, 120 Volt,
Standard

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Dutch Solid	Universal	C5Z69-SDS-U	395	7,652.00	C5Z69-NDS-U	278	6,630.00
Dutch Solid	(4) Shelves	C5Z69-SDS-S	400	7,652.00	C5Z69-NDS-S	285	6,630.00
Dutch Clear	Universal	C5Z69-SDC-U	395	8,317.00	C5Z69-NDC-U	278	7,271.00
Dutch Clear	(4) Shelves	C5Z69-SDC-S	400	8,317.00	C5Z69-NDC-S	285	7,271.00
1/2 Height							
Full Solid	Universal	C5Z65-SFS-U	180	5,943.00	C5Z65-NFS-U	145	5,152.00
Full Solid	(2) Shelves	C5Z65-SFS-S	190	5,943.00	C5Z65-NFS-S	150	5,152.00
Full Clear	Universal	C5Z65-SFC-U	180	6,276.00	C5Z65-NFC-U	145	5,472.00
Full Clear	(2) Shelves	C5Z65-SFC-S	190	6,276.00	C5Z65-NFC-S	150	5,472.00

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Dutch Clear/Dutch Clear	Universal	C5Z69-SDC-UPDC	400	9,746.00	C5Z69-NDC-UPDC	285	8,574.00
Dutch Clear/Dutch Clear	(4) Shelves	C5Z69-SDC-SPDC	400	9,746.00	C5Z69-NDC-SPDC	285	8,574.00
1/2 Height Pass-Thru							
Full Clear/Full Clear	Universal	C5Z65-SFC-UPFC	200	7,203.00	C5Z65-NFC-UPFC	155	6,306.00
Full Clear/Full Clear	(2) Shelves	C5Z65-SFC-SPFC	200	7,203.00	C5Z65-NFC-SPFC	155	6,306.00

P	Heated Holding	•
	Humidity Control	
	Proofing	
	Digital Solid State Controller	
	Analog Control	•
	Digital Display	
	Analog Thermometer	•
	Low-Temp Alarm	
	Low-Water Alarm	
	Corner Bumpers	a
	Drip Trough and Pan	a
	Large Water Reservoir	
	Water Pan (Passive Humidity)	•
	Fully Insulated	•
	Insulation Armour™	
	Reach-In	•
	Pass-Thru	a
	Full Height	a
	3/4 Height	
	1/2 Height	a
	Under Counter	
	Dutch Doors	a
	Clear Doors	a
	Insulated Doors	•
	Universal Wire Slides	a
	Lip Load Slides	a
	Fixed Wire Slides	
	Max Temp (F)	200°
	2000 Watts	•
	1440 Watts	
	20 Amp Service	•
	15 Amp Service	
	Heavy-Duty Handle	•
	Lift-Off Doors	•
	Field Reversible Doors	•
	Stainless Steel Construction	a
	Aluminum Construction	a
	Energy Star	•

• Standard Feature

a Available Feature





COMBINATION MODULE

Higher temperatures without moisture for holding
OR lower temperatures and moisture for proofing.

Temperature

Easy-to-use dial puts you in control of cabinet temperature.

Easy-to-read

Digital Thermometer can be seen from a distance.

Moisture

In Proofing mode control the amount of moisture in the cabinet.

Flexible

Choose Holding or Proofing mode at the flip of a switch.



HOLDING MODULE

Higher temperatures without moisture for holding.

Temperature

Easy-to-use dial puts you in control of cabinet temperature.

Easy-to-read

Digital Thermometer can be seen from a distance.




3 & 1 SERIES MODULE CONTROL

THE OPTIONS YOU NEED TO KEEP YOU IN COMPLETE CONTROL

MOISTURE MODULE

Moisture control at any temperature for holding or proofing.
Exclusively available on 3 Series Cabinets.




PROOFING MODULE

Lower temperatures and moisture for proofing.
Only available on 1 Series Cabinets.



Insulation Armour™




Energy usage is an important consideration when purchasing any piece of foodservice equipment. Historically, operators have had only two choices of heated holding cabinets; non-insulated (one metal wall) or traditionally insulated (two metal walls with insulation sandwiched in-between). Insulation Armour™ "changes the game" with its patented design and unique technology. By utilizing the low thermal conductivity of high density polyethylene (HDPE) and the lightweight strength of aluminum, Insulation Armour delivers energy efficiency at an affordable price. Combine this with interchangeable module and slide systems, award winning aesthetics, built-in handles and bumpers, and you have a value that cannot be equaled in the foodservice industry.

Intelligent design delivers
unique



*Average annual energy cost based on \$.12 KWH electricity rate, 12 hours of daily use, 365 days a year. Energy cost and savings will vary depending on usage, electricity cost, and comparative model.

Moisture Module



value.

The most important consideration when choosing a heated holding cabinet is the food. Many foods, in particular proteins, hold best in a moist environment. The Moisture Module option for the C5 3 Series delivers 5 times the moisture-generating power of a standard "dry" cabinet at a price far below that of conventional high-humidity alternatives. Metro delivers the ability to assure food safety and improve food quality in a "game changing" design.

The Moisture Module inside an Insulation Armour cabinet is a one-of-a-kind product, and an unbelievable value!





INSULATION ARMOUR™

Metro® C5™ 3 Series Heated Holding & Proofing Cabinets with patented Insulation Armour™ protect you from the unpleasant effects of heat loss. Exclusive cool-to-touch Insulation Armour™ both insulates the cabinet, and protects employees from hot surfaces. Built-in hand holds make the cabinet easy to handle when used in mobile applications. 3 Series comes with a choice of holding modules and slide styles. Protection and control, in all the right configurations, make a difference you can see... and feel.



Module Type	C	H	M
Heated Holding	•	•	•
Humidity Control		•	•
Proofing	•		•
Digital Solid State Controller			
Analog Control	•	•	•
Digital Display	•	•	•
Analog Thermometer			
Low-Temp Alarm		•	
Low-Water Alarm			
Corner Bumpers	•	•	•
Drip Trough and Pan	•	•	•
Active Water Reservoir		•	•
Passive Water Pan	•	•	
Fully Insulated	•	•	•
Insulation Armour™	•	•	•
Reach-In	•	•	•
Pass-Thru			
Full Height	a	a	a
3/4 Height	a	a	a
1/2 Height	a	a	a
Under Counter			
Dutch Doors	a	a	a
Clear Doors	a	a	a
Insulated Doors	a	a	a
Universal Wire Slides	a	a	a
Lip Load Slides	a	a	a
Fixed Wire Slides	a	a	a
Max Temp (F)	200°	200°	200°
2000 Watts	•	•	•
1440 Watts	a	a	
20 Amp Service	•	•	•
15 Amp Service	a	a	
Heavy-Duty Handle			
Lift-Off Doors			
Field Reversible Doors	•	•	•
Stainless Steel Construction			
Aluminum Construction	•	•	•
Energy Star	•	•	•

• Standard Feature

a Available Feature

(C) Combination Module

(H) Holding Module

(M) Moisture Module

> Cool-to-touch Insulation Armour™

> Built-in hand holds and full body protection

> Adjustable universal wire slides on 1½" increments with SiteSelect™

> Lip-load slides for sheet pans

> Fixed wire slides on 3" increments

> Optional small item shelf

> Removable module

> Removable water pan for passive humidity generation

> High-quality casters

> Easy-to-clean polymer drip trough

> Interchangeable slide systems

Options:

- Small Item Shelf
- Stainless Steel Legs
- Universal Slide Pairs
- Stainless Steel Universal Wire Slides
- Straight Plug
- 6" Casters
- Travel Latch
- Flush Door Latch
- Rigid Rear Casters
- Factory Left Hand Hinging
- 1440 Watt, 12 Amp Power
- 220-240 Voltage for Export

3 SERIES — 13.93
WITH INSULATION
ARMOUR™



Model Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height

Module Type
C = Combination
M = Moisture
H = Heated Holding

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

Slide Type
U = Universal Wire
L = Lip Load Aluminum
4 = Fixed Wire

C5 3 9 - C DS - U

COMBINATION MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-CFC-4	4,642.00
Full Length Clear	Universal	262	C539-CFC-U	4,875.00
Full Length Clear	Lip Load	257	C539-CFC-L	5,021.00
Full Length Solid	Fixed Wire	268	C539-CFS-4	4,410.00
Full Length Solid	Universal	282	C539-CFS-U	4,631.00
Full Length Solid	Lip Load	277	C539-CFS-L	4,770.00
Dutch Clear	Fixed Wire	250	C539-CDC-4	4,875.00
Dutch Clear	Universal	264	C539-CDC-U	5,119.00
Dutch Clear	Lip Load	259	C539-CDC-L	5,274.00
Dutch Solid	Fixed Wire	270	C539-CDS-4	4,631.00
Dutch Solid	Universal	283	C539-CDS-U	4,865.00
Dutch Solid	Lip Load	278	C539-CDS-L	5,010.00
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-CFC-4	4,410.00
Full Length Clear	Universal	144	C537-CFC-U	4,631.00
Full Length Clear	Lip Load	178	C537-CFC-L	4,770.00
Full Length Solid	Fixed Wire	173	C537-CFS-4	4,190.00
Full Length Solid	Universal	191	C537-CFS-U	4,401.00
Full Length Solid	Lip Load	186	C537-CFS-L	4,532.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-CFC-4	4,086.00
Full Length Clear	Universal	138	C535-CFC-U	4,291.00
Full Length Clear	Lip Load	135	C535-CFC-L	4,419.00
Full Length Solid	Fixed Wire	142	C535-CFS-4	3,883.00
Full Length Solid	Universal	150	C535-CFS-U	4,077.00
Full Length Solid	Lip Load	145	C535-CFS-L	4,199.00

Add two letter color designation to the catalog number for Blue (-BU) or Gray (-GY) Insulation Armour. Cabinets ordered without a color designation ship Red.

MOISTURE MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-MFC-4	4,875.00
Full Length Clear	Universal	262	C539-MFC-U	5,119.00
Full Length Clear	Lip Load	257	C539-MFC-L	5,273.00
Full Length Solid	Fixed Wire	268	C539-MFS-4	4,631.00
Full Length Solid	Universal	282	C539-MFS-U	4,864.00
Full Length Solid	Lip Load	277	C539-MFS-L	5,009.00
Dutch Clear	Fixed Wire	250	C539-MDC-4	5,119.00
Dutch Clear	Universal	264	C539-MDC-U	5,375.00
Dutch Clear	Lip Load	259	C539-MDC-L	5,537.00
Dutch Solid	Fixed Wire	270	C539-MDS-4	4,864.00
Dutch Solid	Universal	283	C539-MDS-U	5,108.00
Dutch Solid	Lip Load	278	C539-MDS-L	5,261.00
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-MFC-4	4,631.00
Full Length Clear	Universal	144	C537-MFC-U	4,864.00
Full Length Clear	Lip Load	178	C537-MFC-L	5,009.00
Full Length Solid	Fixed Wire	173	C537-MFS-4	4,400.00
Full Length Solid	Universal	191	C537-MFS-U	4,621.00
Full Length Solid	Lip Load	186	C537-MFS-L	4,760.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-MFC-4	4,291.00
Full Length Clear	Universal	138	C535-MFC-U	4,505.00
Full Length Clear	Lip Load	135	C535-MFC-L	4,640.00
Full Length Solid	Fixed Wire	142	C535-MFS-4	4,077.00
Full Length Solid	Universal	150	C535-MFS-U	4,281.00
Full Length Solid	Lip Load	145	C535-MFS-L	4,410.00

HOLDING MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-HFC-4	4,178.00
Full Length Clear	Universal	262	C539-HFC-U	4,388.00
Full Length Clear	Lip Load	257	C539-HFC-L	4,520.00
Full Length Solid	Fixed Wire	268	C539-HFS-4	3,970.00
Full Length Solid	Universal	282	C539-HFS-U	4,169.00
Full Length Solid	Lip Load	277	C539-HFS-L	4,295.00
Dutch Clear	Fixed Wire	250	C539-HDC-4	4,388.00
Dutch Clear	Universal	264	C539-HDC-U	4,608.00
Dutch Clear	Lip Load	259	C539-HDC-L	4,746.00
Dutch Solid	Fixed Wire	270	C539-HDS-4	4,169.00
Dutch Solid	Universal	283	C539-HDS-U	4,379.00
Dutch Solid	Lip Load	278	C539-HDS-L	4,510.00

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-HFC-4	3,970.00
Full Length Clear	Universal	144	C537-HFC-U	4,169.00
Full Length Clear	Lip Load	178	C537-HFC-L	4,295.00
Full Length Solid	Fixed Wire	173	C537-HFS-4	3,772.00
Full Length Solid	Universal	191	C537-HFS-U	3,962.00
Full Length Solid	Lip Load	186	C537-HFS-L	4,081.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-HFC-4	3,678.00
Full Length Clear	Universal	138	C535-HFC-U	3,862.00
Full Length Clear	Lip Load	135	C535-HFC-L	3,978.00
Full Length Solid	Fixed Wire	142	C535-HFS-4	3,494.00
Full Length Solid	Universal	150	C535-HFS-U	3,670.00
Full Length Solid	Lip Load	145	C535-HFS-L	3,780.00

Add two letter color designation to the catalog number for Blue (-BU) or Gray (-GY) Insulation Armour. Cabinets ordered without a color designation ship Red.

C5 3 9 - C L D S - U

For Lower Wattage (1440W, 120V, 60Hz) combination & holding cabinets. (No Up-charge)



C5 3 9 - C X D S - U

For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge)



C5 3 9 - C D S - U - BU

Color
No Suffix = Red
BU = Blue
GY = Gray

No Up-charge for Blue or Gray Insulation Armour.
Contact your Metro representative for other color options.

C5 3 9 - C D S - U A

An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.


C5 3 9 - C D S - U - B U A



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



(All Full height, all
3/4 height & 1/2
height solid door
models)



All cabinets are 27 5/8" wide and 31 1/2" deep

18" clearance required from any cooking equipment. Avoid contact with surfaces that exceed 200° F.



Cabinet Size	Universal Wire Pan Capacity						Lip Load Pan Capacity		Fixed Wire Pan Capacity				
	Slide Pairs	Sheet Pans	Steam Pans			Gastronorm 65mm Depth	Sheet Pans	Sheet Pans	Steam Pans	Gastronorm 65mm Depth	2/1	1/1	
	Provided	Max*	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1	18"x26"	18"x26"	12"x20"x2.5"	2/1	1/1
Full Height	18	37	18	34	24	18	17	34	35	18	34	17	34
Full Height Dutch	18	35	17	32	22	16	16	32	34	17	34	16	32
3/4 Height	14	29	14	26	16	12	13	26	27	14	26	13	26
1/2 Height	8	17	8	16	10	8	8	16	17	8	16	8	16

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



NON-INSULATED HEATED HOLDING & PROOFING

Metro® C5™ 1 Series Non-Insulated Heated Holding & Proofing Cabinets deliver reliable performance in a tried and true design. 1 Series comes with the choice of combination holding & proofing, holding, or proofing control modules. An improved design, more configurations, and additional options make the 1 Series a worthy successor to the number one dealer stocked cabinet in the industry.



Module Type	C	H	P
Heated Holding	●	●	
Humidity Control			
Proofing	●		●
Digital Solid State Controller			
Analog Control	●	●	●
Digital Display	●	●	●
Analog Thermometer			
Low-Temp Alarm			
Low-Water Alarm			
Corner Bumpers	a	a	a
Drip Trough and Pan	●	●	●
Active Water Reservoir			●
Passive Water Pan	●	●	
Fully Insulated			
Insulation Armour™			
Reach-In	●	●	●
Pass-Thru			
Full Height	a	a	a
3/4 Height	a	a	a
1/2 Height	a	a	a
Under Counter			
Dutch Doors			
Clear Doors	●	●	●
Insulated Doors			
Universal Wire Slides	a	a	a
Lip Load Slides	a	a	a
Fixed Wire Slides	a	a	a
Max Temp (F)	190°	190°	120°
2000 Watts	●	●	
1440 Watts			●
20 Amp Service	●	●	
15 Amp Service			●
Heavy-Duty Handle			
Lift-Off Doors			
Field Reversible Doors	●	●	●
Stainless Steel Construction			
Aluminum Construction	●	●	●
Energy Star	●	●	●

● Standard Feature
a Available Feature

(C) Combination Module
(H) Holding Module
(P) Proofing Module

THE ESSENTIAL HEATED HOLDING AND
PROOFING CABINET AVAILABLE IN JUST THE
RIGHT CONFIGURATION.


Doors	Slides	Module	Cat. No.	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height					
Full Length Clear	Fixed Wire	Combination	C519-CFC-4	197	3,536.00
Full Length Clear	Universal	Combination	C519-CFC-U	211	3,713.00
Full Length Clear	Lip Load	Combination	C519-CFC-L	206	3,825.00
Full Length Clear	Fixed Wire	Holding	C519-HFC-4	197	3,360.00
Full Length Clear	Universal	Holding	C519-HFC-U	211	3,529.00
Full Length Clear	Lip Load	Holding	C519-HFC-L	206	3,634.00
Full Length Clear	Fixed Wire	Proofing	C519-PFC-4	197	3,360.00
Full Length Clear	Universal	Proofing	C519-PFC-U	211	3,529.00
Full Length Clear	Lip Load	Proofing	C519-PFC-L	206	3,634.00
3/4 Height					
Full Length Clear	Fixed Wire	Combination	C517-CFC-4	130	3,360.00
Full Length Clear	Universal	Combination	C517-CFC-U	139.5	3,529.00
Full Length Clear	Lip Load	Combination	C517-CFC-L	135	3,634.00
Full Length Clear	Fixed Wire	Holding	C517-HFC-4	130	3,192.00
Full Length Clear	Universal	Holding	C517-HFC-U	139.5	3,352.00
Full Length Clear	Lip Load	Holding	C517-HFC-L	130	3,453.00
Full Length Clear	Fixed Wire	Proofing	C517-PFC-4	130	3,192.00
Full Length Clear	Universal	Proofing	C517-PFC-U	139.5	3,352.00
Full Length Clear	Lip Load	Proofing	C517-PFC-L	135	3,453.00
1/2 Height					
Full Length Clear	Fixed Wire	Combination	C515-CFC-4	98	3,113.00
Full Length Clear	Universal	Combination	C515-CFC-U	104	3,269.00
Full Length Clear	Lip Load	Combination	C515-CFC-L	101	3,368.00
Full Length Clear	Fixed Wire	Holding	C515-HFC-4	98	2,957.00
Full Length Clear	Universal	Holding	C515-HFC-U	104	3,105.00
Full Length Clear	Lip Load	Holding	C515-HFC-L	101	3,199.00
Full Length Clear	Fixed Wire	Proofing	C515-PFC-4	104	2,957.00
Full Length Clear	Universal	Proofing	C515-PFC-U	98	3,105.00
Full Length Clear	Lip Load	Proofing	C515-PFC-L	101	3,199.00



NEMA 5-20P
2000 Watt, 120 Volt,
Standard on
Combination & Holding




NEMA 5-15P
1440 Watt, 120 Volt,
Standard on
Proofing



All cabinets are 25 1/8" wide and 30 1/4" deep



(All full height
models)



C5 | 1 | 9 - C | X | D | S - U For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge) NEMA 6-15P

C5 | 1 | 9 - C | D | S - U | A An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.



Cabinet Size	Universal Wire Pan Capacity				Gastronorm 65mm Depth		Lip Load Pan Capacity			Fixed Wire Pan Capacity		
	Slide Pairs Provided	Max* 18"x26"	Sheet Pans 12"x20"x2.5"	Steam Pans 12"x20"x4"	12"x20"x6"	2/1	1/1	Sheet Pans 18"x26"	Sheet Pans 18"x26"	Steam Pans 12"x20"x2.5"	Gastronorm 65mm Depth 2/1	Gastronorm 65mm Depth 1/1
Full Height	18	37	18	34	24	18	17	34	35	18	34	17
3/4 Height	14	29	14	26	16	12	13	26	27	14	26	13
1/2 Height	8	17	8	16	10	8	8	16	17	8	16	8

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.

RECOMMENDED C5 FOOD SETTINGS

Product	Temperature °F (°C)	Relative Humidity %*	Product	Temperature °F (°C)	Relative Humidity %*
MEATS					
Prime Rib	175 (79)	75	Broccoli, Spears	175 (79)	70
Hamburgers	180 (82)	60	Carrots, Sliced, Crinkled	175 (79)	70
Hot Dogs	170 (77)	70	Cauliflower, Clusters IQF	175 (79)	70
Roast Beef	175 (79)	65	Corn on the Cob	180 (82)	75
Roast Pork	175 (79)	65	Mixed Vegetables	175 (79)	70
Ribs (Pork Spareribs)	175 (79)	70			
FISH					
Fish, Baked (Cod Loin) IQF	170 (77)	45	STARCHES		
Fish, Batter Dipped	175 (79)	30	Fry, Regular 3/8"	195 (91)	OFF 2
POULTRY			Potatoes, Mashed	175 (79)	70
Chicken, Boneless, Skinless	175 (79)	70	Potatoes, Baked	180 (82)	65
Chicken, Thigh, Baked, Fried	175 (79)	70	Potatoes, Scalloped	175 (79)	75
Chicken, Full Breast	175 (79)	70	Pasta, Elbow Macaroni	180 (82)	55
Chicken, Drum, Baked, Fried	175 (79)	55	Rice	180 (82)	75
Chicken, Leg	175 (79)	70	Lasagna, Meat Sauce & Cheese	185 (85)	70
Chicken, Fried Full Breast	175 (79)	45	Beans	175 (79)	65
Chicken, Fried Thigh	175 (79)	45			
Chicken, Fried Drum	175 (79)	45			
Chicken, Fried Boneless Skinless	175 (79)	45			
Chicken, Whole Roasted	170 (77)	65			
Turkey	175 (79)	70			
BREADS					
			Biscuit, Buttermilk Mini	175 (79)	OFF 1
			Croissants, Sliced	155 (68)	OFF 1
			French Toast, Thin Slice	175 (79)	OFF 1
			Waffles, Original	175 (79)	OFF 1
			Pancakes	175 (79)	OFF 1
			Pizza	175 (79)	OFF 2
			Rolls	175 (79)	OFF 1
			Dough (Proofing)	90 - 100 (32 - 38)	80 - 90

Developed in conjunction with the Center for Food Innovation (CFI), Penn State University. Temperature settings remain the same for non-humidity controlled cabinets.

(1) Water Reservoir **FULL**

(2) Water Reservoir **EMPTY**

* NOTE: Recommended Humidity Set point. Readout will display relative humidity inside the cabinet based on actual conditions and may vary from set point based on door opening, quantity and temperature of food, and moisture content of food. Use feedback to vary settings as required for individual products and desired results.

**** NOTE:** When Relative Humidity is set to OFF the cabinet will not generate additional humidity but will continue to display the actual relative humidity inside the cabinet. To reduce humidity further, increase the temp setting or turn on dehumidifier when water is present.

To reduce humidity further, increase the temperature setting and/or drain the water reservoir.

For holding and transporting hot prepared food

For holding and transporting hot prepared food



ACCESSORIES

SIDE HANDLES

Stainless steel tubular handles (pair) mounted to each side of the cabinet for mobile applications.

Description	Availability	Cat. No.	List Price Each
Pair of Stainless Steel Handles	9,8,6	C5-HANDLE	299.00



BUMPER & DRIP TROUGH

Polymer drip trough bumper (pair) mounts to the front and back of the cabinet. Standard on 9 Series cabinets.

Description	Availability	Cat. No.	List Price Each
Polymer Corner Bumper/Drip Trough	8,6	C5-BUMPDRIPT	133.00



FULL PERIMETER BUMPER

Aluminum and vinyl extrusion full perimeter bumper for mobile applications.

Description	Availability	Cat. No.	List Price Each
Full Perimeter Bumper	8,6	C5-PERMBUMP	415.00



1 SERIES PERIMETER BUMPER

Description	Availability	Cat. No.	List Price Each
Perimeter Bumper	1	C5-PERMBUMP-1	209.00



DOOR LATCH OPTIONS


Description	Availability	Cat. No.	List Price Each
Flush Latch Handle	9,8,6,P	C5-LATCHFLUSH	42.00
Twist Locking Handle*	9,8,6,P	C5-LATCHTWST	42.00
Key Locking Latch Handle*	9,8,6,P	C5-LATCHLOCK	51.00
Flush Door Latch	3,1	C5-LATCHFLUSH-1	42.00
Travel Latch/Hasp	T	C5-TRVL	199.00
Travel Latch	3,1	C5-TRVL	105.00

Note: Order (1) per door. Ex: Dutch Pass-Thru models require (4) each.

*Not available on under counter units.



C5-TRVL & C5-LATCHFLUSH-1



Standard Flush Twist Lock Key Locking

PLUG OPTIONS

- Right angle plug standard on all 120V and T-Series 220-240V units.
- Straight plug standard on all 220-240V units except T-Series.


Description	Availability	Cat. No.	List Price Each
Twist Lock Plug (20 Amp, 120V)	9,8,6,P	C5-RTWSTPLG	93.00
Twist Lock Plug (15 Amp, 120V)	9,8,6	C5-RTWSTPLG-15	93.00
Straight Plug (20 Amp, 120V)	9,8,6,P,3,1	C5-STRPLG-20	NC
Straight Plug (15 Amp, 120V)	9,8,6,3,1	C5-STRPLG-15	NC
Coiled Cord with Straight Plug (15 Amp, 120V)	T	C5T-STRPLG	50.00



CONTROL PANEL COVER

Locking cover protects settings but allows cabinet to be turned on and off.

Description	Availability	Cat. No.	List Price Each
Control Panel Cover	9,8,6,P	C5-COVER	126.00



1 SERIES REAR PUSH HANDLE

Stainless steel tubular handle mounted to the back of the cabinet.

Description	Availability	Cat. No.	List Price Each
Rear Push Handle	1	C5-RHANDLE	149.00

CASTER & LEG OPTIONS

Description	Availability	Cat. No.	List Price Each
5" Rear Rigid Casters (pair)	9,8,6,3,P,1	C5-5RDGCSTR	78.00
6" Casters (set of 4)	9,8,6,3,P,1	C5-6CASTER	137.00
6" Stainless Steel Legs (set of 4)	9,8,6,3,P,1	C5-SSLEGS	98.00



UNIVERSAL/ADJUSTABLE SLIDE OPTIONS

Description	Availability	Cat. No.	List Price Each
Universal Slide Pair (2 pieces) Chrome	9,8,6,3,1	C5-USLIDECPR	51.00
Pizza Universal Slide Pair (2 pieces) Chrome	P	C5-ZUSLIDECPR	60.00
Full Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-SSUSLIDE-9	334.00
3/4 Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-SSUSLIDE-7	268.00
1/2 Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-SSUSLIDE-5	153.00
Under Counter Stainless Steel Universal Slide Upgrade*	9,8,6	C5-SSUSLIDE-3	96.00
Universal Slide Pair (2 pieces) Stainless Steel	9,8,6,3,1	C5-USLIDESPR	67.00
Transport Adjustable Bottom Load Slide Pair (2 pieces)	T	C5T-BSLIDEPR	60.00
Transport Adjustable Lip Load Slide Pair (2 pieces)	T	C5T-LSLIDEPR	60.00

*Note: Must order "U" model.



Universal Adjustable Lip Load Adjustable Bottom Load

SMALL ITEM WIRE SHELF

Description	Availability	Cat. No.	List Price Each
Small Item Shelf *	9,8,6,3,1	C5-SHELF	105.00
Small Item Shelf for Pizza Series	P	C5-ZSHELF	121.00
Small Item Shelf for T-Series**	T	C5T-SHELF	121.00

*Note: Can only be used with universal slides ("U" cabinets). Does not work with lip-load or fixed wire.

**Note: Can only be used with adjustable slides ("B" or "L"). Does not work with fixed lip-load.



SHELF ONLY CABINETS

Description	Availability	Cat. No.	List Price Each
Full Height Models*	9,8,6,3,1	C5-SHELFONLY-9	305.00
3/4 Height Models*	9,8,6,3,1	C5-SHELFONLY-7	221.00
1/2 Height Models*	9,8,6,3,1	C5-SHELFONLY-5	168.00
Under Counter Models*	9,8,6	C5-SHELFONLY-3	168.00
Full Height/Dual Cavity T-Series Models**	T	C5T-SHELFONLY-9	354.00
5/6 Height T-Series Models**	T	C5T-SHELFONLY-8	254.00
1/2 Height T-Series Models**	T	C5T-SHELFONLY-5	194.00

*Note: Shelves (C5-SHELF) in lieu of universal slides (Must order "U" model).

**Note: Shelves (C5T-SHELF) in lieu of universal slides (Must order "B" model).



CORRECTIONAL PACKAGES

Includes Lockable Control Panel Cover, Lockable Travel Latch / Hasp, Tamper Proof Screws on Exterior (Padlocks NOT included)

Description	Availability	Cat. No.	List Price Each
Duel Cavity Correctional Package*	T	C5T-CORR-9D	1,529.00
Full Height Correctional Package	T	C5T-CORR-9	1,365.00
5/6 Height Correctional Package	T	C5T-CORR-8	1,229.00
1/2 Height Correctional Package	T	C5T-CORR-5	1,065.00

*Note: Includes (2) Lockable Travel Latch Hasps.

METRO HEATED BANQUET CABINETS


Rugged and Intelligent...

Metro Heated Banquet Cabinets are engineered to withstand the heavy-duty use and abuse of the real world while offering one-of-a-kind tools to help improve your operation. The thermometer is easy-to-read and ergonomically located. The dry erase white-board makes labeling the cabinet simple and doubles as a clip board for printed paper. The timer adds a level of intelligence not found on common "cart-ers". No other banquet cabinet can match a Metro MBQ!



SUPERIOR PERFORMANCE WITH QUAD-HEAT™

Metro® Heated Banquet Cabinets are available in two thermal systems. Our Standard Electric thermal system features an easy-to-remove heating module that offers superior heat-up time and performance. Our patented Quad-Heat™ Dual Fuel thermal system combines the standard heating module with the most unique



canned fuel back-up system available, offering superior heat stratification and control. Quad-Heat™ corner chimneys utilize the “dead space” in the corners of the cabinet, surrounding plated meals with even heat distribution, minimizing the size of the cabinet, and maximizing heat efficiency. Our canned fuel drawers can be accessed without opening the cabinet doors for monitoring.

Radiators above canned fuel eliminate “hot spots” and Metro Heated Banquet Cabinets retain heat better than the competition, reducing costs while maintaining food quality and taste.





IT'S ALL ABOUT CONTROL

The hottest serving solution —

Metro® Heated Banquet Cabinets

This innovative, patented system puts you in control of time, temperature, and most importantly — taste. Features include an innovative dual heat system that plugs in or fires up; a control panel with temperature gauge, timer and dry-erase/clipboard all in one, so important details are right at hand; and a unique handle and swivel-lock caster system that allows you to maneuver a loaded cabinet in tight spaces with ease. All of which will delight chefs, managers, servers and patrons alike.





Options:
 Swivel Lock Caster System
 Swing-Up Pull Handle
 Travel Latch
 8" Casters
 8" Pneumatic Casters
 8" Swivel Lock Casters
 20-amp Plug (for CUL)
 Covered Plate Carriers
 Open Plate Carriers
 Mini-Rack
 Swing-Up Shelf Accessory
 220-240 Voltage for Export




NEMA 5-15P
 1650 Watt, 120 Volt,
 Standard

Note: cabinets destined for
 Canada require NEMA 5-20P

- > Three-Point-Control Handles give you the control to move the cabinet from all sides.
- > Optional Swing-Up Pull Handle gives you more control and visibility over and around the cabinet.
- > Kick Latches give you hands-free access to the cabinet when your hands are full.
- > Easy-to-Remove Heat Module provides quick access for cleaning or repairs, saving you time and money.
- > Canned Fuel can be easily maintained without opening the cabinet doors.
- > Quad-Heat™ Dual Fuel thermal system combines the standard electric heating module with a canned fuel back-up system. Quad-Heat™ corner chimneys and bottom heat baffle, channel and diffuse heat, eliminate "hot spots" and maintain a uniform and consistent temperature.
- > Swing-Up Shelf accessory provides better access to bottom shelves when loading and unloading.

Standard Features:
 Top or Bottom Mounted Heat Module
 Welded, Reinforced, Stainless Steel Construction
 Heavy Duty 6" Casters — 2 Swivel, 2 Rigid—Staggered Offset Mounting
 Heavy Duty Wrap-Around Bumper
 1" Thick Insulation
 Heavy-Duty Long Life Lift-Off Hinges
 High Temperature Door Gaskets
 Flush High Strength Magnetic Pull Door Latches
 Ergonomic Three-Point-Control Handles
 Removable Nickel-Chrome Plated Shelves
 Heavy-Duty Non-Flattening Shelf Brackets
 Easy-to-Read Analog Thermometer
 Multi-Function Timer
 Dual Function White Board/Clip Board Labeling System
 Holds up to 12³/₄" Diameter Plates (2 Door Models)
 Holds Full Size Sheet Pans Front-to-Back (2 Door Models)
 1650 Watt Heating Module—Easily Removable, No-Tools
 Standard 15 AMP Plug **NEMA 5-15P**
 Quad-Heat™ Dual Fuel Back-Up Canned Fuel System (Quad-Heat™ Models)
 Quad-Heat™ Corner Chimneys (Quad-Heat™ Models)
 Anti-Tip Canned Heat Drawers — External Access (Quad-Heat™ Models)
 Hands-Free Access Kick Latch



All Double-Door cabinets are 67¹/₄" wide and 33³/₈" deep

CABINET SIZES



TWO-DOOR BANQUET CABINETS — 13.32

Two-door cabinets offer maximum accessibility, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold 11³/₄" (298mm) diameter covered plates. Covered plates up to 12³/₄" (324mm) diameter can be held in smaller quantities. Full-size sheet pans can be held front-to-back in two-door cabinets.



Quad-Heat™ unit shown with optional Swing-Up Pull Handle.

Two-Door Banquet Cabinets

Thermal System	11 ³ / ₄ " Plate Capacity Stacked Covered Carrier	12 ³ / ₄ " Plate Capacity Stacked Open Carrier	Covered Plates Stacked High	Shelf Size (in.)	Shelf Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each		
Standard	200*	200	160	160	5	59x24	4	14	75.0x33.375x67.25	633	MBQ-200D	9,540.00
Quad-Heat	200*	200	160	160	5	59x24	4	14	75.0x33.375x67.25	668	MBQ-200D-QH	11,545.00
Standard	180*	180	150	144	6	59x24	3	17	69.5x33.375x67.25	595	MBQ-180D	8,977.00
Quad-Heat	180*	180	150	144	6	59x24	3	17	69.5x33.375x67.25	630	MBQ-180D-QH	10,867.00
Standard	150*	150	120	120	5	59x24	3	14	60.5x33.375x67.25	531	MBQ-150D	8,383.00
Quad-Heat	150*	150	120	120	5	59x24	3	14	60.5x33.375x67.25	566	MBQ-150D-QH	10,149.00
Standard	120*	120	100	96	6	59x24	2	17	52.0x33.375x67.25	483	MBQ-120D	7,429.00
Quad-Heat	120*	120	100	96	6	59x24	2	17	52.0x33.375x67.25	518	MBQ-120D-QH	9,217.00

*Capacities based on maximum cover diameter of 11³/₄" (298mm), plate and cover height of 2³/₄" (70mm).

NOTE: To order 220V Export Model, add X to catalog number. (ex. MBQ-200D)



ONE-DOOR BANQUET CABINETS — 13.33

One-door cabinets are economical, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold up to 11" (279mm) diameter covered plates. Smaller capacity cabinets are available in one-door configurations.

Quad-Heat™ unit shown with optional Swing-Up Pull Handle.

One-Door Banquet Cabinets

Thermal System	Stacked	11" Plate Capacity Covered Carrier	Covered Plates Open Carrier	Shelf Stacked High	Size (in.)	Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each
Standard	180*	180	150	6	55x22	3	17	69.5x30.625x63.625	521	MBQ-180	8,078.00
Quad-Heat	180*	180	150	6	55x22	3	17	69.5x30.625x63.625	556	MBQ-180-QH	9,779.00
Standard	144*	144	120	6	44x22	3	17	69.5x30.625x52.625	421	MBQ-144	7,482.00
Quad-Heat	144*	144	120	6	44x22	3	17	69.5x30.625x52.625	456	MBQ-144-QH	9,052.00
Standard	120*	120	96	5	44x22	3	14	60.5x30.625x52.625	408	MBQ-120	6,527.00
Quad-Heat	120*	120	96	5	44x22	3	14	60.5x30.625x52.625	443	MBQ-120-QH	8,990.00
Standard	90*	90	72	5	33x22	3	14	60.5x30.625x41.625	327	MBQ-90	6,238.00
Quad-Heat	90*	90	72	5	33x22	3	14	60.5x30.625x41.625	362	MBQ-90-QH	7,720.00
Standard	72*	72	60	6	33x22	2	17	52.0x30.625x41.625	302	MBQ-72	6,041.00
Quad-Heat	72*	72	60	6	33x22	2	17	52.0x30.625x41.625	337	MBQ-72-QH	7,577.00

*Capacities based on maximum cover diameter of 11" (279mm), plate and cover height of 2³/₄" (70mm).

NOTE: To order 220V Export Model, add "X" to catalog number. (ex. MBQ-120X)



TOP-MOUNT BANQUET CABINETS — 13.35

Top-Mount two-door cabinets offer top-mounted control, maximum accessibility, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold 11³/₄" (298mm) diameter covered plates. Covered plates up to 12³/₄" (324mm) diameter can be held in smaller quantities. Full-size sheet pans can be held front-to-back in two-door cabinets.

Quad-Heat™ unit shown.

Top-Mount Banquet Cabinets

Thermal System	Stacked	11 ³ / ₄ " Plate Capacity Covered Carrier	12 ³ / ₄ " Plate Capacity Open Carrier	Covered Plates Stacked	Shelf Size (in.)	Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each	
Standard	180*	180	150	144	6	59x24	3	17	77.75x33.375x67.25	595	MBQT-180D	9,692.00
Quad-Heat	180*	180	150	144	6	59x24	3	17	77.75x33.375x67.25	630	MBQT-180D-QH	11,407.00
Standard	150*	150	120	120	5	59x24	3	14	68.75x33.375x67.25	531	MBQT-150D	9,052.00
Quad-Heat	150*	150	120	120	5	59x24	3	14	68.75x33.375x67.25	566	MBQT-150D-QH	10,958.00

*Capacities based on maximum cover diameter of 11³/₄" (298mm), plate and cover height of 2³/₄" (70mm).

BANQUET CABINET ACCESSORIES

13.34

Exclusive swivel-lock caster system option allows the cabinet to be moved in and out of line without "dragging." Rigid casters can be made to swivel for movement in tight spaces and automatically switch back to rigid when needed for moving down halls.



SWIVEL-LOCK CASTER SYSTEM

Allows cabinet to be moved in- and out-of-line without "dragging." Rigid casters can be made to swivel for movement in tight spaces and automatically switch back to rigid when needed for moving down halls. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
6" (152mm) Swivel Lock Caster Upgrade for One-Door Cabinets	MBQ-SWLC-1	263.00
6" (152mm) Swivel Lock Caster Upgrade for Two-Door Cabinets	MBQ-SWLC-2	263.00
8" (203mm) Swivel Lock Caster Upgrade for One-Door Cabinets	MBQ-SWLC-18	444.00
8" (203mm) Swivel Lock Caster Upgrade for Two-Door Cabinets	MBQ-SWLC-28	444.00



SWING-UP SHELF ACCESSORY

Allows middle shelves to be lifted out of the way providing easy access for loading and unloading lower shelves. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
Swing-Up Shelf Accessory	MBQ-SUSA	67.00



20 AMP PLUG FOR CUL*

Description	Cat. No.	List Price Each
NEMA 5-20P plug for CUL	MBQ-P20A	No Charge

*Note: Required for cabinets destined for Canada.



TRAVEL LATCH

Provides extra security when traveling longer distances in uncontrolled areas. Lockable design works on both one- and two-door models.

Description	Cat. No.	List Price Each
Travel Latch	MBQ-TRVL	172.00

Note: Two required for Top-Mount Cabinets

CASTER UPGRADES

Standard caster upgrades (non-swivel lock).

Description	Cat. No.	List Price Each
8" (203mm) Caster Upgrade	MBQ-8	157.00
8" (203mm) Pneumatic Caster Upgrade* MBQ-8AIR	MBQ-8AIR	266.00

Note: Pneumatic casters are not available with swivel lock.
*Pneumatic casters are not available on 200 plate capacity cabinet.
(MBQ-200D and MBQ-200D-QH)

SWING-UP PULL HANDLE

Provides additional control and visibility when moving the cabinet. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
Swing-Up Pull Handle	MBQ-SUPH	209.00



MINI-RACK

Unique system holds 18"x26" (457x660mm) sheet pans, 12"x20"x3" (305x508x76mm) steamtable pans, or a combination of both. Available for 2 door models only.

Description	Cat. No.	List Price Each
Mini-Rack for 200 & 150 Two-Door Models (3 Levels at 3.4" Spacing)	MBQ-MR-14	117.00
Mini-Rack for 180 & 120 Two-Door Models (4 Levels at 3.4" Spacing)	MBQ-MR-17	117.00

CABINET MINI-RACK CAPACITIES

200 Two-Door holds (8) MBQ-MR-14
180 Two-Door holds (6) MBQ-MR-17

150 Two-Door holds (6) MBQ-MR-14
120 Two-Door holds (4) MBQ-MR-17



OPEN PLATE CARRIERS

Wire carrier for holding up to ten uncovered plated meals.

Description	Cat. No.	List Price Each
8-Plate Capacity Carrier for One-Door Cabinets	MBQ-P1-14	77.00
10-Plate Capacity Carrier for One-Door Cabinets	MBQ-P1-17	77.00
8-Plate Capacity Carrier for Two-Door Cabinets	MBQ-P2-14	77.00
10-Plate Capacity Carrier for Two-Door Cabinets	MBQ-P2-17	77.00

CABINET CARRIER CAPACITIES

200 Two-Door holds (20) MBQ-P2-14
180 Two-Door holds (15) MBQ-P2-17
150 Two-Door holds (15) MBQ-P2-14
120 Two-Door holds (10) MBQ-P2-17
180 One-Door holds (15) MBQ-P1-17

144 One-Door holds (12) MBQ-P1-17
120 One-Door holds (12) MBQ-P1-14
90 One-Door holds (9) MBQ-P1-14
72 One-Door holds (6) MBQ-P1-17



COVERED PLATE CARRIERS

Wire carrier for holding up to twelve covered plated meals.

Description	Cat. No.	List Price Each
10-Plate Capacity Carrier for One-Door Cabinets	MBQ-C1-14	77.00
12-Plate Capacity Carrier for One-Door Cabinets	MBQ-C1-17	77.00
10-Plate Capacity Carrier for Two-Door Cabinets	MBQ-C2-14	77.00
12-Plate Capacity Carrier for Two-Door Cabinets	MBQ-C2-17	77.00

CABINET CARRIER CAPACITIES


200 Two-Door holds (20) MBQ-C2-14
180 Two-Door holds (15) MBQ-C2-17
150 Two-Door holds (15) MBQ-C2-14
120 Two-Door holds (10) MBQ-C2-17
180 One-Door holds (15) MBQ-C1-17

144 One-Door holds (12) MBQ-C1-17
120 One-Door holds (12) MBQ-C1-14
90 One-Door holds (9) MBQ-C1-14
72 One-Door holds (6) MBQ-C1-17




BANQUET CABINET CAPACITIES


2 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-200D	up to 2.75"	up to 11.75"	200	11.875" to 12.75"	160	12.875" to 13.125"	140
	2.875" - 3.375"		160		128		112
	3.5" - 4.625"		120		96		84
	4.75" - 6.875"		80		64		56
	7" & Over		40		32		28
MBQ-180D & MBQT-180D	up to 2.75"	up to 11.75"	180	11.875" to 12.75"	144	12.875" to 13.125"	126
	2.875" - 3.375"		150		120		105
	3.5" - 4.125"		120		96		84
	4.25" - 5.625"		90		72		63
	5.75" - 8.375"		60		48		42
	8.5" & Over		30		24		21
MBQ-150D & MBQT-150D	up to 2.75"	up to 11.75"	150	11.875" to 12.75"	120	12.875" to 13.125"	105
	2.875" - 3.375"		120		96		84
	3.5" - 4.625"		90		72		63
	4.75" - 6.875"		60		48		42
	7" & Over		30		24		21
MBQ-120D	up to 2.75"	up to 11.75"	120	11.875" to 12.75"	96	12.875" to 13.125"	84
	2.875" - 3.375"		100		80		70
	3.5" - 4.125"		80		64		56
	4.25" - 5.625"		60		48		42
	5.75" - 8.375"		40		32		28
	8.5" & Over		20		16		14



1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-180	up to 2.75"	up to 11"	180	11.125" to 11.75"	144	11.875" to 12.5"	108
	2.875" - 3.375"		150		120		90
	3.5" - 4.125"		120		96		72
	4.25" - 5.625"		90		72		54
	5.75" - 8.375"		60		48		36
	8.5" & Over		30		24		18



1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-144	up to 2.75"	up to 11"	144	11.125" to 11.75"	108	11.875" to 12.25"	90
	2.875" - 3.375"		120		90		75
	3.5" - 4.125"		96		72		60
	4.25" - 5.625"		72		54		45
	5.75" - 8.375"		48		36		30
	8.5" & Over		24		18		15
MBQ-120	up to 2.75"	up to 11"	120	11.125" to 11.75"	90	11.875" to 12.25"	75
	2.875" - 3.375"		96		72		60
	3.5" - 4.625"		72		54		45
	4.75" - 6.875"		48		36		30
	7" & Over		24		18		15



1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-90	up to 2.75"	up to 11"	90	11.125" to 12"	60	12.125" to 13.125"	45
	2.875" - 3.375"		72		48		36
	3.5" - 4.625"		54		36		27
	4.75" - 6.875"		36		24		18
	7" & Over		18		12		9
MBQ-72	up to 2.75"	up to 11"	72	11.125" to 12"	48	12.125" to 13.125"	36
	2.875" - 3.375"		60		40		30
	3.5" - 4.125"		48		32		24
	4.25" - 5.625"		36		24		18
	5.75" - 8.375"		24		16		12
	8.5" & Over		12		8		6





TC90 SERIES — HALF-HEIGHT HEATED INSULATED TRANSPORT CABINETS — 13.28

- Low center of gravity assures safe transport and use.
- Analog thermometer for consistent and accurate readings, even when unit is not plugged in.
- Stainless interior and removable slide racks provide easy cleaning.
- Convenient kick latch provides "hands-free" easy opening.
- Slide spacing is $2\frac{5}{8}$ " (67mm) lip loaded for steam table pans and bottom loaded for bun pans.



TC90 Series — Half-Height Heated Insulated Transport Cabinets



Cat. No.	Style	Dimensions (HxWxD)	Pan Capacity			Approx. Pkd. Wt. (lbs.)	List Price Each
			Sheet Pans 18"x26"	12"x20"x2.5"	Steam Pans 12"x20"x4"	12"x20"x6"	
TC90S	Without Bumper	37"x 21 $\frac{1}{4}$ "x 24 $\frac{3}{4}$ "	NA	9	4	3	110 2,814.00
TC90SB	With Bumper	37"x 22 $\frac{7}{16}$ "x 27 $\frac{1}{4}$ "	NA	9	4	3	110 3,070.00
TC90B	Without Bumper	37"x 27 $\frac{1}{4}$ "x 30 $\frac{3}{4}$ "	9	NA	NA	NA	128 3,052.00
TC90BB	With Bumper	37"x 28 $\frac{7}{16}$ "x 33 $\frac{1}{4}$ "	9	NA	NA	NA	128 3,324.00



C190 SERIES — UNDER COUNTER HEATED INSULATED CABINET — 13.30

- Designed to hold hot prepared foods.
- Thermostat control provides quick heat-up and even operating temperature throughout.
- Fiberglass insulation and gasketed door keep heat in.
- 3" (76mm) casters allow for safe and convenient under-counter storage.
- Pan slides accommodate 18"x26" (457x660mm) or 12"x20" (305x508mm) pans. Optional "Converta-Slide" accommodates both sizes simultaneously.
- "Hands-free" kick latch for door opening.
- Humidifying water pan.
- Slide Spacing is $1\frac{3}{4}$ " (44mm).



C190 Series — Half-Height Heated Insulated Cabinets

Cat. No.	Dimensions (HxWxD)	Pan Capacity			Approx. Pkd. Wt. (lbs.)	List Price Each	
		Sheet Pans 18"x26"	12"x20"x2.5"	Steam Pans 12"x20"x4"	12"x20"x6"		
C190	30 $\frac{1}{4}$ "x 28 $\frac{5}{8}$ "x 29 $\frac{1}{4}$ "	12	16	8	6	145	3,304.00



CD3N

CD Series Cabinets — 13.01

Designed for enclosed transport and storage of 18"x26" (457x660mm) bun pans.

- 14 gauge high-strength natural finish aluminum, riveted construction and cast aluminum corners.
- Lockable door recedes into sidewall so cabinets occupy minimum space.
- 1½" (38mm) slide spacing.

	Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Pan Capacity No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
	21½x63⅓x28 533x1607x711	52⁵/₈ 1336	35	85 38	CD3N	1,696.00
	21½x71½x28 533x1816x711	60⁵/₈ 1539	40	95 42	CD4N	1,725.00

Note: Brakes are standard on two casters, for the units listed above.

Accessories

Description	Model	List Price Each
Gray Corner Bumpers	A32	166.00
*Gray Continuous Bumper	A33	284.00
Floor Lock	A71	171.00

*Adds 2" (51mm) to overall width and depth of rack.



DSC7N

Delivery/Storage Cabinets — 13.04

Designed to hold food in various stages of preparation or to deliver prepared food.

- Lockable door recedes into sidewall so cabinets take minimal space.
- Stores 18"x26" (457x660mm) pans — 1½" (38mm) slide spacing.

	Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Pan Capacity No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
	22³/₄x59³/₄x28³/₄ 569x1517x721	48³/₄ 1238	32	98 44	DSC6N	1,891.00
	22³/₄x71³/₄x28³/₄ 569x1822x721	60³/₄ 1543	40	108 48	DSC7N	1,934.00

Note: Brakes are standard on two casters, for the unit listed above.



“Queen Mary”

Banquet Service Cart — “Queen Mary”

For banquet service, bussing, general back-of-the-house transportation and mobile storage.

- All welded 16-gauge stainless steel construction.
- 8" (203mm) polyurethane casters, two rigid, two swivel.
- Three-Point-Control Handle.
- Wraparound bumper protects cart, walls, and other equipment.
- Optional Swivel Lock Caster System and Swing-Up Pull Handle available.

Description	Length/Width/Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Five Flat Shelves	64x31x65 1626x787x1651	300 136	MQ-512F	5,067.00
Six Flat Shelves	64x31x66 1626x787x1767	325 147	MQ-609F	5,423.00
Five Ledged Shelves	64x31x65 1626x787x1651	300 136	MQ-512L	5,296.00
Six Ledged Shelves	64x31x66 1626x787x1767	325 147	MQ-609L	5,635.00

For swivel lock caster upgrade, add “-SL” to the part number. Example: MQ-609F-SL

For swing-up pull handle, add “-H” to the part number. Example: MQ-609F-H

Add “-SL-H” for both.


End-Load and Side-Load Wire Bun Pan Racks — 13.42

Economical solution for storage and transport of bun pans.

- End-load models provide a large tray landing area, side-load models are highly space efficient.
- Choice of 1 $\frac{1}{2}$ " (38mm) spacing (38 pans) or 3" (76mm) (20 pans) spacing.
- Quick, easy no-tool assembly, rolls easily on 5" (127mm) swivel casters.
- Durable Super Erecta Brite™ finish.
- All units are 69" (1752mm) high.

Width/Length (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity			Approx. Pkd. Wt. (lbs.) (kg)	Description	Cat. No.	List Price Each			
		No.	Size (in.) (mm)	(mm)							
21 $\frac{3}{4}$ x27	552x685	1 $\frac{1}{2}$	38	18x26	457x660	61	27.7	End-Load	RE1	365.50	
21 $\frac{3}{4}$ x27	552x685	3	76	19	18x26	457x660	70	31.8	End-Load	RE3	333.50
19 $\frac{1}{2}$ x30	495x762	1 $\frac{1}{2}$	38	18x26	457x660	61	27.6	Side-Load	RS1	365.50	
19 $\frac{1}{2}$ x30	495x762	3	76	19	18x26	457x660	70	31.8	Side-Load	RS3	333.50

Weight Load Capacity: 30 lbs. (13.6kg) per level; 200 lbs. (91kg) per rack.



Accessories

Description	Model	List Price Each
3 $\frac{1}{2}$ " (90mm) Diameter Rubber Donut Bumper	9992DB	7.20
5 $\frac{1}{2}$ " (140mm) Diameter Rubber Donut Bumper	9992N	12.50

Portable Wire Prep Rack — 13.44

Made to accommodate standard 18"x26" (457x660mm) trays or pans.

- The 1 $\frac{1}{2}$ " (12.7mm) food grade polyethylene cutting board/work surface provides an area for slicing, mixing, garnishing or other types of food preparation.
- Rolls easily on 5" (127mm) swivel casters.
- Units assemble quickly and easily without special tools.

Width/Length (in.) (mm)	Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity			Approx. Pkd. Wt. (lbs.) (kg)	Description	Cat. No.	List Price Each				
			No.	Size (in.) (mm)	(mm)								
21 $\frac{3}{4}$ x27	550x685	38	1750	1 $\frac{1}{2}$	38	16	18x26	457x660	50	22.6	End-Load	RE1P	433.50
21 $\frac{3}{4}$ x27	550x685	38	1750	3	76	8	18x26	457x660	60	27.2	End-Load	RE3P	403.50

Accessories

Description	Model	List Price Each
3 $\frac{1}{2}$ " (90mm) Diameter Rubber Donut Bumper	9992DB	7.20
5 $\frac{1}{2}$ " (140mm) Diameter Rubber Donut Bumper	9992N	12.50



Portable Wire
Prep Rack



RD3N

End-Load Racks — Single Section — 13.50

- Units feature sturdy, riveted 6063-T6 aluminum construction. Pass-thru design affords maximum convenience.
- Space saving, ideal for freezers, coolers, bakeries.

Width/Height/Depth (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size No. (in.) (mm)			Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
		No.	(in.)	(mm)			
21½x68½x29 546x1734x736	3 76	20	18x26 or 40	457x660 Pans 14x18 355x457	52 23.6	RD3N	818.50
21¾x68½x26½ 546x1734x673	1½ 38	40	18x26	457x660 Pans	52 23.6	RD13N	845.00
20x62½x23 508x1581x584	3 76	18	15x20 or 18	381x508 Trays 16x22 406x553	49 22.2	RD15N	945.00
21½x68½x29 546x1734x736	5 127	12	18x26 or 24	457x660 Pans 14x18 355x457	45 20.4	RD23N	775.00

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide; 350 lbs. (159kg) per rack.

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	288.50
**Gray Corner Bumpers	A37	163.00/set
Pan Stop	A120	90.50

*Adds 2" (51mm) to overall width and depth of rack.

**Adds ½" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation. Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.



RD33N

Side-Load Rack — Single Section — 13.52

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size No. (in.) (mm)			Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
			No.	(in.)	(mm)			
29³/ₙ x69¹/ₙ x18⁵/ₙ 746x1758x472	60¹/₂ 1536	3 76	20	18x26	457x660	45 20.2	RD33N	818.50

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 350 lbs. (159kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).



RT3318N

Side-Load "Knock Down" Racks — 13.72

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size No. (in.) (mm)			Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
			No.	(in.)	(mm)			
28³/ₙ x64¹/ₙ x18⁵/ₙ 721x1628x476	56¹/₂ 1435	3 76	18	18x26	457x660	40 18	RT3318N	653.50
28³/ₙ x64¹/ₙ x18⁵/ₙ 721x1628x476	56¹/₂ 1435	5 127	11	18x26	457x660	38 17.1	RT3511N	615.00

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 300 lbs. (136kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

End-Load "Knock Down" Racks — Single Section — **13.70**

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size		Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
			No.	(in.) (mm)			
20 ³ / ₈ x64 ¹ / ₂ x28 518x1630x711	55 ⁷ / ₈ 1417	3 76	18	18x26 or 36 14x18	457x660 355x457	53 23.8	RT183N 653.50
20 ³ / ₈ x64 ¹ / ₂ x28 518x1630x711	55 ⁷ / ₈ 1417	5 127	11 or 22	18x26 14x18	457x660 355x457	50 22.5	RT115N 605.00
20 ³ / ₈ x64 ¹ / ₂ x28 518x1630x711	55 ⁷ / ₈ 1417	1 ¹ / ₂ 28	34	18x26	457x660	55 24.7	RT1334N 653.50

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 300 lbs. (136kg) per unit. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).


RT115N

Roll-In Refrigerator Racks — **13.80**

Rack rolls directly into refrigerator for quick and easy storage.

- Natural finish, high-strength, extruded aluminum (6063-T6 alloy), riveted construction.
- Pass-Thru Design can be loaded on one side and unloaded from the other for maximum efficiency and convenience.

Without Bumper Width/Height/Depth (in.) (mm)	With A33 Bumper Width/Depth (in.) (mm)	Slide Spacing (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
21 ¹ / ₄ x64x26 539x1625x660	23 ¹ / ₄ x28 590x711	1 ¹ / ₂ 38	44 19.8	RF13N 881.50	
21 ³ / ₈ x64x26 543x1625x660	23 ³ / ₈ x28 594x711	3 76	55 24.7	RF3N 847.00	
21 ³ / ₈ x64x26 543x1625x660	23 ³ / ₈ x28 594x711	5 127	43 19.3	RF23N 790.50	
24 ³ / ₈ x64 ¹ / ₂ x26 619x1638x660	26 ³ / ₈ x28 670x711	Adjustable	92 41.4	RF78N 1,430.00	

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 350 lbs. (159kg) per rack.

Allowable temperature range: -30°F (-34°C) to 160°F (71°C).


RF13N

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	288.50
**Gray Corner Bumpers	A37	163.00/set
Extra Slides for RF78N	A121	56.50/pair
Floor Lock (for use with RF78N Only)	A71	171.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1¹/₂" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation.

Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time or order entry.

Adjustable Rack — **13.56**

Ideal for holding a variety of items of different sizes at different times.

- 13 Sets of "Vari-Slides" accommodate all popular modules used in the foodservice industry.
- Made of special extrusion (.100" or 2.5mm thick) with bending support design for heavy loads.
- Keyholes in uprights on 1 1/2" (38mm) spacing. Inside height is 60 1/4" (1530mm).



RD78N

Width/Height/Depth (in.)	Pan Capacity with (13) standard sets of slides on 4 1/2" (114mm) centers*	2 per slide		1 per slide		Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	
		No.	Size (in.)	(mm)	No.	Size (in.)	(mm)		
24 3/8" x 69 1/2" x 26	619x1765x660	26	10 7/8" x 19 3/4"	274x501	13	15x20	380x520	93	41.8
		26	11 1/8" x 20	284x508	13	18x26	457x660		
		26	12x18	304x457	13	20x20	508x508		
		26	12x20	304x508	13	20x22	508x558		
		26	13x18	330x457	13	20x24	508x609		
		26	14x18	335x457					

*Vertical supports punched on 1 1/2" (38mm) centers for adjustability.

Note: 5" (127mm) heavy-duty swivel casters with neoprene wheels, two with brakes, are standard on unit listed above.

Notes: Accessories must be ordered with rack. Not designed for field installation.

Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.

Weight Load Capacity: 50 lbs. (22.7kg) per slide level; 350 lbs. (159kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	288.50
**Gray Corner Bumpers	A37	163.00/set
Extra Slides (Will take 4 extra pair max.)	A121	56.50/pair
Floor Lock	A71	171.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.



RD27N

Oval Tray Rack — **13.58**

Special design, natural finish, high-strength, extruded aluminum (6063-T6 alloy) framework with 8-gauge brake-formed slides. Pass-thru design is lightweight, maneuvers easily. Ideal for banquet service.

Width/Height/Depth (in.)	Slide Spacing (in.)	(mm)	Pan Capacity			Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each	
			No.	(in.)	(mm)				
27x70 1/4" x 29	6	152	10	22 3/4" x 27 5/8"	577x701	88	39.6	RD27N	1,339.50

Note: 5" (127mm) heavy-duty swivel casters with neoprene wheels, two with brakes, are standard on unit listed above.

Weight Load Capacity: 50 lbs. (22.7kg) per slide level; 350 lbs. (159kg) per rack.

Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	288.50
**Gray Corner Bumpers	A37	163.00/set
Pan Stop	A120	90.50
Floor Lock	A71	171.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation. Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.

T-SERIES
with Transport Armour™
**DURABLE, EFFICIENT,
INTELLIGENT.**





Kielder

WORKTABLES & SERVICE CARTS

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170

Worktables — 17.20

Built for cleanliness and stability.

- Seamless 14-gauge Type 304 stainless steel work surface and support structure.
 - Shipped knocked down and can be assembled in minutes without tools.
- All Work Tables are 34" (864mm) high with stationary posts and leveling feet.

Standard Worktables — 30" (760mm) Wide



Worktable with Bottom Shelf

Length (in.) (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
48 1219	SS	SS	—	—	90 41	WT305FS	1,365.00
60 1524	SS	SS	—	—	130 59	WT306FS	1,459.50
72 1825	SS	SS	—	—	170 77	WT307FS	1,577.50
96 2439	SS	SS	—	—	226 103	WT309FS	1,925.50
60 1524	Chrome	Galvanized	—	—	146 66	WT306FC	1,015.50
72 1825	Chrome	Galvanized	—	—	180 82	WT307FC	1,161.00
96 2439	Chrome	Galvanized	—	—	226 103	WT309FC	1,391.00
48 1219	SS	—	SS	—	115 52	WT305US	1,117.50
60 1524	SS	—	SS	—	115 52	WT306US	1,208.50
72 1825	SS	—	SS	—	142 65	WT307US	1,317.00
96 2439	SS	—	SS	—	201 91	WT309US	1,571.00
60 1524	SS	—	—	SS	115 52	WT306HS	1,208.50
72 1825	SS	—	—	SS	142 65	WT307HS	1,317.00
96 2439	SS	—	—	SS	202 92	WT309HS	1,571.00

SS = Stainless Steel

Standard Worktables — 36" (914mm) Wide



Worktable with 3-Sided Frame

Length (in.) (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
60 1524	SS	SS	—	—	125 57	WT366FS	1,676.00
72 1825	SS	SS	—	—	130 59	WT367FS	1,798.00
96 2439	SS	SS	—	—	185 84	WT369FS	2,165.50
60 1524	Chrome	Galvanized	—	—	125 57	WT366FC	1,327.00
72 1825	Chrome	Galvanized	—	—	130 59	WT367FC	1,493.50
96 2439	Chrome	Galvanized	—	—	185 84	WT369FC	1,689.00
60 1524	SS	—	SS	—	104 47	WT366US	1,410.50
72 1825	SS	—	SS	—	106 48	WT367US	1,527.00
96 2439	SS	—	SS	—	161 73	WT369US	1,790.50
60 1524	SS	—	—	SS	103 47	WT366HS	1,410.50
72 1825	SS	—	—	SS	107 49	WT367HS	1,527.00
96 2439	SS	—	—	SS	162 74	WT369HS	1,790.50

SS = Stainless Steel

Standard Worktables — 44" (1118mm) Wide



Worktable with H-Frame

Length (in.) (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
60 1524	SS	SS	—	—	136 62	WT446FS	1,820.50
72 1825	SS	SS	—	—	160 73	WT447FS	1,943.00
96 2439	SS	SS	—	—	202 92	WT449FS	2,308.00
60 1524	Chrome	Galvanized	—	—	136 62	WT446FC	1,466.00
72 1825	Chrome	Galvanized	—	—	160 73	WT447FC	1,637.00
96 2439	Chrome	Galvanized	—	—	202 92	WT449FC	1,842.50
60 1524	SS	—	SS	—	114 52	WT446US	1,557.50
72 1825	SS	—	SS	—	135 61	WT447US	1,670.00
96 2439	SS	—	SS	—	177 81	WT449US	1,937.00
60 1524	SS	—	—	SS	113 51	WT446HS	1,557.50
72 1825	SS	—	—	SS	136 62	WT447HS	1,670.00
96 2439	SS	—	—	SS	178 81	WT449HS	1,937.00

SS = Stainless Steel

Mobile Worktables — 17.20

All Mobile Worktables are 34" (864mm) high. Mobile units have special posts and four 5" (127mm) poly casters — 2 swivel/2 brake.

Mobile Worktables — 30" (760mm) Wide

Length (in.) (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
48 1219	SS	SS	—	—	105 48	MWT305FS	1,722.50
60 1524	SS	SS	—	—	160 73	MWT306FS	1,816.00
72 1825	SS	SS	—	—	182 83	MWT307FS	1,926.50
96 2439	SS	SS	—	—	226 103	MWT309FS	2,285.00
60 1524	Chrome	Galvanized	—	—	146 66	MWT306FC	1,275.50
72 1825	Chrome	Galvanized	—	—	180 82	MWT307FC	1,422.00
96 2439	Chrome	Galvanized	—	—	226 103	MWT309FC	1,652.00
48 1219	SS	—	SS	—	130 59	MWT305US	1,465.00
60 1524	SS	—	SS	—	139 63	MWT306US	1,560.50
72 1825	SS	—	SS	—	155 71	MWT307US	1,670.00
96 2439	SS	—	SS	—	201 91	MWT309US	1,922.00
60 1524	SS	—	—	SS	124 56	MWT306HS	1,560.50
72 1825	SS	—	—	SS	156 71	MWT307HS	1,670.00
96 2439	SS	—	—	SS	202 92	MWT309HS	1,922.00

SS = Stainless Steel



Mobile Worktable

Worktables with Overhead — 17.26

All Mobile Worktables with Overhead are 30" (760mm) wide and have rear posts that are approximately 88" (2235mm) high. Cantilever shelves for overhead models are sold separately (see page 160).

Length (in.) (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
60 1524	SS	SS	—	158 71	WTC306FS	1,641.00
72 1825	SS	SS	—	251 114	WTC307FS	1,760.50
96 2440	SS	SS	—	288 131	WTC309FS	2,112.50
60 1524	Chrome	Galvanized	—	214 97	WTC306FC	1,124.00
72 1825	Chrome	Galvanized	—	251 114	WTC307FC	1,272.00
96 2440	Chrome	Galvanized	—	288 131	WTC309FC	1,497.00
60 1524	SS	—	SS	196 89	WTC306US	1,394.50
72 1825	SS	—	SS	230 105	WTC307US	1,502.50
96 2440	SS	—	SS	267 121	WTC309US	1,748.50

All overhead models are fitted with stationary posts and leveling feet.
For overhead models in other sizes, contact your InterMetro representative.

SS = Stainless Steel



Shown with optional Cantilever Shelf and Spice Rack



Cantilever Shelves

Accessories for Worktables with Overhead — **17.26**

Cantilever Shelves for Overhead Models

All Cantilever Shelves are 12" (317mm) wide.

Length (in.) (mm)	Fits Units (in.)	Finish	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
54 1370	60 long	Chrome-Plated	12 5	1254CHC	103.00
60 1524	72 long & 96 long	Chrome-Plated	13 6	1260CHC	103.00
54 1370	60 long	Stainless	12 5	1254CHS	242.00
60 1524	72 long & 96 long	Stainless	13 6	1260CHS	242.00



Spice Rack

Spice Racks for Overhead Models

Inside Height (in.) (mm)	Inside Width (in.) (mm)	Inside Length (in.) (mm)	Fits Units (in.)	Finish	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
1 ⁵ / ₁₆ 48	4 ³ / ₈ 109	51 ⁹ / ₁₆ 1406	60 long	Chrome-Plated	7.7 3.5	654SRC	87.00
1 ⁵ / ₁₆ 48	4 ³ / ₈ 109	57 ⁹ / ₁₆ 1406	72 long & 96 long	Chrome-Plated	8.3 3.8	660SRC	91.50



Utility Hook

Utility Hook for Cantilever Shelves

Width/Height/Depth (in.) (mm)	Finish	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
3/8x3 ⁷ / ₁₆ x1 ¹¹ / ₁₆ 9x87x43	Chrome	0.1 .045	HK23C	5.10
3/8x3 ⁷ / ₁₆ x1 ¹¹ / ₁₆ 9x87x43	Stainless	0.1 .045	HK23S	9.50



3¹/₂" (89mm) Foot Plates
Cat. No. **9993HS**
List Price 31.00 each



Post Clamps
Cat. No. **9994HZ**
List Price 11.70 each



Deluxe Drawer

Accessories for All Work Tables — **17.20**

Economy Drawer

Overall Dimensions Width/Length/Height (in.) (mm)	Dimensions Inside Bottom (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
14 ¹ / ₄ x28 ⁵ / ₈ x5 ³ / ₄ 362x711x146	10x16 254x406	6.8 3.1	WTD21C	106.50

Deluxe Drawer

Overall Dimensions Width/Length/Height (in.) (mm)	Dimensions Inside Bottom (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x25 ³ / ₄ x7 ¹ / ₂ 610x654x191	20x20 508x508	31 13.9	WTD51S	702.50

Ice Cart — **13.37**

Features unique patented multi-position lid which opens to 19¹/₂"x12" (495x305mm). Double wall and deep insulation will hold ice for extended periods. Rust and corrosion-proof polymer construction. Large rear wheels and front swivel casters for easy mobility.

Width/Depth/Height (in.) (mm)	Capacity (lbs.) (kg)	Casters	Cat. No.	List Price Each
22 ¹ / ₂ x28 ¹ / ₄ x33 ¹ / ₂ 572x718x851	125 57	8" (203mm) rear; 5" (127mm) front (1 locking)	IC125	815.50

Ice Cart



Take advantage
of our layout and
design services.

> "SPACE AUDITS" TO MAXIMIZE YOUR STORAGE POTENTIAL

We'll measure your space, assess your storage needs and generate a quotation and detailed drawings.

> PRODUCT PLANNING AND ROOM LAYOUT

Our team of architectural consultants are ready to support your room layout needs with computer aided drafting. Our drawings take the guess work out of the planning process.

> PROJECT QUOTING AND MANAGEMENT

Whether your Metro storage needs are small or you are stocking a complete facility, together our Sales Professionals and their Sales Support and Customer Service teams will work with you to ensure your project is a success.

> 3D PRODUCT AND APPLICATION VISUALIZATION

With state-of-the-art computer generated imagery, Metro's Sales Support team can help you visualize our products in your space or future space....

Start the
process today.

Log on to
www.metro.com
to locate a
representative
near you.



WARE HANDLING

“Poker Chip” Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handing Racks/Carts & Accessories.....	177

Polymer “Poker Chip” Dish Dollies

DELIVERING ADJUSTABILITY, VARIETY & PROTECTION



Adjustable towers offer maximum versatility.

Recessed handles for better maneuverability and efficient storage.

One-piece, sturdy polymer construction is extremely durable and easy to clean.

Standard 5" (127mm) neoprene swivel casters (two with brakes) for easy maneuverability.

PCD11A





Plate sizes 9 5/8" – 11 3/4"
4 Columns (60 per)

*Capacity 240



4 1/4" – 4 5/8"
8 Columns (40 per)

7 1/2" – 9 1/2"
2 Columns (60 per)




Plate sizes 4 1/4" – 4 5/8"
16 Columns (40 per)

*Capacity 640

*Varies on china shape & thickness.

Usable column height is 20"



PCD9 shown with
glass rack
(Glass rack not included.)

EFFICIENCY, STYLE & AGILITY AT YOUR FINGERTIPS

- Built-in Microban® Antimicrobial Product Protection.
- “Fixed Position” PCD’s are designed to hold 5", 7", 8", 9", 11" or 12" plates securely in place.
- Versatile design allows transport of glass racks.

Side-Load Dish and Tray Carts

- Perfect for holding a variety of different sized dishes, odd-shaped platters and trays.
- New recessed handles increase maneuverability and make transport effortless.
- One-piece, sturdy polymer construction with built-in drain holes promote cleanability.



Model DSD11
shown with optional
divider accessory A110

Model SSD16
shown with optional
divider accessory A110



Inhibits the growth of stain and odor causing bacteria. Microban does not protect users from food borne illness.
Normal cleaning practices should be maintained. Microban is a registered trademark of Microban Products Company.



Adjustable Polymer "Poker Chip" Dish Dollies — 16.21 (with *Microban® Antimicrobial Product Protection)

Unique design utilizing adjustable, removable towers provides total flexibility and maximum loading density. Two-handed access to all dish columns means easy retrieval and reduced chance of dish breakage. Handle dish sizes from 4¹/₄" (108mm) to 11³/₄" (298mm) in diameter.



PCD11A

- High-density polymer shell is resistant to cracking, peeling, and chipping. Smooth surfaces prevent snags.
- Square compact design allows for maximum space utilization and stores conveniently under counters, out of the way.
- Standard 5" (127mm) neoprene swivel casters (two with brakes) for easy maneuverability.
- Vinyl dust cover included.
- NSF listed.

Width/Height/Depth (in.)	Width/Height/Depth (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
26 ⁵ / ₈ x31 ¹⁵ / ₁₆ x26 ⁵ / ₈	676x812x676	65	30	PCD11A	1,293.00

Protective cover is standard.

Accessories

Description	Model	List Price Each
4 Additional Dividers	AD11A	180.00
Additional Cover	PCDV11A	80.50

Metro Tip:

Adjustable Poker Chip Dish Dollies are perfect for carrying multiple-size dishes, or if you're not sure of the sizes you will be using.

Polymer "Poker Chip" Dish Dollies — 16.23

(with *Microban® Antimicrobial Product Protection)

Two-handed dish access for easy retrieval and less chance of breakage.

- Chip-resistant polymer shell has snag-proof surface.
- Space efficient square design stores out of the way under counters.
- Standard 5" (127mm) neoprene swivel casters (two with brakes) provides easy maneuverability.
- Vinyl dust cover included.
- NSF listed.

Metro Fact:

Poker Chip Dish Dollies are enhanced with built-in Microban® antimicrobial product protection, which protects the product from bacteria, mold, mildew and fungi that cause odors, stains and product degradation.

Width/Height/Depth (in.)	No. of Dish Columns	Approx. Dish Capacity Per Column*	Total Approx. Dish Capacity*	Maximum Dish Size (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Blue**	List Price Each	
24 ¹ / ₁₆ x31 ¹⁵ / ₁₆ x24 ¹ / ₁₆	6	12	72	5 ⁵ / ₈	143	61	27	PCD5	920.50
27 ¹³ / ₁₆ x31 ¹⁵ / ₁₆ x27 ¹³ / ₁₆	9	40-60	360-540	6 ⁷ / ₈	175	72	32	PCD7	920.50
21 ¹ / ₂ x31 ¹⁵ / ₁₆ x21 ¹ / ₂	5	60	300	8 ¹ / ₄	210	51	22	PCD8	920.50
23 ¹⁵ / ₁₆ x31 ¹⁵ / ₁₆ x23 ¹⁵ / ₁₆	4	60	240	9 ¹ / ₂	241	56	25	PCD9	920.50
26 ¹⁵ / ₁₆ x31 ¹⁵ / ₁₆ x26 ¹⁵ / ₁₆	4	60	240	11	279	65	29	PCD11	920.50
30 ¹ / ₈ x31 ¹⁵ / ₁₆ x30 ¹ / ₈	4	60	240	12 ⁵ / ₈	321	70	32	PCD12	920.50

*Loading capacity dependent upon china shapes and thickness.

Protective cover is standard. For additional covers, see accessories below.

**For True Blue color add "TB" to Cat. No. i.e.: PCD12TB.



PCD9

Accessories

Description	Model	List Price Each
Additional Cover for PCD5	PCDV5	80.50
Additional Cover for PCD7	PCDV7	80.50
Additional Cover for PCD8	PCDV8	80.50
Additional Cover for PCD9	PCDV9	80.50
Additional Cover for PCD11	PCDV11	80.50
Additional Cover for PCD12	PCDV12	80.50

Metro Tip:

Two-handed access to all dish columns provides for safer loading and unloading. Dollies have four swivel casters for maneuvering in and out of tight quarters.

☛ Indicates antimicrobial product.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



SSD16 shown with optional Divider Accessory A110



DSD11 shown with optional Divider Accessory A110



D2020N

CBH2121C
Dish Rack Dolly (Racks not included)

D2121C

Draining Grate

Outside Dimensions Width/Length (in.) (mm)	12 Pieces Per Package Approx. Pkd. Wt. (lbs.) (kg)	List Price Each
8 1/4 x 10 1/2 209x266	11 4.9	6511DR 19.00
Cat. No.		
10 1/8 x 18 256x457	22 9.9	6517DR* 30.00
16 1/2 x 24 1/2 419x622	28 12.6	6518DR† 43.00

*Fits 12" x 20" (305x508mm) pan (#200).

†Fits 18" x 26" (457x660mm) baking sheet.



Draining Grate

Indicates antimicrobial product.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



Dry it.

MetroMax i® Drying Rack Unit — 9.31

- Allows superior air circulation and fast drying of trays, pans, lids, pots and all pot sink items.
- Promotes food safety by eliminating moisture. Offers an efficient organized drying area.
- Includes two drop-ins (Cat. No. DR48S) and one cutting board/tray drying rack (Cat. No. MTR2448XE).

Stationary Unit

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
24 610	48 1219	75½ 1917	106 49	PR48X3	1,617.50

Mobile Unit

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
24 610	48 1219	69 1752	106 49	PR48VX3	1,899.50

*Note: Includes two 5PCX swivel casters and two 5PCBX swivel casters with brakes.



MetroMax i® Drying Rack Unit



Drop-in Racks



Cutting Board and Tray Drying Rack

Stainless Steel Drop-in Racks — 9.25

- Open wire design provides air flow to safely dry pots, pans, and containers
- To create a storage level with a stainless drop-in order one Drop-in rack, one Four-sided MetroMax i® frame, and one MetroMax i® center beam.
- Can be retrofitted to existing MetroMax i® shelves. Simply remove the mats and drop in the stainless drying rack.
- Center beams: RPMX36-CBEAM, RPMX48-CBEAM, RPMX60-CBEAM.

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Wire Spacing (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24 610	33⅞ 854	5¼ 133	¾ 19	9 4.1	DR36S	243.00
24 610	45⅞ 1156	5¼ 133	¾ 19	12 5.4	DR48S	292.00
24 610	57⅞ 1458	5¼ 133	¾ 19	15 6.8	DR60S	350.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q.

Cutting Board and Tray Drying Rack — 9.25

- Rack is mounted to standard MetroMax i® or MetroMax Q shelf.
- Promotes safe air drying of cutting boards and trays.
- 1⅛" (28mm) and 3" (76mm) slide spacing available.

Fits Shelf (in.) (mm)	Upright Spacing (in.) (mm)	Upright Height (in.) (mm)	Tray Capacity	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
24x36 457x914	1⅛ 28	6 150	24	13.5 6.1	MTR2436XE	88.50
24x48 457x1219	1⅛ 28	6 150	34	18.0 8.2	MTR2448XE	107.50
24x60 457x1524	1⅛ 28	6 150	42	22.5 10.2	MTR2460XE	124.00
24x36 457x914	3 76	6 150	10	9.8 4.4	MTR2436XEA	83.50
24x48 457x1219	3 76	6 150	14	13 5.9	MTR2448XEA	101.00
24x60 457x1524	3 76	6 150	17	16.3 7.4	MTR2460XEA	119.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.

Pot and Pan Rack

List Price Description	Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	(amt.)	Casters (type)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	Each
Solid Embossed	24 610	48 1219	68 1727	2	5MP 5MPB	125 56	PR48ES	1,792.00
Solid Embossed	24 610	60 1524	68 1727	2	5MP 5MPB	153 66	PR60ES	2,084.00



Pot and Pan Rack



HOUSEKEEPING & SPECIALTY

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197

Metro Lodgix™ Housekeeping Carts — 31.01

Designed to adapt as housekeeping requirements change. Aesthetic appearance presents an upscale image for any facility. Polymer construction means low maintenance and long life.

- **Flexible, Modular Design:** Designed to be upgradable in the field. Additional storage, locking doors and locking top shroud can be easily added in the field using simple hand tools.
- **Polymer Construction:** Will not rust, corrode, dent, flake, chip, or peel and is friendly to walls, doors and furnishings for lower maintenance costs.
- **8" (203mm) Wheels Standard:** Non-marking wheels are easy to maneuver over any floor surface.
- **"Natural Grip" Handle Design:** Positions hands properly for ease of use and less fatigue.



Metro® Transfer/
Exchange Cart

Storage



Metro® Amenity
Pick Station

Transport to Floor Closet



Metro® Transfer/
Exchange Cart

Stock Housekeeping Cart
from Supply Closet
or Exchange Carts



Lodgix™
Housekeeping Cart

Collect, Sort and Transport
Soiled Linen



Metro® Lodgix™
Houserunner Cart

Wash, Dry, Press,
Fold and Stack



MetroTrux™ Convertible
Linen Truck

- **Unique, "Hookless" Bag Mounting Method:** Provides a convenient method for securing polyliners.
- **Bottom Shelf and Top Handle:** Combine to hold brooms, vacuum cleaner, or waste receptacle (with optional waste container bracket).
- **Integrated Paper Management System:** Convenient storage for menus, directories, etc.
- **Options and Accessories:***

Under Deck Vacuum Bracket	Locking Top Shroud
Under Deck Glass Rack Holder	Center Compartment Shelf
Roller, Corner Bumpers	End Compartment Shelf
Side Storage Kit	Waste Can Bracket
Locking Door for Side Storage	

*All options and accessories can be added in the field.

Metro Lodgix™ Housekeeping Carts — 31.01

Description	Exterior Dimensions			Shelf Capacity	Approx. Pkd. Wt.	List Price Each
	Length (in.) (mm)	Width (in.) (mm)	Height (in.) (mm)	cu. ft. cu. m.	(lbs.) (kg)	Cat. No.
Metro Lodgix™ Essentials Standard Height	60 1524	22 559	42 1067	9.8 0.27	82 37.2	LXHK3-ESS 876.00
Metro Lodgix™ Plus Standard Height	60 1524	22 559	42 1067	13.4 0.37	112 50.8	LXHK3-PLUS 1,229.00
Metro Lodgix™ Pro Standard Height	60 1524	22 559	55 1397	13.4 0.37	132 59.9	LXHK3-PRO 1,554.00
Metro Lodgix™ Essentials Tall Height	60 1524	22 559	51 1295	13.1 0.37	96 43.5	LXHK4-ESS 999.00
Metro Lodgix™ Plus Tall Height	60 1524	22 559	51 1295	17.9 0.51	134 60.8	LXHK4-PLUS 1,384.00
Metro Lodgix™ Pro Tall Height	60 1524	22 559	64 1626	17.9 0.51	157 71.2	LXHK4-PRO 1,717.00

*Tall carts come standard with two center shelves.

Top Shroud adds 13" (330mm) to total height of cart.



Metro Lodgix™ Essentials



Metro Lodgix™ Plus



Metro Lodgix™ Pro

Options and Accessories

Description	Approx. Pkd. Wt.	List Price Each
	(lbs.) (kg)	Cat. No.
Roller, Corner Bumpers	1.25 0.56	LXHK-4CB 56.00
Under Deck Vacuum Holder	1 0.45	LXHK-VH 56.00
Under Deck Glass Rack Holder/Shelf	10.5 4.8	LXHK-UGRH 111.00
Center Compartment Adjustable Shelf	6.25 2.8	LXHK-AS 77.00
Locking Top Shroud	17 7.7	LXHK-TS 239.00
Side Storage Kit – Standard height carts	15.5 7.0	LXHK3-SSK 205.00
Side Storage Kit – Tall Carts	18.5 8.4	LXHK4-SSK 287.00
Side Storage Shelf	4.5 2.0	LXHK-SS 43.00
Locking Door Kit for Side Storage – Standard Height Carts	3.5 1.6	LXHK3-SDK 111.00
Locking Door for Side Storage – Tall Carts	4.5 2.0	LXHK4-SDK 117.00
Waste Can	6 2.7	LXHK-WCAN 118.50
Waste Can Holder – Standard Height Carts	1 0.45	LXHK3-WCH 26.00
Waste Can Holder – Tall Carts	2 0.91	LXHK4-WCH 43.00
Vinyl-Coated Nylon Laundry Bag – Standard Height Carts	2 0.91	LXHK3-NB 62.50
Vinyl-Coated Nylon Laundry Bag — Tall Carts	2.5 1.13	LXHK4-NB 69.50
3" (76mm) Large Capacity Tote (6 per carton)*	9 4.1	TB92035NAT-LX 19.50
6" (152mm) Large Capacity Tote (4 per carton)*	9.32 4.3	TB92060NAT-LX 22.00

*Items must be purchased in carton quantities to avoid a broken lot charge.



Lockable Side Storage Door



Lockable Top Shroud



Under-Deck Glass Rack Holder



Waste Can Bracket



Under-Deck Vacuum Bracket
(Shown with optional bumpers)



Large Capacity Totes

Helpful Hint:

Make it easier for your cart to go over thresholds and take outdoors by adding pneumatic casters!

Just add "-P" to the Catalog No. and \$359.00 to the list price.

Metro Lodgix™ Houserunner Carts — 31.10

Versatile product designed to support the housekeeping function. Useful for the collection of bulk soiled linens as well as the restocking of housekeeping carts.

- Three models to fit a variety of needs.
- Easy to Clean design promotes sanitary operation.
- Bottom Shelf Supports laundry bag and helps contain spills. Bottom shelf on Plus and Pro models conveniently holds glass racks.
- Extra Shelves on Pro model expand the use of the Houserunner cart to that of a resupply cart.
- Corner Bumpers standard on all Houserunner Carts.



Metro Lodgix™ Houserunner Essentials
Basic collection cart featuring 7-bushel nylon laundry bag, solid bottom shelf and 5" (127mm) casters (two swivel, two rigid).

Metro Lodgix™ Houserunner Plus
All the features of the Essentials Cart plus the addition of a second open wire shelf for added capacity. Shelf can hold a standard glass rack.

Metro Lodgix™ Houserunner Pro
Pro model adds more capacity with a larger bottom shelf (24"x36" [610x914mm]) and the addition of two 12"x24" (305x610mm) adjustable shelves.

Description	Exterior Dimensions			Capacity Bu.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
	Length (in.) (mm)	Width (in.) (mm)	Height (in.) (mm)				
Metro Lodgix™ Houserunner Essentials	24 610	24 610	33 838	7	39 17.7	LXHR-ESS	429.00
Metro Lodgix™ Houserunner Plus	24 610	24 610	39 991	7	52 23.6	LXHR-PLUS	498.00
Metro Lodgix™ Houserunner Pro	36 914	24 610	39 991	7	64 29.0	LXHR-PRO	704.50

Options and Accessories

Description	Approx. Pkd. Wt. (lbs.) (kg)	Model No.	List Price Each
Vinyl-coated Nylon Laundry Bag	2 0.91	LXHR-NB	89.50



Folding/Laundry Station

Folding/Laundry Stations

Can be assembled by ordering the individual components shown below.

As shown:

Description	Qty.	Cat. No.	List Price Each
Posts for Stem Casters	4	33UP	18.50
Stem Casters — Rigid	2	5MDRA	36.50
Stem Casters — Brake	2	5MDBA	36.50
Super Erecta® Stainless Solid Shelf	1	2448FS	334.00
Super Adjustable Super Erecta® Wire Shelf	1	A2448NC	100.00

Valet/Laundry or
Special Delivery Cart — **31.54**

Specially designed cart works both as a Laundry/Valet Cart for special garment cleaning requests or as a Valet Delivery Cart for special deliveries.

- Organized storage and transport cart provides both shelf and hanging storage. Lightweight cart is quick to the task leaving luggage carts for heavy-duty deliveries.
- Maneuverable: Five-inch (127mm) swivel casters, two with brakes, make the cart glide easily over all floor surfaces.
- Cart construction and finish: Super Erecta® construction with Brite™ chrome finish on post and shelves.



Standard Model #HVDC2448 on stem casters with 24" (610mm) intermediate shelves.

Style	Width (in.) 610	Length (in.) 1219	Coat Hanger Tube Length (in.) 610	Shelf Length (in.) 610	No. of Dividers 8	Cat. No. HVDC2448	List Price Each 1,073.50
Standard	24	48	24	24	8		

Covers* for Valet/Laundry Special Delivery Cart

Finish	Color*	Approx. Pkd. Wt. (lbs.) 4	Cat. No. Zippered Closure 24X48X62UC	List Price Each 181.00	Cat. No. Velcro Closure 24X48X62VUC	List Price Each 191.50
Uncoated	White	4	24X48X62UC	181.00	24X48X62VUC	191.50
Coated	White	4	24X48X62C	268.50	24X48X62VC	281.50
Uncoated	Mariner Blue	4	24X48X62UCMB	181.00	24X48X62VUCMB	191.50
Coated	Mariner Blue	6	24X48X62CMB	268.50	24X48X62VCMB	281.50

*Other colors available. Custom pricing applies.

Material – Coated Covers

#20 BeCheck: heavyweight, non-abrading, wipes clean, bacteria resistant, anti-static, flame retardant.


Material – Uncoated Covers

White: Polyester Spun Filled – heavyweight, durable and flexible.

Mariner Blue: 200 Denier Nylon – lightweight, flexible, can be machine washed.



Cover on Valet Cart



Tote Storage Cart

Tote Storage Cart(Slanted Dispenser Racks) — **31.50**

- Tote storage carts can hold up to twenty 10" (254mm) wide totes.
- Slanted shelves add visibility and accessibility. Loading is quick, easy and organized.
- Open-wire construction and slope of shelves permit instant identification.
- Shelves are adjustable at 1" (25mm) intervals along the height of the post.
- 5" (127mm) casters add mobility, while brakes lock firmly in position.

Shelves	Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Each Price
Four Slanted Shelves	24 610	60 1524	103 46.3	DC15EC	952.50
One Flat Top Shelf (Pkg. of 12 dividers)					
Five Slanted Shelves (Pkg. of 12 dividers)	24 610	60 1524	112 50.4	DC16EC	988.00
Four Slanted Shelves One Flat Top Shelf	36 914	60 1524	95 42.7	DC35EC	1,013.00
Five Slanted Shelves	36 914	70 1778	104 46.8	DC36EC	1,060.50
Four Slanted Shelves One Flat Top Shelf	48 1219	60 1524	112 50.4	DC55EC	1,073.50
Five Slanted Shelves	48 1219	70 1778	123 55.3	DC56EC	1,119.50

Additional Shelves

Additional shelves are 18" (457mm) wide.

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24 610	10.5 4.7	1824DNC	93.00
36 914	14 6.3	1836DNC	107.50
48 1219	18 8.1	1848DNC	118.50

Additional Retainer

Keeps different types of merchandise separate and in order.

Size Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
4x17 102x432	8 3.6	DCR17C	14.00

Plastic Shelf MarkerSnaps over shelf edge. Holds labels 3"x1 1/4"
(75x32mm).

Size Width/Length (in.) (mm)	Cat. No.	List Price Each
3x1 1/4 75x32	9990P	4.40

Metro Tip:
Use the Tote Storage Cart to organize baskets for housekeepers prior to their shift.

Amenity Pick Station — 31.50

- Organization eliminates hidden, forgotten stock. Pick station allows easy access for storage and dispensing.
- Pick stations available in 24" (610mm) and 30" (760mm) depths with back-up storage area below work surface.
- Work surface area features a raised “ship’s edge” on all four sides to contain accidental spills.
- Top slanted shelves provide easy access to amenities.
- 72" (1829mm) overall height.
- 36" (914mm) countertop height.
- Counter units also available. See page 37.

Width (in.) (mm)	Length (in.) (mm)	Cat. No.	List Price Each
24 610	48 1219	SWHPS2448	1,148.00
24 610	60 1524	SWHPS2460	1,252.00
30 760	48 1219	SWHPS3048	1,349.50
30 760	60 1524	SWHPS3060	1,476.00



Amenity Pick Station

Slanted Shelf Carts — 31.05

Shelves slant backwards to keep items secure during transport.

Width/Length (in.) (mm)	Height (in.) (mm)	No. of Shelves	Casters	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x36 610x914	62 1575	3	2-BL6P, 2-6P	Heavy-Duty	140 63	AST35MC	1,798.00
24x48 610x1219	62 1575	3	2-BL6P, 2-6P	Heavy-Duty	162 72.4	AST55MC	1,864.00
24x60 610x1524	62 1575	3	2-BL6P, 2-6P	Heavy-Duty	187 84.1	AST65MC	1,965.50
24x36 610x914	59 1500	3	4-5MP Casters	Standard-Duty	105 47.2	AST35DC	958.00
24x48 610x1219	59 1500	3	4-5MP Casters	Standard-Duty	125 56.2	AST55DC	1,078.00
24x60 610x1524	59 1500	3	4-5MP Casters	Standard-Duty	150 67.5	AST65DC	1,151.00

Additional Slanted Shelves

Width/Length (in.) (mm)	Approx. Pkd. Wt. (in.) (mm)	Cat. No. Chrome	List Price Each
24x36 610x914	13 6	SLT2436NC	120.00
24x48 610x1219	17 8	SLT2448NC	141.00
24x60 610x1524	22 10	SLT2460NC	151.50





HOLD. TRANSPORT. ORGANIZE .

THE MINI BAR RESTOCKING CART AN ADVANCED SOLUTION DESIGNED FOR ALL YOUR MINI BAR RESTOCKING SUPPLIES.

MANEUVERABLE:

- Four 5" (127mm) diameter casters (2 directional, 2 with brake), provide easy maneuverability, control and stability.

STORAGE CAPACITY:

- Recessed side storage areas hold three (3) tilt-out bins on the right and one (1) tilt-out bin and wastebasket on the left side.
- A total of 27" (686mm) of drawer space provides ample room for beverage cans, juice and water bottles.

SECURED SUPPLIES:

- Key lock on right side protects valuable supplies in all drawers and right side tilt-out bins from loss or pilferage.

DURABLE CONSTRUCTION:

- Sturdy polymer construction is extremely easy to clean, and is resistant to cracking, peeling or chipping.
- Full extension drawers have self-closing ball bearing slides to provide easy access to all supplies.
- Spacious work surface provides a smooth writing surface or ample space for prep work.

SANITARY:

- Smooth, rounded corners and seamless cart surfaces simplify cleaning.

ATTRACTIVE:

- The clean modern design complements any environment.

MICROBAN® ANTIMICROBIAL PRODUCT PROTECTION:

- Advanced polymer construction has built-in Microban® Antimicrobial Product Protection which inhibits the growth of bacteria, mold, mildew, and fungi that cause odors, stains, and product degradation.



Width/Depth/Height (in.)	Width/Depth/Height (mm)	Weight (lbs.)	Weight (kg)	Drawers	Wastebasket	Tilt-out Bins	Drawer Divider Kit	Cat. No.	List Price Each
33x22x42	838x559x1067	125	57	(3) 6" (152mm) (1) 9" (229mm)	X	3 (Right) 1 (Left)	1*	FLMB1	2,477.50
33x22x42	838x559x1067	125	57	(1) 3" (76mm) (1) 6" (152mm) (2) 9" (229mm)	X	3 (Right) 1 (Left)	1*	FLMB2	2466.50

*Divider Kit is for one 6" (152mm) or one 9" (229mm) drawer.

Accessories

Description	Model	List Price Each
3" (76mm) Drawer Divider Kit	FL113	102.00
6"/9" (152/229mm) Drawer Divider Kit	FL116	106.00
Touch Pad Electronic Lock (No Display)*	FL410	556.50

*Touch Pad Electronic Locking/Unlocking option is available. Please contact your local Metro Representative.



inhibits the growth of stain and odor causing bacteria. Microban does not protect users from food borne illness. Normal cleaning practices should be maintained. Microban is a registered trademark of Microban Products Company, Huntersville, NC.



Convertible Linen Trux



Bulk Trux



CLTH2460C

Standard-Duty Cart
(shown with optional slides and tote boxes)**MetroTrux™ Convertible Linen Truck — 31.42**

Exclusive integral, convertible shelving system in a polymer truck.

- Two folding shelves can be positioned horizontally or vertically to produce three different configurations: horizontal shelves for bulk items or linens; vertical for collecting and transporting bulk materials; and with lower shelf flipped up and out for easy loading and unloading.
- Advanced polymer design will not dent, rust or corrode.

Width/Length (in.)	Height (mm)	6" (152mm) Casters	Description	Cat. No.	List Price Each
28 ¹ / ₄ x48	718x1219	68 ¹ / ₄ 1734	4 swivel	48 cu. ft. (1.36 cu. m) capacity	CLT48 2,073.00
28 ¹ / ₄ x48	718x1219	68 ¹ / ₄ 1734	2 rigid; 2 swivel	48 cu. ft. (1.36 cu. m) capacity	CLT48A 2,073.00

MetroTrux™ Bulk Truck — 31.42

The perfect solution for storing and transporting bulky, hard-to-handle items, such as bagged dirty laundry. Advanced polymer design will not dent, rust or corrode.

Width/Length (in.)	Height (mm)	6" (152mm) Casters	Description	Cat. No.	List Price Each
28 ¹ / ₄ x48	718x1219	68 ¹ / ₄ 1734	4 swivel	48 cu. ft. (1.36 cu. m) capacity	BT48 1,489.50
28 ¹ / ₄ x48	718x1219	68 ¹ / ₄ 1734	2 swivel; 2 rigid	48 cu. ft. (1.36 cu. m) capacity	BT48A 1,489.50

Note 1: Standard color for Bulk and Convertible Linen Trux is charcoal blue.

Note 2: Drain holes are standard on Bulk and Convertible Linen Trux. If drain holes are not desired, indicate at time of order.

Accessories

Description	Model	List Price Each
Wheel Brake Accessory	MTWB	59.00
Swivel Lock Accessory	MTSL	100.00

Convertible Linen Truck — 31.12

Versatile construction allows folding shelves to be positioned horizontally or vertically to configure 3 different truck positions.

- Brake Lock/Swivel Lock combination casters increase flexibility.
- Open-wire design maximizes air circulation and visibility.

Shelf Size Width/Length (in.)	Height (in.)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
Standard-Duty — Chrome						
24x48	610x1219	70 1778 CLT with 3-sided top frame	180	82	CLTS2448C	2,623.00
24x60	610x1524	70 1778 CLT with 3-sided top frame	200	91	CLTS2460C	2,862.00
Standard-Duty — Stainless Steel						
24x60	610x1524	70 1778 CLT with 3-sided top frame	169	77	CLT2460S	4,878.50
Heavy-Duty — Chrome						
24x60	610x1524	70 1778 CLT with 3-sided top frame	241	109	CLTH2460C	3,239.00

Material: Chrome Models: Chrome-plated steel dolly and aluminum tubes. Stainless Steel: Stainless steel dolly and aluminum tubes.

Note 1: Casters on above units consist of two 6P and one pair BL6P, 8P and BL8P available on special order.

Note 2: Before employing any of various cart-washing systems, please contact InterMetro Industries Corporation or your Metro representative for special recommendations on casters and for cleaning instructions.

Accessories

Description	Model	List Price Each
Card Holder	CLCHC	20.00
Push Handle	PH24NC	29.50

Transfer/Exchange Carts — 31.56

- Slanted shelves have 2" (50mm) slant front to back to reduce loss or breakage of items during transport.
- Standard-Duty: mounted on four 5" (127mm) stem casters.
- Heavy-Duty: mounted on aluminum dolly with bumper, two 6" (152mm) swivel casters and one set of brake lock/swivel lock casters.

Description	Width (in.)	Length (mm)	Height (in.)	No. of Shelves	Casters	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Each Price	
Heavy-Duty	24	610	36 914	62	1575	3	2-BL6P, 2-6P	140	64	AST35MC 1,798.00
Heavy-Duty	24	610	48 1219	62	1575	3	2-BL6P, 2-6P	162	73	AST55MC 1,864.00
Heavy-Duty	24	610	60 1524	62	1575	3	2-BL6P, 2-6P	187	84	AST65MC 1,965.50
Standard-Duty	24	610	36 914	59	1495	3	4-5MP	105	47	AST35DC 958.00
Standard-Duty	24	610	48 1219	59	1495	3	4-5MP	125	56	AST55DC 1,078.00
Standard-Duty	24	610	60 1524	59	1495	3	4-5MP	150	66	AST65DC 1,151.00

For cart handles, tote box slide accessories, and covers see pages 47, 57, 61 and 189.

MetroTotes Divider Box Line — 16.64

Metro's Divider Tote Box Line offers safe and efficient storage of items in bulk, or in compartmentalized fashion with the use of optional dividers. Manufactured of polypropylene material, these injection-molded totes are available in white and can be stored and transported in a variety of standard Metro products (e.g. PT Slide Trucks, Super Slide System, etc.).

Outside Dimensions (includes lip) Length x Width (in.) (mm)	Inside Dimensions Length x Width (in.) (mm)	Height O.D. (in.) (mm)	I.D.* (in.) (mm)	Capacity (cu. ft.) (cu. m.)	Approx. Tote Box Wt. (lbs.)	Cat. No.	List Price Each
10 ⁷ / ₈ x8 ¹ / ₄ 276x210	9 ¹ / ₈ x6 ¹ / ₂ 232x165	3 ¹ / ₂ 89	3 76	.10 0.003	.77	MTB91035W	22.50
16 ¹ / ₈ x10 ⁷ / ₈ 419x276	14 ⁷ / ₈ x9 ¹ / ₄ 378x235	3 ¹ / ₂ 89	3 76	.24 0.007	1.5	MTB92035W	33.50
16 ¹ / ₈ x10 ⁷ / ₈ 419x276	14 ⁷ / ₈ x9 ¹ / ₄ 378x235	6 152	5.5 140	.44 0.012	2.33	MTB92060W	36.50
22 ¹ / ₂ x17 ¹ / ₂ 572x445	20 ¹ / ₄ x15 ¹ / ₈ 514x384	3 76	2.5 64	.44 0.017	2.57	MTB93030W	54.00
22 ¹ / ₂ x17 ¹ / ₂ 572x445	20 ¹ / ₄ x15 ¹ / ₈ 514x384	5 127	4.5 114	.79 0.02	4.0	MTB93050W	55.00
22 ¹ / ₂ x17 ¹ / ₂ 572x445	20 ¹ / ₄ x15 ¹ / ₈ 514x384	6 152	5.5 140	.97 0.027	4.0	MTB93060W	61.00
22 ¹ / ₂ x17 ¹ / ₂ 572x445	20 ¹ / ₄ x15 ¹ / ₈ 514x384	8 203	7.5 191	1.32 0.037	5.25	MTB93080W	73.00
22 ¹ / ₂ x17 ¹ / ₂ 572x445	20 ¹ / ₄ x15 ¹ / ₈ 514x384	12 305	11.5 292	2.03 0.057	6.67	MTB93120W	87.50

*Loading height restrictions when using covers or stacking totes.



MetroTote Accessories — 16.64

Covers and Dividers

For Tote Box	Insert Cover	List Price Each	Dividers	List Price Each	Maximum Tote
MTB91035W	CI91000CLR	9.50	Short MDS91035NAT	4.60	7
			Long MDL91035NAT	5.20	5
MTB91060W	CI91000CLR	9.50			
MTB92035W	CI92000CLR	11.50	Short MDS92035NAT	5.20	11
			Long MDL92035NAT	5.70	7
MTB92050W	CI92050CLR	16.00	MDS92050NAT		11
MTB92060W	CI92000CLR	11.50	Short MDS92060NAT	5.70	11
			Long MDL92060NAT	6.80	7
MTB93030W	CI93000CLR	11.00	Short MDS93030NAT	9.10	15
			Long MDL93030NAT	9.10	11
MTB93060W	CI93000CLR	11.00	Short MDS93060NAT	9.10	15
			Long MDL93060NAT	9.10	11
MTB93080W	CI93000CLR	11.00	Short MDS93080NAT	9.10	15
			Long MDL93080NAT	10.20	11
MTB93120W	CI93000CLR	11.00	Short MDS93080NAT	9.10	15
			Long MDL93080NAT	10.20	11
MTB95050W					

Snap-On Card Holder Clear vinyl with clear window.

Size (in.)	(mm)	Cat. No.	List Price Each
4 ¹ / ₂ x8	114x199	OP2501CLR	4.50
2 ¹ / ₁₆ x5	76x127	OP2535CLR	4.50

Stacking Bins

Injection molded from polypropylene base material in natural gray color. All sizes have an open hopper front for easy access to contents and a slot on the back for use on bin holder bars.

Length (in.) (mm)	Width (in.) (mm)	Height (in.) (mm)	Carton Qty.*	Est. Carton Wt. (lbs.)	Cat. No. Natural Polypropylene
8 203	3 ¹ / ₂ 89	4 ¹ / ₈ 105	48	39	SB90835NAT
7 ³ / ₈ 187	4 ¹ / ₈ 105	3 76	48	36	SB90743NAT
10 ⁷ / ₈ 276	5 ¹ / ₂ 140	5 127	24	25	SB91055NAT
14 ³ / ₄ 375	8 ¹ / ₄ 210	7 179	12	18	SB91587NAT
14 ³ / ₄ 375	16 ¹ / ₂ 419	7 179	6	18	SB91516NAT



*Items must be purchased in carton quantities to avoid a broken lot charge.

**Pricing based on quantity ordered. Please consult your Metro representative.



3KR366FC Keg Handling Rack



WC257C Cradle Shelving



WB257C Bulk Shelving

HD Super™ Beer Keg Handling Racks — 10.70

Withstands the heavy load of full kegs and the repeated impact of being loaded and unloaded. Doubles storage capacity and provides a neat, orderly way to store kegs for easier inventory and stock rotation.

- Constructed of sturdy HD Super™ components, with $1\frac{5}{8}$ " (41mm) diameter posts.

Shelf Length/Height (in.) (mm)	Shelves*	Keg 1/2 Barrel Storage Capacity	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
42x56 $\frac{1}{8}$ 1067x1424	2-D	4	118 53.1	2KR345DC	1,601.50
60x56 $\frac{1}{8}$ 1524x1424	2-D	6	147 66.1	2KR365DC	1,837.00
42x56 $\frac{1}{8}$ 1067x1424	1-D	4	87 39.1	KR345DC	1,226.00
60x56 $\frac{1}{8}$ 1524x1424	1-D	6	104 46.8	KR365DC	1,364.00
42x64 $\frac{1}{8}$ 1067x1628	1-D, 2-S	2	121 54.4	3KR346FC	1,721.50
60x64 $\frac{1}{8}$ 1524x1628	1-D, 2-S	3	151 67.9	3KR366FC	2,065.50
42x64 $\frac{1}{8}$ 1067x1628	1-D, 1-S	4	112 50.4	2KR346MC	1,666.00
60x64 $\frac{1}{8}$ 1524x1628	1-D, 1-S	6	137 61.6	2KR366MC	1,924.00

*D = Dunnage shelf; S = solid shelf; all shelves are 18" (457mm) wide.

All models include foot plates for stability and easy leveling.

Super Erecta® Cradle Wine Shelving — 10.48

Each bottle is supported individually in a cradle formed by the wires of the shelf, so it cannot roll or bump against adjacent bottles.

- Open-wire construction keeps bottles and labels highly visible for easy reading and selection.
- Shelves, spaced 5" (127mm) apart, provide easy access to bottles for loading or removal and permit air to circulate freely around the bottles.

Width/Length (in.) (mm)	Overall Height (in.) (mm)	Capacity (750ml bottles)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
14x36 355x914	74 $\frac{3}{4}$ 1899	126	112 51	WC237C	1,449.00
14x36 355x914	86 $\frac{3}{4}$ 2203	153	133 60	WC238C	1,731.00
14x48 355x1219	74 $\frac{3}{4}$ 1899	168	133 60	WC257C	1,600.00
14x48 355x1219	86 $\frac{3}{4}$ 2203	204	160 73	WC258C	1,915.50

All models include foot plates for stability and easy leveling.

Super Erecta® Bulk Storage Wine Shelving — 10.47

Permits storage of a large quantity of wines in a limited space — an average of one case per linear foot (350mm) of shelf.

- Holds bottles at an upward slant of 10° to keep corks moist.
- Open-wire construction permits air flow, which is critical in maintaining the proper temperature.
- Units are enclosed by back and side panels which keep bottles secure and prevent accidents.
- For security from loss or pilferage, optional doors, which can be locked with a padlock, are available for the 16-case unit.

Width/Length (in.) (mm)	Overall Height (in.) (mm)	Capacity (Cases of 750ml bottles)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
14x36 355x914	74 $\frac{3}{4}$ 1899	12	138 63	WB237C	1,490.00
14x36 355x914	86 $\frac{3}{4}$ 2203	15	168 76	WB238C	1,659.00
14x48 355x1219	74 $\frac{3}{4}$ 1899	16	168 76	WB257C	1,722.00
14x48 355x1219	86 $\frac{3}{4}$ 2203	20	204 93	WB258C	2,045.00

All models include foot plates for stability and easy leveling.

Basic Wine Shelving Components — 10.49

Posts with Foot Plate



Wall Clamps
Give single units greater stability.
Cat. No. 9984C
List Price 7.40 each



Templates
For assembling bin shelving.
Included in standard unit.
Request #C05-077*
No charge.

14" (355mm) Wall Mounts
Both types of wine shelves can be wall-mounted. See pages 79 and 80 for 14" (355mm) direct and post-type wall mounts.

14" (355mm) Cradle Shelves

Width/Length (in.) (mm)	Capacity (750ml bottles)	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
14x36 355x914	9	7 3.2	97.50	W1436NC
14x48 355x1219	12	8.5 3.8	110.00	W1448NC

Enclosure Components — 10.49

End Panels*

Width (in.) (mm)	Height (in.) (mm)	Use With Posts	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
13 330	60 1524	74FPC	10.5 4.7	94.50	EP27C
13 330	75 1905	86FPC	12.5 5.6	103.50	EP28C

*For end and back panels to fit properly, there must be a shelf spaced every 15" (381mm) as in the standard 15" (381mm) spacing for bulk storage wine units and 5" (127mm) spacing for cradle wine units.

Bin Components for Bulk Storage Units — 10.49

Bin Dividers

Used to separate bottles.

Width (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
12½ 317	19 482	1.5 .67	40.50	BD15C

Bottle Supports

Use when bottles are to be stacked in bins. For use with 1436NC or 1448NC shelves spaced 15" (381mm) apart.

Length (in.) (mm)	Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
35 889	36 914	1.5 .67	36.50	BS3C
47 1194	48 1219	2 .9	43.00	BS5C



14" (355mm) Flat Wire Shelves

Width/Length (in.) (mm)	Capacity (750ml bottles)	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
14x36 355x914	9	9.5 4.3	59.00	1436NC
14x48 355x1219	12	12 5.4	68.50	1448NC

Back Panels*

Width (in.) (mm)	Height (in.) (mm)	Use With Posts	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
14½ 368	60 1524	74FPC	11 5.0	101.00	BP27C
14½ 368	75 1905	86FPC	13 5.9	112.50	BP28C

*For end and back panels to fit properly, there must be a shelf spaced every 15" (381mm) as in the standard 15" (381mm) spacing for bulk storage wine units and 5" (127mm) spacing for cradle wine units.

Wine Shelving Accessories — 10.47 10.48 10.49

Door Set (Fits only WB257C and WC257C)

Width (in.) (mm)	Height (in.) (mm)	Fits Units	Approx. Pkd. Wt. (lbs.) (kg)	List Price Each	Cat. No.
51 1295	60 1524	48" longx74¾" high (1219x1898mm)	42 18.9	365.00	ED57C

Joining Hook

Used when units are placed back to back or end to end.



Width (in.) (mm)	Depth (in.) (mm)	Height (in.) (mm)	List Price Each	Cat. No.
2¹/₃₂ 15.2	1⁵/₈ 40.6	2¹/₄ 57	8.50	JH2C



Wine Cart

Mobile wine merchandiser is perfect for creating “impulse” opportunities. The Wine Cart consists of the following components:

- 2 – 1436NC shelves – see page 42
- 1 – 1236CSNC cantilever shelf – see page 45
- 2 – 13P posts cut to 7" (179mm) – see page 42
- 2 – 27UP posts – see page 42
- 2 – 5M swivel casters – see page 48
- 2 – 5MB swivel/brake casters – see page 48



Slanted-Shelf Merchandisers/Dispenser Racks — **50.50**

Slanted shelves add visibility and accessibility. Loading is quick, easy, and organized.

- Open-wire construction and slope of shelves permit instant identification.
- System eliminates duplication and confusion in ordering.
- Shelves are adjustable at 1" (25mm) intervals along the height of the post.
- 5" (127mm) casters add mobility, while brakes lock firmly in position.

Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Shelves	Cat. No.	List Price Each
18 457	24 610	60 1524	103 46.3	Four Slanted Shelves One Flat Top Shelf (Pkg. of 12 dividers)	DC15EC	952.50
18 457	24 610	70 1780	112 50.4	Five Slanted Shelves (Pkg. of 12 dividers)	DC16EC	988.00
18 457	36 914	60 1524	95 42.7	Four Slanted Shelves One Flat Top Shelf	DC35EC	1,013.00
18 457	36 914	70 1780	104 46.8	Five Slanted Shelves	DC36EC	1,060.50
18 457	48 1219	60 1524	112 50.4	Four Slanted Shelves One Flat Top Shelf	DC55EC	1,073.50
18 457	48 1219	70 1780	123 55.3	Five Slanted Shelves	DC56EC	1,119.50

Additional Shelves

Additional shelves are 18" (457mm) wide.

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24 610	10.5 4.7	1824DNC	93.00
36 914	14 6.3	1836DNC	107.50
48 1219	18 8.1	1848DNC	118.50

Additional Dividers

Keeps different types of merchandise separate and in order.

Size Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
4x17 102x432	8 3.6	DCR17C	14.00

Plastic Shelf Marker

Snaps over shelf edge. Holds labels 3"x1 1/4"
(75x32mm).

Size Width/Length (in.) (mm)	Cat. No.	List Price Each
3x1 1/4 75x32	9990P	4.40

qwikSLOT™ Display Shelving System

Set, Reset in a Flash.

Metro qwikSLOT shelves offer the quality of Super Erecta with the convenience of easily adjustable and removable shelves.

- Unique support system snaps into the posts, allowing instant shelf adjustment.
- Each unit requires a standard Super Erecta shelf at the top and bottom. (see page 42)

qwikSLOT™ Shelves — 10.11

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
14x36	7.25	1436QBR	58.50	1436QC	65.50	1436QBL	1436QW	1436Q-DSG	64.50
14x48	9.75	1448QBR	66.50	1448QC	75.00	1448QBL	1448QW	1448Q-DSG	74.00
18x36	8.5	1836QBR	65.50	1836QC	68.50	1836QBL	1836QW	1836Q-DSG	67.50
18x48	11.25	1848QBR	76.50	1848QC	82.00	1848QBL	1848QW	1848Q-DSG	81.00
18x60	17.0	1860QBR	89.50	—	—	—	—	—	—
21x36	10.75	2136QBR	73.00	2136QC	81.00	2136QBL	2136QW	2136Q-DSG	80.00
21x48	13.25	2148QBR	83.50	2148QC	92.50	2148QBL	2148QW	2148Q-DSG	91.50
21x60	18.0	2160QBR	99.50	—	—	—	—	—	—
24x36	12.25	2436QBR	77.50	2436QC	86.00	2436QBL	2436QW	2436Q-DSG	85.00
24x48	15.25	2448QBR	92.00	2448QC	100.50	2448QBL	2448QW	2448Q-DSG	99.50
24x60	21.00	2460QBR	111.00	—	—	—	—	—	—

Note: A typical unit will incorporate 4 qwikSLOT posts, at least 2 standard Super Erecta shelves (one at the top and bottom of unit) and as many qwikSLOT shelves as desired between the top and bottom shelf.

Note: A qwikSLOT shelf is rated at 300 lbs. (135kg) per shelf. A typical qwikSLOT unit is rated at 800 lbs. (375kg) capacity per unit. For higher unit capacities, an intermediate standard Super Erecta shelf must be installed approximately at mid-height on the unit.

Note: Mobile Applications: All mobile applications require an intermediate standard Super Erecta shelf. Installed approximately at mid-height on the unit.



Super Erecta qwikSLOT™ shelving unit in black epoxy



qwikSLOT post with shelf clip

qwikSLOT™ Posts — 10.11

Clips snap into slots along the height of the post for shelf adjustment at 1" (25mm) intervals. Use for qwikSLOT shelving only.

Stationary

Height [†] (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
34 ¹ / ₂ 875	2 0.9	33PQ	33PQBL	33PQW	33PQ-DSG	23.00
54 ⁹ / ₁₆ 1385	3 1.4	54PQ	54PQBL	54PQW	54PQ-DSG	26.00
63 ⁹ / ₁₆ 1590	3 ¹ / ₂ 1.6	63PQ	63PQBL	63PQW	63PQ-DSG	27.50
74 ⁵ / ₈ 1895	4 1.8	74PQ	74PQBL	74PQW	74PQ-DSG	29.50
86 ⁵ / ₈ 2200	5 2.3	86PQ	86PQBL	86PQW	86PQ-DSG	35.50

[†]Height includes leveling bolt and cap.

Mobile

Height [†] (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
33 ⁷ / ₈ 861	2 0.9	33UPQ	33UPQBL	33UPQW	33UPQ-DSG	23.00
54 1370	3 1.4	54UPQ	54UPQBL	54UPQW	54UPQ-DSG	26.00
62 1575	3 ¹ / ₂ 1.6	63UPQ	63UPQBL	63UPQW	63UPQ-DSG	27.50
74 1880	4 1.8	74UPQ	74UPQBL	74UPQW	74UPQ-DSG	29.50
86 2185	5 2.3	86UPQ	86UPQBL	86UPQW	86UPQ-DSG	35.50

These posts come without leveling bolt assembly to accommodate stem casters.

For Mobile Applications refer to pages 48-49.

For a complete palette of Designer Colors, see page 195.



qwikSLOT Locking Clip


Recommended for mobile applications.

Must be used with 9985QS shelf clips.

(Package of 4)

Cat. No. **9985QL**

List Price 10.00/pkg.



Replacement
qwikSLOT Shelf Clips
(Package of 4)
Cat. No. **9985QS**
List Price 8.00/pkg.



Drop Mat Shelving Unit

qwikSLOT™ Drop Mat™ and Drop Mat™ Super Erecta® Display Shelving — 10.12

- Built-in shelf ledge, approximately 1" (25mm) high, provides security, preventing contents from falling off shelf.
- Each shelf holds up to 250 pounds (113kg). Available in Super Erecta and qwikSLOT styles.

qwikSLOT™ Drop Mat Shelves — 10.11

Drop Mat shelving can increase storage capacity by as much as 30%. Each shelf holds up to 250 pounds (113kg). qwikSLOT style promotes ease of adjustment and removal. Each qwikSLOT unit requires the use of a Super Erecta or Drop Mat Super Erecta shelf at top and bottom. Use with qwikSLOT posts.

Width/ Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
14x36	7.25	HDM1436QBR	61.00	HDM1436QC	68.00	HDM1436QBL	HDM1436QW	HDM1436Q-DSG	67.00
14x48	9.75	HDM1448QBR	69.00	HDM1448QC	77.50	HDM1448QBL	HDM1448QW	HDM1448Q-DSG	76.50
18x36	8.5	HDM1836QBR	68.00	HDM1836QC	71.00	HDM1836QBL	HDM1836QW	HDM1836Q-DSG	70.00
18x48	11.25	HDM1848QBR	79.00	HDM1848QC	84.50	HDM1848QBL	HDM1848QW	HDM1848Q-DSG	83.50
21x36	10.75	HDM2136QBR	75.50	HDM2136QC	83.50	HDM2136QBL	HDM2136QW	HDM2136Q-DSG	82.50
21x48	13.25	HDM2148QBR	86.00	HDM2148QC	95.00	HDM2148QBL	HDM2148QW	HDM2148Q-DSG	94.00
24x36	12.25	HDM2436QBR	80.00	HDM2436QC	88.50	HDM2436QBL	HDM2436QW	HDM2436Q-DSG	87.50
24x48	15.25	HDM2448QBR	94.50	HDM2448QC	103.00	HDM2448QBL	HDM2448QW	HDM2448Q-DSG	102.00

Drop Mat™ Super Erecta® Display Shelving — Use with qwikSLOT or Super Erecta posts

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each		
14x36	355x914	7.25	3.2	HDM1436BR	54.00	HDM1436NC	61.00	HDM1436BL	HDM1436W	HDM1436-DSG	60.00
14x48	355x1219	9.75	4.3	HDM1448BR	62.00	HDM1448NC	70.50	HDM1448BL	HDM1448W	HDM1448-DSG	69.50
18x36	457x914	8.5	3.8	HDM1836BR	61.00	HDM1836NC	64.00	HDM1836BL	HDM1836W	HDM1836-DSG	63.00
18x48	457x1219	11.25	5.0	HDM1848BR	72.00	HDM1848NC	77.50	HDM1848BL	HDM1848W	HDM1848-DSG	76.50
21x36	530x914	10.75	4.8	HDM2136BR	68.50	HDM2136NC	76.50	HDM2136BL	HDM2136W	HDM2136-DSG	75.50
21x48	530x1219	13.25	5.9	HDM2148BR	79.00	HDM2148NC	88.00	HDM2148BL	HDM2148W	HDM2148-DSG	87.00
24x24	610x614	8.5	3.8	HDM2424BR	71.00	HDM2424NC	78.50	HDM2424BL	HDM2424W	HDM2424-DSG	77.50
24x36	610x914	12.25	5.5	HDM2436BR	73.00	HDM2436NC	81.50	HDM2436BL	HDM2436W	HDM2436-DSG	80.50
24x48	610x1219	15.25	6.8	HDM2448BR	87.50	HDM2448NC	96.00	HDM2448BL	HDM2448W	HDM2448-DSG	95.00

qwikSLOT™ Posts — 10.11

Clips snap into slots along the height of the post for shelf adjustment at 1" (25mm) intervals. Use for qwikSLOT shelving only.

For a complete palette of Designer Colors, see page 195.

†Height includes leveling bolt and cap.

Super Erecta SiteSelect™ Posts — 10.01a

Height* (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	STATIONARY			MOBILE			List Price Each				
			Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	Cat. No. Plated	Cat. No. Black	Cat. No. White					
34½	875	2	0.9	33PQ	33PQBL	33PQW	33PQ-DSG	23.00	33UPQ	33UPQBL	33UPQW	33UPQ-DSG	23.00
54⁹/₁₆	1385	3	1.4	54PQ	54PQBL	54PQW	54PQ-DSG	26.00	54UPQ	54UPQBL	54UPQW	54UPQ-DSG	26.00
63⁹/₁₆	1590	3½	1.6	63PQ	63PQBL	63PQW	63PQ-DSG	27.50	63UPQ	63UPQBL	63UPQW	63UPQ-DSG	27.50
74⁷/₈	1895	4	1.8	74PQ	74PQBL	74PQW	74PQ-DSG	29.50	74UPQ	74UPQBL	74UPQW	74UPQ-DSG	29.50
86⁷/₈	2200	5	2.3	86PQ	86PQBL	86PQW	86PQ-DSG	35.50	86UPQ	86UPQBL	86UPQW	86UPQ-DSG	35.50

Mobile posts come without leveling bolt assembly to accommodate stem casters.

*Height includes leveling bolt and cap.


**96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00. Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) ... This will result in an overall post height with adjustment of 69⁷/₈" (1762mm) to 69⁹/₈" (1775mm).

Snap-On Dividers for Drop Mat Shelves — 10.04

Organize your shelves with these 8" (203mm) high, easy to snap-in-place dividers.

Fits Shelf Width (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors*	List Price Each
18	457	2.5	1.1	HD18C	HD18B	HD18W	HD18-DSG	21.00
24	614	3.5	1.6	HD24C	HD24B	HD24W	HD24-DSG	27.50



Snap-On Divider

*Refer to page 195 for information about Designer Colors.

Designer Color Shelving (Super Erecta, Super Erecta Drop Mat, qwikSLOT, qwikSLOT Drop Mat) — 10.14

Available in a wide spectrum of colors that complement any décor or retail theme.

Width/Length (in.)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta*	List Price Each	Cat. No. qwikSLOT*	List Price Each	Cat. No. Super Erecta Drop Mat*	List Price Each	Cat. No. qwikSLOT Drop Mat*	List Price Each
14x24	355x610	6	2.7	1424N-D	61.00				
14x30	355x760	7	3.2	1430N-D	63.00				
14x36	355x914	8	3.6	1436N-D	63.00	1436Q-D	69.50	HDM1436-D	65.00
14x42	355x1066	9 ^{1/2}	4.3	1442N-D	72.50				
14x48	355x1219	10 ^{1/2}	4.7	1448N-D	72.50	1448Q-D	79.00	HDM1448-D	74.50
14x60	355x1524	14	6.3	1460N-D	83.50				
14x72	355x1825	17	7.7	1472N-D	95.00				
18x18	457x457	6	2.7	1818N-D	64.50				
18x24	457x610	7	3.2	1824N-D	64.50				
18x30	457x760	8	3.6	1830N-D	66.00				
18x36	457x914	9 ^{1/2}	4.3	1836N-D	66.00	1836Q-D	72.50	HDM1836-D	68.00
18x42	457x1066	11	5.0	1842N-D	79.50				
18x48	457x1219	12	5.4	1848N-D	79.50	1848Q-D	86.00	HDM1848-D	81.50
18x54	457x1370	14 ^{1/2}	6.6	1854N-D	92.00				
18x60	457x1524	17	7.7	1860N-D	92.00				
18x72	457x1825	20	9.1	1872N-D	110.00				
21x24	530x610	8	3.6	2124N-D	75.50				
21x30	530x760	9	4.1	2130N-D	78.50				
21x36	530x914	11	5.0	2136N-D	78.50	2136Q-D	85.00	HDM2136-D	80.50
21x42	530x1066	12	5.4	2142N-D	90.00				
21x48	530x1219	14	6.4	2148N-D	90.00	2148Q-D	96.50	HDM2148-D	92.00
21x54	530x1370	16	7.3	2154N-D	105.00				
21x60	530x1524	18	8.2	2160N-D	105.00				
21x72	530x1825	24	10.9	2172N-D	125.00				
24x24	610x610	9	4.1	2424N-D	80.50				
24x30	610x760	11	5.0	2430N-D	83.50				
24x36	610x914	13	5.9	2436N-D	83.50	2436Q-D	90.00	HDM2436-D	85.50
24x42	610x1066	15	6.8	2442N-D	98.00				
24x48	610x1219	16	7.3	2448N-D	98.00	2448Q-D	104.50	HDM2448-D	100.00
24x54	610x1370	18	8.6	2454N-D	115.00				
24x60	610x1524	21	9.5	2460N-D	115.00				
24x72	610x1825	26	11.8	2472N-D	136.50				

Note: All designer Super Erecta shelves come with black split sleeves. Designer Super Adjustable shelves come with black wedges and connectors.

Note: Shelving is not cart washable, but can be wiped down with a mild detergent.

Note: The actual length of the shelves is $\frac{1}{8}$ " (3.2mm) shorter than the nominal dimension shown.

Packaging: Shelves and posts are carton packed, but sold separately.

Designer Shelf Colors

*To order a Designer Color, add the appropriate color suffix to the desired catalog numbers above (example: 18"x36" [457x914mm] Hunter Green Shelf = 1836N-DHG).

BM — Black Matte SH — Silver Hammertone HG — Hunter Green
F — Flame CH — Copper Hammertone

For standard finishes:
Chrome, Black, White,
Smoked Glass, please refer
to pages 37, 42 and 193.
For accessories in Designer
Colors, see pages 53 and 58.



Black Matte (BM) Flame (F) Hunter Green (HG) Copper Hammertone (CH) Silver Hammertone (SH)

Posts

Round posts have a 1" (25mm) diameter. Shelves can be adjusted at 1" (25mm) increments for maximum adaptability to your changing retail needs.

Height† (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Super Erecta Shelving				qwikSLOT					
		Super Adjustable Super Erecta		Cat. No. Stationary*	Cat. No. Mobile*	List Price Each	Cat. No. Stationary*	Cat. No. Mobile*	List Price Each		
7 ^{1/2} 191	1/2 0.3	7P-D				15.00					
14 ^{1/2} 370	1 0.5	13P-D				17.00					
34 ^{1/2} 875	2 0.9	33P-D		33UP-D	33UP-P	21.00	33PQ-D	33UPQ-D	25.50		
54 ^{9/16} 1385	3 1.4	54P-D		54UP-D	54UP-P	24.00	54PQ-D	54UPQ-D	29.00		
62 ^{9/16} 1590	3 ^{1/2} 1.6	63P-D		63UP-D	63UP-P	25.50	63PQ-D	63UPQ-D	30.50		
74 ^{5/8} 1895	4 1.8	74P-D		74UP-D	74UP-P	27.50	74PQ-D	74UPQ-D	32.50		
86 ^{5/8} 2200	5 2.3	86P-D		86UP-D	86UP-P	33.50	86PQ-D	86UPQ-D	38.50		

†Height includes leveling bolt and cap.



**NEW
APPEAL™
DISPLAY
SHELVING**

The look that sells is also the look that moves. Appeal's curved front moves product right off the shelf and moves customers to make purchase decisions.

Stay ahead of the curve with the innovative, fully adjustable line of Metro retail shelving solutions. And take advantage of the look that sells, and sells, and sells.

PATENT PENDING

APPEAL Display Shelving

Perfect for end caps or create your own Store-Within-A-Store.

- Curve APPEAL:** The shelf's attractive, curved front edge draws customers' attention to the products displayed. The open wire design promotes light penetration and visibility of displayed items.
- Increase Facings:** The curved front design increases shelf storage area by 12% versus a traditional rectangular shelf.
- Versatile:** Metro APPEAL™ shelving can be combined with Metro's Super Erecta, qwikSLOT™, or Drop Mat Display shelving systems to create a proprietary display for your store.
- Fast, Secure Assembly:** SiteSelect™ posts, with Triple-groove visual guide feature, have circular grooves at 1" (25mm) intervals and are numbered at 2" (50 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves and provide a positive lock. Shelving is assembled in minutes without the use of any special tools.
- Adjustability:** Shelves can be adjusted at 1" (25 mm) intervals along the length of the post.
- Finishes:** Metro's APPEAL™ shelving is available in a chrome-plated finish or black epoxy coating.

Shelves

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. APPEAL Shelving Chrome	List Price Each	Cat. No. APPEAL Shelving Black	List Price Each
18x36	457x914	9 4.1	1836RC	125.00	1836RBL
18x48	457x1219	12 5.4	1848RC	142.50	1848RBL



SiteSelect™ Posts — 10.01a

Height* (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Chrome	STATIONARY		MOBILE		
			List Price Each	Cat. No. Black	List Price Each	Cat. No. Chrome	List Price Each
7½	191	7P	12.50	7PBL	12.00	—	—
14½	370	13P	14.50	13PBL	14.00	—	—
27½	699	27P	17.50	27PBL	17.00	27UPBL	17.00
34½	875	33P	18.50	33PBL	18.00	33UPBL	18.00
54⁹/₁₆	1385	54P	21.50	54PBL	21.00	54UPBL	21.00
62⁹/₁₆	1590	63P	23.00	63PBL	22.50	63UPBL	22.50
74⁹/₈	1895	74P	25.00	74PBL	24.50	74UPBL	24.50
86⁹/₈	2200	86P	31.00	86PBL	30.50	86UPBL	30.50
96⁹/₈	2454	96P	35.50	—	—	—	—

*Height includes leveling bolt and cap.


**96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00. Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69⁹/₈" (1762mm) to 69⁹/₈" (1775mm).

Mobile posts come without leveling bolt assembly to accommodate stem casters.

APPEAL™ Display Shelving

SUPER ERECTA® SHELVING
WITH AN ACCENTED CURVED
FRONT. PERFECT FOR END
CAP DISPLAYS OR TO CREATE
A STORE-WITHIN-A-STORE
DISPLAY!



12% MORE
Holding Power
gets you
More SKU's,
More Facing,
More Sales & Profits!

Part Number	Sales Class	AQ Cat	List Price	Page #
1224C	2J	26	41.00	67
1224CSNBL	2D	20	54.50	45
1224CSNC	2B	18	55.50	45
1224CSN-D	2D	20	59.50	45
1224CSN-DSG	2D	20	54.50	45
1224CSNW	2D	20	54.50	45
1230C	2J	26	48.50	67
1230CSNBL	2D	20	57.00	45
1230CSNC	2B	18	58.00	45
1230CSN-D	2D	20	62.00	45
1230CSN-DSG	2D	20	57.00	45
1230CSNW	2D	20	57.00	45
1236C	2J	26	54.00	67
1236CSNBL	2D	20	59.50	45
1236CSNC	2B	18	60.50	45
1236CSN-D	2D	20	64.50	45
1236CSN-DSG	2D	20	59.50	45
1236CSNW	2D	20	59.50	45
1242C	2J	26	63.00	67
1242CSNBL	2D	20	67.50	45
1242CSNC	2B	18	68.50	45
1242CSN-D	2D	20	72.50	45
1242CSN-DSG	2D	20	67.50	45
1242CSNW	2D	20	67.50	45
1248C	2J	26	67.50	67
1248CSNBL	2D	20	69.50	45
1248CSNC	2B	18	70.50	45
1248CSN-D	2D	20	74.50	45
1248CSN-DSG	2D	20	69.50	45
1248CSNW	2D	20	69.50	45
1252C	2J	26	55.00	67
1254CHC	2F	22	103.00	69, 170
1254CHS	2F	22	242.00	69, 170
1260C	2J	26	88.00	67
1260CHC	2F	22	103.00	69, 170
1260CHS	2F	22	242.00	69, 170
1260CSNBL	2D	20	80.50	45
1260CSNC	2B	18	81.50	45
1260CSN-D	2D	20	85.50	45
1260CSN-DSG	2D	20	80.50	45
1260CSNW	2D	20	80.50	45
1262C	2J	26	60.50	67
1272C	2J	26	65.00	67
1287C	2J	26	68.50	67
12WB1C	2J	26	30.00	78
12WB3C	2J	26	48.50	78
12WB5C	2J	26	66.50	78
12WS12C	2J	26	110.50	78
12WS32C	2J	26	134.00	78
12WS52C	2J	26	156.50	78
13P	2B	18	14.50	37, 42, 64
13PBL	2D	20	14.00	43
13P-D	2D	20	17.00	195
13PDF	2B	18	35.00	80
13PDFK3	2A	17	42.00	80
13PDFS	2C	19	64.50	80
13P-DSG	2D	20	14.00	80
13PK3	2A	17	16.50	35, 37, 42
13PS	2C	19	30.00	35, 37, 42, 64
13PT	2G	23	18.50	43
13PW	2D	20	14.00	43
13UP	2B	18	14.50	37, 64
13UPBL	2D	20	14.00	43
13UPK3	2A	17	16.50	35, 37, 42
13UPS	2C	19	30.00	35, 37, 42, 64
13UPW	2D	20	14.00	43
1424BR	2B	18	48.50	42
1424FG	2K	27	80.50	65
1424FS	2K	27	195.00	65
1424LG	2K	27	91.00	65
1424LS	2K	27	205.00	65
1424NBL	2D	20	56.00	43
1424NC	2B	18	57.00	42
1424N-D	2D	20	61.00	43, 195
1424N-DSG	2D	20	56.00	43
1424NFS	2K	27	224.50	65
1424NK3	2A	17	65.00	42
1424NS	2C	19	173.00	42
1424NW	2D	20	56.00	43

Part Number	Sales Class	AQ Cat	List Price	Page #
1430BR	2B	18	52.00	42
1430FG	2K	27	86.50	65
1430FS	2K	27	199.50	65
1430LG	2K	27	96.50	65
1430LS	2K	27	210.00	65
1430NBL	2D	20	58.00	43
1430NC	2B	18	59.00	42
1430N-D	2D	20	63.00	43, 195
1430N-DSG	2D	20	58.00	43
1430NFS	2K	27	230.50	65
1430NK3	2A	17	67.50	42
1430NS	2C	19	179.00	42
1430NW	2D	20	58.00	43
1436BR	2B	18	52.00	42
1436BWI	2E	21	32.50	56
1436CI-4	2E	21	66.50	56
1436FG	2K	27	86.50	65
1436FS	2K	27	199.50	65
1436LG	2K	27	96.50	65
1436LS	2K	27	210.00	65
1436NBL	2D	20	58.00	43
1436NC	2B	18	59.00	42, 191
1436N-D	2D	20	63.00	43, 195
1436N-DSG	2D	20	58.00	43
1436NFS	2K	27	230.50	65
1436NK3	2A	17	67.50	42
1436NS	2C	19	179.00	42
1436NW	2D	20	58.00	43
1436QBL	2H	24	64.50	193
1442BR	2B	18	60.00	42
1442FG	2K	27	95.50	65
1442FS	2K	27	243.00	65
1442LG	2K	27	106.00	65
1442LS	2K	27	253.00	65
1442NBL	2D	20	67.50	43
1442NC	2B	18	68.50	42
1442N-D	2D	20	72.50	43, 195
1442N-DSG	2D	20	67.50	43
1442NFS	2K	27	279.00	65
1442NK3	2A	17	79.50	42
1442NS	2C	19	220.50	42
1442NW	2D	20	67.50	43
1448BR	2B	18	60.00	42
1448BWI	2E	21	34.50	56
1448CI-4	2E	21	77.50	56
1448FG	2K	27	95.50	65
1448FS	2K	27	243.00	65
1448LG	2K	27	106.00	65
1448LS	2K	27	253.00	65
1448NBL	2D	20	67.50	43
1448NC	2B	18	68.50	42, 191
1448N-D	2D	20	72.50	43, 195
1448N-DSG	2D	20	67.50	43
1448NFS	2K	27	279.00	65
1448NK3	2A	17	79.50	42
1448NS	2C	19	220.50	42
1448NW	2D	20	67.50	43
1448QBL	2H	24	74.00	193
1448QBR	2H	24	66.50	193
1448QC	2H	24	75.00	193
1448Q-D	2H	24	79.00	195
1448Q-DSG	2H	24	74.00	193
1448QW	2H	24	74.00	193
1460BR	2B	18	71.00	42
1460CI-4	2E	21	92.00	56
1460FG	2K	27	104.00	65
1460FS	2K	27	289.50	65
1460LG	2K	27	114.00	65
1460LS	2K	27	300.00	65
1460NBL	2D	20	78.50	43
1460NC	2B	18	79.50	42
1460N-D	2D	20	83.50	43, 195
1460N-DSG	2D	20	78.50	43
1460NFS	2K	27	333.50	65

Part Number	Sales Class	AQ Cat	List Price	Page #
1460NK3	2A	17	90.00	42
1460NS	2C	19	278.50	42
1460NW	2D	20	78.50	43
1472BR	2B	18	83.00	42
1472NBL	2D	20	90.00	43
1472NC	2B	18	91.00	42
1472N-D	2D	20	95.00	195
1472N-DSG	2D	20	90.00	43
1472NK3	2A	17	103.00	43
1472NS	2C	19	313.50	42
1472NW	2D	20	90.00	43
155NC	2B	18	80.00	57
155NK3	2A	17	96.50	57
1818BWI	2E	21	29.50	56
1818NBL	2D	20	59.50	43
1818NC	2B	18	60.50	42
1818N-D	2D	20	64.50	43, 195
1818N-DSG	2D	20	59.50	43
1818NW	2D	20	59.50	43
1824BR	2B	18	57.50	42
1824BW	2E	21	32.50	56
1824C	2J	26	51.50	67
1824DNC	2G	23	93.00	184, 192
1824DRC	2L	28	150.50	45
1824DRK3	2L	28	179.50	34, 45
1824FG	2K	27	86.50	65
1824FS	2K	27	221.50	65
1824LG	2K	27	96.50	65
1824LS	2K	27	232.00	65
1824NBL	2D	20	59.50	43
1824NC	2B	18	60.50	42
1824N-D	2D	20	64.50	43, 195
1824N-DSG	2D	20	59.50	43
1824NW	2D	20	59.50	43
1830BR	2B	18	59.00	42
1830C	2J	26	63.00	67
1830DRC	2L	28	164.50	45
1830DRK3	2L	28	196.50	34, 45
1830FG	2K	27	92.50	65
1830FS	2K	27	226.50	65
1830LG	2K	27	102.50	65
1830LS	2K	27	236.50	65
1830NBL	2D	20	61.00	43
1830NC	2B	18	62.00	42
1830N-D	2D	20	66.00	43, 195
1830N-DSG	2D	20	61.00	43
1830NW	2D	20	61.00	43
1836BWI	2E	21	34.50	56
1836C	2J	26	70.00	67
1836CI-4	2E	21	67.50	56
1836DNC	2G	23	107.50	184, 192
1836DRC	2L	28	164.50	45
1836DRK3	2L	28	196.50	34, 45
1836DRS	2L	28	480.00	45
1836FG	2K	27	92.50	65
1836FS	2K	27	226.50	65
1836HFG	2F	22	157.50	68
1836HFS	2F	22	355.50	68
1836HLS	2F	22	377.00	68
1836LG	2K	27	102.50	65
1836LS	2K	27	236.50	65
1836NBL	2D	20	61.00	43
1836NC	2B	18	62.00	42
1836N-D	2D	20	66.00	43, 195
1836N-DSG	2D	20	61.00	43
1836NW	2D	20	61.00	43
1836NFS	2K	27	261.00	65
1836NK3	2A	17	76.50	42
1836NS	2C	19	220.50	42
1836NW	2D	20	61.00</td	



Part Number	Sales Class	AQ Cat	List Price	Page #
1836Q-D	2H	24	72.50	195
18360-DSG	2H	24	67.50	193
1836QW	2H	24	67.50	193
1836RBL	2E	21	124.00	197
1836RC	2E	21	125.00	197
1842BR	2B	18	70.00	42
1842C	2J	26	79.50	67
1842FG	2K	27	104.00	65
1842FS	2K	27	277.00	65
1842HFG	2F	22	179.00	68
1842HFS	2F	22	433.50	68
1842HLS	2F	22	446.50	68
1842LG	2K	27	114.00	65
1842LS	2K	27	287.00	65
1842NBL	2D	20	74.50	43
1842NC	2B	18	75.50	42
1842N-D	2D	20	79.50	43, 195
1842N-DSG	2D	20	74.50	43
1842NFS	2K	27	318.00	65
1842NK3	2A	17	92.00	42
1842NS	2C	19	261.50	42
1842NW	2D	20	74.50	43
1848BR	2B	18	70.00	42
1848BW	2E	21	35.50	42
1848C	2J	26	88.50	67
1848CI-4	2E	21	81.50	56
1848DNC	2G	23	118.50	184,192
1848DRC	2L	28	190.00	45
1848DRK3	2L	28	229.00	34,45
1848DRS	2L	28	584.50	45
1848FG	2K	27	104.00	65
1848FS	2K	27	277.00	65
1848HDRC	2L	28	390.50	69
1848HDRK3	2L	28	465.00	34, 69
1848HDRS	2L	28	875.00	69
1848HFG	2F	22	179.00	68
1848HFS	2F	22	433.50	68
1848HLS	2F	22	446.50	68
1848LG	2K	27	114.00	65
1848LS	2K	27	287.00	65
1848NBL	2D	20	74.50	43
1848NC	2B	18	75.50	42
1848N-D	2D	20	79.50	43, 195
1848N-DSG	2D	20	74.50	43
1848NFS	2K	27	318.00	65
1848NK3	2A	17	92.00	42
1848NS	2C	19	261.50	42
1848NW	2D	20	74.50	43
1848OBL	2H	24	81.00	193
1848QBR	2H	24	76.50	102, 193
1848QFS	2H	24	82.00	193
1848Q-D	2H	24	86.00	195
1848Q-DSG	2H	24	81.00	193
1848QW	2H	24	81.00	193
1848RBL	2E	21	141.50	197
1848RC	2E	21	142.50	197
1852C	2J	26	66.50	67
1854BR	2B	18	83.00	68
1854HFG	2F	22	207.00	68
1854HFS	2F	22	519.00	68
1854HLS	2F	22	536.50	68
1854NBL	2D	20	87.00	43
1854NC	2B	18	88.00	42
1854N-D	2D	20	92.00	43, 195
1854N-DSG	2D	20	87.00	43
1854NK3	2A	17	109.00	43
1854NS	2C	19	332.50	43
1854NW	2D	20	87.00	43
1860BR	2B	18	83.00	42
1860C	2J	26	111.50	67
1860CI-4	2E	21	94.50	56
1860DRC	2L	28	219.50	45
1860DRK3	2L	28	259.50	34,45
1860DRS	2L	28	686.50	45
1860FG	2K	27	117.50	65
1860FS	2K	27	337.50	65
1860HDRC	2L	28	465.50	69
1860HDRK3	2L	28	554.50	69
1860HDRS	2L	28	1,027.00	69

Part Number	Sales Class	AQ Cat	List Price	Page #
1860HFG	2F	22	207.00	68
1860HFS	2F	22	519.00	68
1860HLS	2F	22	536.50	68
1860LG	2K	27	128.00	65
1860LS	2K	27	348.00	65
1860NBL	2D	20	87.00	43
1860NC	2B	18	88.00	43
1860N-D	2D	20	92.00	43, 195
1860N-DSG	2D	20	87.00	43
1860NFS	2K	27	388.00	65
1860NK3	2A	17	109.00	42
1860NS	2C	19	332.50	42
1860NW	2D	20	87.00	43
1860QBR	2H	24	89.50	193
1862C	2J	26	71.00	67
1872BR	2B	18	97.00	42
1872C	2J	26	73.50	67
1872NBL	2D	20	105.00	43
1872NC	2B	18	106.00	42
1872N-D	2D	20	110.00	195
1872N-DSG	2D	20	105.00	43
1872NK3	2A	17	125.00	42
1872NS	2C	19	396.00	42
1872NW	2D	20	105.00	43
1887C	2J	26	79.00	67
18NC	2E	21	145.00	197
18RS	5A	80	33.00	197
18WB1C	2J	26	34.00	78
18WB3C	2J	26	54.00	78
18WB5C	2J	26	72.00	78
18X36X54C	5C	82	212.50	61
18X36X54CMB	5C	82	212.50	61
18X36X54UCMB	5C	82	125.50	61
18X36X54VUCMB	5C	82	125.50	61
18X36X54VC	5C	82	220.50	61
18X36X54VUCMB	5C	82	220.50	61
18X36X54VUC	5C	82	135.00	61
18X36X54VUCMB	5C	82	135.00	61
18X36X62C	5C	82	218.50	61
18X36X62CMB	5C	82	218.50	61
18X36X62UC	5C	82	131.00	61
18X36X62UCMB	5C	82	131.00	61
18X36X62VC	5C	82	228.00	61
18X36X62VCMB	5C	82	228.00	61
18X36X62VUC	5C	82	140.50	61
18X36X62VUCMB	5C	82	140.50	61
18X48X54C	5C	82	220.50	61
18X48X54CMB	5C	82	220.50	61
18X48X54UC	5C	82	138.50	61
18X48X54UCMB	5C	82	138.50	61
18X48X54VC	5C	82	233.00	61
18X48X54VUCMB	5C	82	233.00	61
18X48X54VUC	5C	82	146.50	61
18X48X54VUCMB	5C	82	146.50	61
18X48X62C	5C	82	227.00	61
18X48X62CMB	5C	82	227.00	61
18X48X62UC	5C	82	139.50	61
18X48X62UCMB	5C	82	139.50	61
18X48X62VC	5C	82	236.50	61
18X48X62VCMB	5C	82	236.50	61
18X48X62VUC	5C	82	149.50	61
18X48X62VUCMB	5C	82	149.50	61
18X60X54C	5C	82	238.50	61
18X60X54CMB	5C	82	238.50	61
18X60X54UC	5C	82	143.00	61
18X60X54UCMB	5C	82	143.00	61
18X60X54VC	5C	82	247.00	61
18X60X54VUCMB	5C	82	247.00	61
18X60X54VUC	5C	82	151.50	61
18X60X54VUCMB	5C	82	151.50	61
18X60X62C	5C	82	243.00	61
18X60X62CMB	5C	82	243.00	61
18X60X62UC	5C	82	144.00	61
18X60X62UCMB	5C	82	144.00	61
18X60X62VC	5C	82	253.00	61
18X60X62VCMB	5C	82	253.00	61
18X60X62VUC	5C	82	152.50	61
18X60X62VUCMB	5C	82	152.50	61
1WD14C	2B	18	37.50	80

Part Number	Sales Class	AQ Cat	List Price	Page #
1WD14K3	2A	17	43.50	80
1WD14S	2C	19	82.00	78, 80
1WD18C	2B	18	38.50	80
1WD18S	2A	17	46.50	80
1WD21C	2B	18	85.00	80
1WD21K3	2A	17	42.50	80
1WS14K3	2C	19	74.00	80
1WS14S	2B	18	37.50	80
1WS18C	2B	18	37.50	80
1WS18K3	2A	17	44.00	80
1WS18S	2C	19	79.00	80
1WS21C	2B	18	37.50	80
1WS21S	2C	19	81.00	80
1WS24C	2B	18	38.50	80
1WD24K3	2A	17	47.50	80
1WD24S	2C	19	89.50	78, 80
20SN	2B	18	83.00	57
20SNK3	2A	17	100.50	57
2124BR	2B	18	64.50	42
2124FG	2K	27	94.50	65
2124FS	2K	27	252.50	65
2124LG	2K	27	105.00	65
2124LS	2K	27	263.00	65
2124NBL	2D	20	70.50	43
2124NC	2B	18	71.50	42
2124N-D	2D	20	75.50	43, 195
2124N-DSG	2D	20	70.50	43
2124NFS	2K	27	290.00	65
2124NK3	2A	17	83.50	42
2124NS	2C	19	249.50	42
2124NW	2D	20	70.50	43
2130BR	2B	18	66.50	42
2130FG	2K	27	99.00	65
2130FS	2K	27	257.00	65
2130GL	2K	27	109.50	65
2130LS	2K	27	267.50	65
2130NBL	2D	20	73.50	43
2130NC	2B	18	74.50	42
2130N-D	2D	20	78.50	43, 195
2130N-DSG	2D	20	73.50	43
2130NFS	2K	27	296.00	65
2130NK3	2A	17	86.00	42
2130NS	2C	19	252.50	42
2130NW	2D	20	73.50	43
2136N-D	2D	20	78.50	43, 195
2136N-DSG	2D	20	73.50	43
2136NFS	2K	27	296.00	65
2136NK3	2A	17	86.00	42
2136NS	2C	19	252.50	42
2136NW	2D	20	73.50	43
2136QBL	2H	24	80.00	193
2136QBR	2H	24	73.00	193
2136QC	2H	24	81.00	193
2136Q-D	2H	24	85.00	195
2136Q-DSG	2H	24	80.00	193
2136QW	2H	24	80.00	193
2142BR	2B	18	77.00	42
2142FG	2K	27	115.50	65
2142FS	2K	27	314.00	65
2142LG	2K	27	126.00	65
2142LS	2K	27	324.00	65
2142NBL	2D	20		

Part Number	Sales Class	AQ Cat	List Price	Page #
2142NFS	2K	27	361.50	65
2142NK3	2A	17	101.00	42
2142NS	2C	19	291.50	42
2142NW	2D	20	85.00	43
2148BR	2B	18	77.00	42
2148CI-4	2E	21	83.50	56
2148FG	2K	27	115.50	65
2148FS	2K	27	314.00	65
2148LG	2K	27	126.00	65
2148LS	2K	27	324.00	65
2148NBL	2D	20	85.00	43
2148NC	2B	18	86.00	42
2148N-D	2D	20	90.00	43, 195
2148N-DSG	2D	20	85.00	43
2148NFS	2K	27	361.50	65
2148NK3	2A	17	101.00	42
2148NS	2C	19	291.50	42
2148NW	2D	20	85.00	43
2148QBL	2H	24	91.50	193
2148QBR	2H	24	83.50	193
2148QC	2H	24	92.50	193
2148Q-D	2H	24	96.50	195
2148Q-DSG	2H	24	91.50	193
2148QW	2H	24	91.50	193
2154BR	2B	18	93.00	42
2154NBL	2D	20	100.00	43
2154NC	2B	18	101.00	42
2154N-D	2D	20	105.00	43, 195
2154N-DSG	2D	20	100.00	43
2154NK3	2A	17	118.50	42
2154NS	2C	19	387.50	42
2154NW	2D	20	100.00	43
2160BR	2B	18	93.00	42
2160CI-4	2E	21	97.00	56
2160FG	2K	27	132.00	65
2160FS	2K	27	392.50	65
2160LG	2K	27	142.50	65
2160LS	2K	27	403.00	65
2160NBL	2D	20	100.00	43
2160NC	2B	18	101.00	42
2160N-D	2D	20	105.00	43, 195
2160N-DSG	2D	20	100.00	43
2160NFS	2K	27	451.50	65
2160NK3	2A	17	118.50	42
2160NS	2C	19	387.50	42
2160NW	2D	20	100.00	43
2160QBR	2H	24	99.50	193
2172BR	2B	18	112.50	42
2172NBL	2D	20	120.00	43
2172NC	2B	18	121.00	42
2172N-D	2D	20	125.00	43, 195
2172N-DSG	2D	20	120.00	43
2172NK3	2A	17	144.50	42
2172NS	2C	19	459.00	42
2172NW	2D	20	120.00	43
21X48X54C	5C	82	245.50	61
21X48X54CMB	5C	82	245.50	61
21X48X54UC	5C	82	160.50	61
21X48X54UCMB	5C	82	160.50	61
21X48X54VC	5C	82	256.00	61
21X48X54VCMB	5C	82	256.00	61
21X48X54VUC	5C	82	170.00	61
21X48X54VUCMB	5C	82	170.00	61
21X48X62C	5C	82	256.00	61
21X48X62CMB	5C	82	256.00	61
21X48X62UC	5C	82	176.50	61
21X48X62UCMB	5C	82	176.50	61
21X48X62VC	5C	82	266.50	61
21X48X62VCMB	5C	82	266.50	61
21X48X62VUC	5C	82	185.00	61
21X48X62VUCMB	5C	82	185.00	61
21X48X74C	5C	82	261.00	61
21X48X74CMB	5C	82	261.00	61
21X48X74UC	5C	82	199.50	61
21X48X74UCMB	5C	82	199.50	61
21X48X74V	5C	82	268.50	61
21X48X74VCM	5C	82	268.50	61
21X48X74VUC	5C	82	209.50	61
21X48X74VUCMB	5C	82	209.50	61

Part Number	Sales Class	AQ Cat	List Price	Page #
21X60X54C	5C	82	281.50	61
21X60X54CMB	5C	82	281.50	61
21X60X54UC	5C	82	169.00	61
21X60X54UCMB	5C	82	169.00	61
21X60X54VC	5C	82	288.00	61
21X60X54VCMB	5C	82	288.00	61
21X60X54VUC	5C	82	179.00	61
21X60X54VUCMB	5C	82	179.00	61
21X60X62C	5C	82	286.00	61
21X60X62CMB	5C	82	286.00	61
21X60X62UC	5C	82	185.00	61
21X60X62UCMB	5C	82	185.00	61
21X60X62V	5C	82	297.50	61
21X60X62VCMB	5C	82	297.50	61
21X60X62VUC	5C	82	193.50	61
21X60X62VUCMB	5C	82	193.50	61
21X60X74C	5C	82	290.50	61
21X60X74CMB	5C	82	290.50	61
21X60X74UC	5C	82	215.50	61
21X60X74UCMB	5C	82	215.50	61
21X60X74V	5C	82	301.50	61
21X60X74VCMB	5C	82	301.50	61
21X60X74VUC	5C	82	226.00	61
21X60X74VUCMB	5C	82	226.00	61
2424BR	2B	18	69.00	42
2424BWI	2E	21	33.50	56
2424DRC	2L	28	164.50	45
2424DRK3	2L	28	195.50	34, 45
2424FG	2K	27	104.00	65
2424FS	2K	27	271.50	65
2424LG	2K	27	114.00	65
2424LS	2K	27	282.00	65
2424NBL	2D	20	75.50	43
2424NC	2B	18	76.50	42
2424N-D	2D	20	80.50	43, 195
2424N-DSG	2D	20	75.50	43
2424NFS	2K	27	312.50	65
2424NPK3	2A	17	91.00	42
2424NS	2C	19	269.00	42
2424NW	2D	20	75.50	43
2430BR	2B	18	71.00	42
2430DRC	2L	28	180.00	45
2430DRK3	2L	28	212.00	34, 45
2430FG	2K	27	110.00	65
2430FS	2K	27	277.50	65
2430LG	2K	27	120.00	65
2430LS	2K	27	287.50	65
2430NBL	2D	20	78.50	43
2430NC	2B	18	79.50	42
2430N-D	2D	20	83.50	43, 195
2430N-DSG	2D	20	78.50	43
2430NFS	2K	27	319.50	65
2430NPK3	2A	17	93.00	42
2430NS	2C	19	272.50	42
2430NW	2D	20	78.50	43
2436BR	2B	18	71.00	42
2436BWI	2E	21	37.50	56
2436CI-4	2E	21	73.00	56
2436DRC	2L	28	180.00	45
2436DRK3	2L	28	212.00	34, 45
2436DRS	2L	28	526.00	45
2436FG	2K	27	110.00	65
2436FS	2K	27	277.50	65
2436HFG	2F	22	177.50	68
2436HFS	2F	22	454.00	68
2436HLS	2F	22	471.00	68
2436LG	2K	27	120.00	65
2436LS	2K	27	287.50	65
2436NBL	2D	20	78.50	43
2436NC	2B	18	79.50	42
2436N-D	2D	20	83.50	43, 195
2436N-DSG	2D	20	78.50	43
2436NFS	2K	27	319.50	65
2436NPK3	2A	17	93.00	42
2436NS	2C	19	272.50	42
2436NW	2D	20	78.50	43
2436QBL	2H	24	85.00	193
2436QBR	2H	24	77.50	102, 193
2436QC	2H	24	86.00	193

Part Number	Sales Class	AQ Cat	List Price	Page #
2436Q-D	2H	24	90.00	195
2436-DBM	2H	24	90.00	193
2436-DCH	2H	24	90.00	193
2436-DHG	2H	24	90.00	193
2436-DSG	2H	24	85.00	193
2436OW	2H	24	85.00	193
2442BR	2B	18	85.50	42
2442FG	2K	27	125.00	65
2442FS	2K	27	334.00	65
2442HFG	2F	22	207.00	68
2442HFS	2F	22	542.50	68
2442HLS	2F	22	553.50	68
2442LG	2K	27	135.00	65
2442LS	2K	27	344.50	65
2442NBL	2D	20	93.00	43
2442NC	2B	18	94.00	42
2442N-D	2D	20	98.00	43, 195
2442N-DSG	2D	20	93.00	43
2442NFS	2K	27	384.50	65
2442NPK3	2A	17	113.50	42
2442NS	2C	19	329.50	42
2442NW	2D	20	93.00	43
2442QBL	2H	24	99.50	193
2442QBR	2H	24	92.00	102, 193
2442QC	2H	24	100.50	193
2442D	2H	24	104.50	195
2448D-SG	2H	24	99.50	193
2448QW	2H	24	99.50	193
2454BR	2B	18	104.50	42
2454HFG	2F	22	245.50	68
2454HFS	2F	22	649.50	68
2454HLS	2F	22	662.50	68
2454NBL	2D	20	110.00	43
2454NC	2B	18	111.00	42
2454N-D	2D	20	115.00	43, 195
2454N-DSG	2D	20	110.00	43
2454NPK3	2A	17	134.50	42
2454NS	2C	19	402.50	42
2454NW	2D	20	110.00	43
2460BR	2B	18	104.50	42
2460CI-4	2E	21	99.00	56
2460DRC	2L	28	242.00	45
2460DRK3	2L	28	285.50	34, 45
2460DRS	2L	28	760.00	45
2460FG	2K	27	140.50	65
2460FS	2K	27	407.00	65
2460HDRC	2L	28	493.00	69
2460DRK3	2L	28	588.00	69
2460DPRS	2L	28	1,126.50	69
2460HFG	2F	22	245.50	68
2460HFS	2F	22	649.50	68
2460HLS	2F	22	662.50	68
2460LG	2K	27	150.50	65
2460LS	2K	27	417.50	65
2460NBL	2D	20	110.00	43

Part Number	Sales Class	AQ Cat	List Price	Page #
2460NC	2B	18	111.00	42
2460N-D	2D	20	115.00	43, 195
2460N-DSG	2D	20	110.00	43
2460NFS	2K	27	469.00	65
2460NK3	2A	17	134.50	42
2460NS	2C	19	402.50	42
2460NW	2D	20	110.00	43
2460QBR	2H	24	111.00	102
2472BR	2B	18	120.00	42
2472NBL	2D	20	131.50	43
2472NC	2B	18	132.50	42
2472N-D	2D	20	136.50	43, 195
2472N-DSG	2D	20	131.50	43
2472NK3	2A	17	157.50	42
2472NS	2C	19	503.00	42
2472NW	2D	20	131.50	43
24NC	2E	21	14.00	
24X36X54C	5C	82	218.50	61
24X36X54CMB	5C	82	218.50	61
24X36X54UC	5C	82	141.50	61
24X36X54UCMB	5C	82	141.50	61
24X36X54VC	5C	82	228.00	61
24X36X54VCMB	5C	82	228.00	61
24X36X54VUC	5C	82	150.50	61
24X36X54VUCMB	5C	82	150.50	61
24X36X62C	5C	82	228.00	61
24X36X62CMB	5C	82	228.00	61
24X36X62UC	5C	82	146.50	61
24X36X62UCMB	5C	82	146.50	61
24X36X62VC	5C	82	238.50	61
24X36X62VCMB	5C	82	238.50	61
24X36X62VUC	5C	82	156.50	61
24X36X62VUCMB	5C	82	156.50	61
24X36X74C	5C	82	235.50	61
24X36X74CMB	5C	82	235.50	61
24X36X74UC	5C	82	179.00	61
24X36X74UCMB	5C	82	179.00	61
24X36X74VC	5C	82	244.00	61
24X36X74VCMB	5C	82	244.00	61
24X36X74VUC	5C	82	184.00	61
24X36X74VUCMB	5C	82	184.00	61
24X48X54C	5C	82	258.50	61
24X48X54CMB	5C	82	258.50	61
24X48X54UC	5C	82	152.50	61
24X48X54UCMB	5C	82	152.50	61
24X48X54VC	5C	82	267.50	61
24X48X54VCMB	5C	82	267.50	61
24X48X54VUC	5C	82	165.00	61
24X48X54VUCMB	5C	82	165.00	61
24X48X62C	5C	82	268.50	61, 183
24X48X62CMB	5C	82	268.50	61, 183
24X48X62UC	5C	82	181.00	61, 183
24X48X62UCMB	5C	82	181.00	61, 183
24X48X62V	5C	82	281.50	61, 183
24X48X62VCMB	5C	82	281.50	61, 183
24X48X62VUC	5C	82	191.50	61, 183
24X48X62VUCMB	5C	82	191.50	61, 183
24X48X74C	5C	82	273.50	61
24X48X74CMB	5C	82	273.50	61
24X48X74UC	5C	82	197.50	61
24X48X74UCMB	5C	82	197.50	61
24X48X74VC	5C	82	285.00	61
24X48X74VCMB	5C	82	285.00	61
24X48X74VUC	5C	82	208.50	61
24X48X74VUCMB	5C	82	208.50	61
24X60X54C	5C	82	287.00	61
24X60X54CMB	5C	82	287.00	61
24X60X54UC	5C	82	206.00	61
24X60X54UCMB	5C	82	206.00	61
24X60X54VC	5C	82	299.00	61
24X60X54VCMB	5C	82	299.00	61
24X60X54VUC	5C	82	215.50	61
24X60X54VUCMB	5C	82	215.50	61
24X60X62C	5C	82	293.50	61
24X60X62CMB	5C	82	293.50	61
24X60X62UC	5C	82	212.50	61
24X60X62VCMB	5C	82	212.50	61
24X60X62VC	5C	82	305.00	61
24X60X62VUCMB	5C	82	305.00	61

Part Number	Sales Class	AQ Cat	List Price	Page #
24X60X62VUC	5C	82	220.50	61
24X60X62VUCMB	5C	82	220.50	61
24X60X74C	5C	82	299.00	61
24X60X74CMB	5C	82	299.00	61
24X60X74UC	5C	82	242.00	61
24X60X74UCMB	5C	82	234.50	61
24X60X74VC	5C	82	308.00	61
24X60X74VCMB	5C	82	308.00	61
24X60X74VUC	5C	82	251.50	61
24X60X74VUCMB	5C	82	251.50	61
24X72X54C	5C	82	293.50	61
24X72X54CMB	5C	82	293.50	61
24X72X54UC	5C	82	209.50	61
24X72X54UCMB	5C	82	203.00	61
24X72X54VC	5C	82	305.00	61
24X72X54VCMB	5C	82	305.00	61
24X72X54VUC	5C	82	219.50	61
24X72X54VUCMB	5C	82	219.50	61
24X72X62C	5C	82	300.00	61
24X72X62CMB	5C	82	300.00	61
24X72X62UC	5C	82	227.00	61
24X72X62UCMB	5C	82	227.00	61
24X72X62VC	5C	82	227.00	61
24X72X62VCMB	5C	82	309.00	61
24X72X62VUC	5C	82	236.50	61
24X72X62VUCMB	5C	82	236.50	61
24X72X74C	5C	82	306.00	61
24X72X74CMB	5C	82	306.00	61
24X72X74UC	5C	82	247.00	61
24X72X74UCMB	5C	82	247.00	61
24X72X74VC	5C	82	313.00	61
24X72X74VCMB	5C	82	313.00	61
24X72X74VUC	5C	82	258.50	61
24X72X74VUCMB	5C	82	258.50	61
27P	2B	18	17.50	37, 42, 64, 194
27PBL	2D	20	17.00	194
27PF	2B	18	21.50	65
27PFS	2C	19	52.50	65
27PK3	2A	17	20.00	37
27PS	2C	19	42.00	37, 42, 64
27UP	2B	18	17.50	37, 42, 64, 194
27UPK3	2A	17	20.00	37
27UPS	2C	19	42.00	37, 42, 64
2C4SC	4A	61	417.00	
2084	4A	61	479.00	
2C8SN	4A	61	537.00	
2C8VN	4A	61	641.00	
2C9V4	4A	61	579.00	
2C9VSN	4A	61	743.00	
2KR345DC	2F	22	1,601.50	190
2KR346GM	2F	22	1,666.00	190
2KR365DC	2F	22	1,837.00	190
2KR366MC	2F	22	1,924.00	190
2SPN343ABR	20	31	325.00	85
2SPN330C	20	31	416.00	85
2SPN33PS	20	31	930.50	85
2SPN43ABR	20	31	358.50	85
2SPN43DC	20	31	443.50	85
2SPN43PS	20	31	996.50	85
2SPN53ABR	20	31	367.00	85
2SPN53DC	20	31	452.50	85
2SPN53PS	20	31	1,039.50	85
2SPN55ABR	20	31	394.50	85
2SPN55DC	20	31	482.00	85
2SPN55PS	20	31	1,153.00	85
2SPN56ABR	20	31	433.00	85
2SPN56DC	20	31	516.00	85
2SPN56PS	20	31	1,299.00	85
2WD14C	2B	18	57.00	80
2WD14K3	2A	17	66.00	80
2WD14S	2C	19	117.00	80
2WD18C	2B	18	58.00	80
2WD18K3	2A	17	67.00	80
2WD18S	2C	19	124.00	78, 80
2WD21C	2B	18	59.00	80
2WD21K3	2A	17	70.00	80
2WD21TS	2C	19	127.50	80
2WD24C	2B	18	60.50	80
2WD24K3	2A	17	71.00	80

Part Number	Sales Class	AQ Cat	List Price	Page #
2WD24S	2C	19	131.50	78, 80
2WS14C	2B	18	54.50	80
2WS14K3	2A	17	63.50	80
2WS14S	2C	19	111.50	80
2WS18C	2B	18	55.50	80
2WS18K3	2A	17	66.00	80
2WS18S	2C	19	120.00	80
2WS21C	2B	18	57.00	80
2WS21S	2C	19	122.00	80
2WS24C	2B	18	58.00	80
2WS24K3	2A	17	69.50	80
2WS24S	2C	19	128.50	80
3036NC	2B	18	115.50	42
3036NK3	2A	17	137.00	42
3036NS	2C	19	365.00	42
3048NC	2B	18	133.50	42
3048NK3	2A	17	157.50	42
3048NS	2C	19	426.00	42
3060NC	2B	18	147.00	42
3060NK3	2A	17	179.50	42
3060NS	2C	19	473.50	42
3072NC	2B	18	176.00	42
3072NK3	2A	17	215.00	42
3072NS	2C	19	575.00	42
33P	2B	18	18.50	37, 42, 64, 194
33PBL	2D	20	18.00	194
33P-D	2D	20	21.00	195
33PDF	2B	18	54.00	80
33PDFK3	2A	17	64.00	80
33PDFS	2C	19	111.50	80
33P-DSG	2D	20	18.00	194
33PK3	2A	17	22.00	35, 37, 42
33PM	2B	18	22.50	65
33PM-S	2C	19	53.50	65
33PQ	2H	24	23.00	193, 194
33PQBL	2H	24	23.00	193, 194
33PQ-D	2H	24	25.50	195
33PQ-DSG	2H	24	23.00	193, 194
33PQW	2H	24	23.00	193, 194
33PS	2C	19	47.50	35, 37, 42, 64
33PW	2D	20	18.00	194
33UP	2B	18	18.50	37, 42, 64, 182, 194
33UPBL	2D	20	18.00	194
33UP-D	2D	20	21.00	195
33UP-DSG	2D	20	18.00	194
33UPK3	2A	17	22.00	35, 37, 42
33UP0-D	2H	24	25.50	195
33UPQ-DBM	5G	86	25.50	195
33UPS	2C	19	47.50	35, 37, 42, 64
33UPS-SW	2C	19	50.50	48
33UPW	2D	20	18.00	194
3636NC	2B	18	128.50	42
3636NK3	2A	17	154.00	42
3636NS	2C	19	408.00	42
3648NC	2B			

Part Number	Sales Class	AQ Cat	List Price	Page #
3SPN56ABR	20	31	537.50	85
3SPN56DC	20	31	627.00	85
3SPN56PS	20	31	1,701.50	85
4LD	5A	80	23.00	48
54HPC	2F	22	62.50	68
54HPS	2F	22	128.50	68
54P	2B	18	21.50	37, 42, 64, 194
54PBL	2D	20	21.00	194
54P-D	2D	20	24.00	195
54PDF	2B	18	55.00	80
54PDFK3	2A	17	65.50	80
54PDFS	2C	19	144.50	80
54P-DSG	2D	20	21.00	194
54PK3	2A	17	23.50	35, 37, 42
54PK3-STKD	2A	17	29.50	194
54PQ	2H	24	26.00	193, 194
54PQBL	2H	24	26.00	193, 194
54PQ-D	2H	24	29.00	195
54PQ-DSG	2H	24	26.00	193, 194
54PQW	2H	24	26.00	193, 194
54PS	2C	19	52.50	35, 37, 42, 64
54PS-STKD	2C	19	58.50	50
54P-STKD	2B	18	27.50	50
54PW	2D	20	21.00	194
54SAP	2B	18	21.50	194
54UHPC	2F	22	62.50	68
54UHPS	2F	22	128.50	68
54UP	2B	18	21.50	37, 42, 64, 194
54UPBL	2D	20	21.00	194
54UP-D	2D	20	24.00	195
54UP-DSG	2D	20	21.00	194
54UPK3	2A	17	23.50	35, 37, 42
54UPQ-D	2H	24	29.00	195
54UPQ-DBM	2H	24	29.00	195
54UPQ-DCH	2H	24	29.00	195
54UPQ-DHG	2H	24	29.00	195
54UPQ-DSG	2H	24	26.00	193, 194
54UPS	2C	19	52.50	35, 37, 42, 64
54UPS-SW	2C	19	55.50	48
54UPW	2D	20	21.00	194
5A317C	1A	10	432.50	38
5A317K3	1C	12	511.00	38
5A327C	1A	10	440.00	38
5A327K3	1C	12	528.50	38
5A336BC	1A	10	566.00	39
5A336EC	1A	10	636.00	39
5A337C	1A	10	440.00	38
5A337K3	1C	12	528.50	38
5A347C	1A	10	507.50	38
5A347K3	1C	12	606.00	38
5A356BC	1A	10	696.00	39
5A356EC	1A	10	766.00	39
5A367C	1A	10	570.00	38
5A367K3	1C	12	691.00	38
5A377C	1A	10	660.00	38
5A377K3	1C	12	771.00	38
5A417C	1A	10	487.50	38
5A417K3	1C	12	563.50	38
5A427C	1A	10	502.50	38
5A427K3	1C	12	576.00	38
5A447C	1A	10	560.00	38
5A447K3	1C	12	651.00	38
5A456BC	1A	10	686.00	39
5A456EC	1A	10	756.00	39
5A457C	1A	10	560.00	38
5A457K3	1C	12	651.00	38
5A466BC	1A	10	761.00	39
5A466EC	1A	10	831.00	39
5A467C	1A	10	635.00	38
5A467K3	1C	12	738.50	38
5A477C	1A	10	735.00	38

Part Number	Sales Class	AQ Cat	List Price	Page #
5A477K3	1C	12	868.50	38
5A517C	1A	10	512.50	38
5A517K3	1C	12	601.00	38
5A527C	1A	10	527.50	38
5A527K3	1C	12	611.00	38
5A536BC	1A	10	653.50	39
5A536EC	1A	10	723.50	39
5A537C	1A	10	527.50	38
5A537K3	1C	12	611.00	38
5A547C	1A	10	600.00	38
5A547K3	1C	12	713.50	38
5A556BC	1A	10	726.00	39
5A556EC	1A	10	796.00	39
5A557C	1A	10	600.00	38
5A557K3	1C	12	713.50	38
5A566BC	1A	10	811.00	39
5A566EC	1A	10	881.00	39
5A567C	1A	10	685.00	38
5A567K3	1C	12	818.50	38
5A577C	1A	10	792.50	38
5A577K3	1C	12	933.50	38
5AA317C	1A	10	421.50	38
5AA317K3	1C	12	492.00	38
5AA327C	1A	10	429.00	38
5AA327K3	1C	12	509.50	38
5AA337C	1A	10	429.00	38
5AA337K3	1C	12	509.50	38
5AA347C	1A	10	496.50	38
5AA347K3	1C	12	587.00	38
5AA357C	1A	10	496.50	38
5AA357K3	1C	12	587.00	38
5AA367C	1A	10	559.00	38
5AA367K3	1C	12	672.00	38
5AA377C	1A	10	649.00	38
5AA377K3	1C	12	752.00	38
5AA417C	1A	10	476.50	38
5AA417K3	1C	12	544.50	38
5AA427C	1A	10	491.50	38
5AA427K3	1C	12	557.00	38
5AA437C	1A	10	491.50	38
5AA437K3	1C	12	557.00	38
5AA447C	1A	10	549.00	38
5AA447K3	1C	12	632.00	38
5AA457C	1A	10	549.00	38
5AA457K3	1C	12	632.00	38
5AA467C	1A	10	624.00	38
5AA467K3	1C	12	719.50	38
5AA477C	1A	10	724.00	38
5AA477K3	1C	12	849.50	38
5AA517C	1A	10	501.50	38
5AA517K3	1C	12	582.00	38
5AA527C	1A	10	516.50	38
5AA527K3	1C	12	592.00	38
5AA537C	1A	10	516.50	38
5AA537K3	1C	12	592.00	38
5AA547C	1A	10	589.00	38
5AA547K3	1C	12	694.50	38
5AA557C	1A	10	589.00	38
5AA557K3	1C	12	694.50	38
5AA567C	1A	10	674.00	38
5AA567K3	1C	12	799.50	38
5AA577C	1A	10	781.50	38
5AA577K3	1C	12	914.50	38
5AQ317G3	3B	42	546.00	21
5AQ327G3	3B	42	566.00	21
5AQ337G3	3B	42	566.00	21
5AQ347G3	3B	42	656.00	21
5AQ357G3	3B	42	656.00	21
5AQ367G3	3B	42	758.50	21
5AQ377G3	3B	42	846.00	21
5AQ417G3	3B	42	606.00	21
5AQ427G3	3B	42	621.00	21
5AQ437G3	3B	42	621.00	21
5AQ447G3	3B	42	708.50	21
5AQ457G3	3B	42	708.50	21
5AQ467G3	3B	42	808.50	21
5AQ477G3	3B	42	961.00	21
5AQ517G3	3B	42	651.00	21
5AQ527G3	3B	42	661.00	21

Part Number	Sales Class	AQ Cat	List Price	Page #
5AQ537G3	3B	42	661.00	21
5AQ547G3	3B	42	781.00	21
5AQ557G3	3B	42	781.00	21
5AQ567G3	3B	42	903.50	21
5AQ577G3	3B	42	1,036.00	21
5AX317GX3	3A	41	766.50	20
5AX327GX3	3A	41	794.00	20
5AX337GX3	3A	41	794.00	20
5AX347GX3	3A	41	926.50	20
5AX357GX3	3A	41	926.50	20
5AX367GX3	3A	41	1,076.50	20
5AX377GX3	3A	41	1,234.00	20
5AX517GX3	3A	41	919.00	20
5AX527GX3	3A	41	934.00	20
5AX537GX3	3A	41	934.00	20
5AX547GX3	3A	41	1,109.00	20
5AX557GX3	3A	41	1,109.00	20
5AX567GX3	3A	41	1,286.50	20
5AX577GX3	3A	41	1,494.00	20
5HHP	5A	80	67.00	68
5HHPB	5A	80	73.00	68
5LD	5A	80	26.50	48
5M	5A	80	30.50	48
5MB	5A	80	36.50	48
5MBC	5A	80	60.00	48
5MBX	3K	51	36.50	16
5MC	5A	80	54.00	48
5MDA	5A	80	30.50	48
5MDBA	5A	80	36.50	48, 182
5MDBSA	5A	80	145.50	48
5MDBXA	3K	51	36.50	16
5MDGA	5A	80	138.50	48
5MDRA	5A	80	36.50	48, 182
5MDRGS	5A	80	145.50	48
5MDRXA	3K	51	36.50	16
5MDXA	3K	51	30.50	16
5MFA	5A	80	55.00	48
5MFBA	5A	80	61.00	48
5MHNTN	5A	80	190.00	48
5MHTNB	5A	80	202.50	48
5MHTPB	5A	80	190.00	48
5MP	5A	80	48.00	48
5MPB	5A	80	54.00	48
5MPBGS	5A	80	152.50	48
5MPBX	3K	51	54.00	16
5MPBXGA	3K	51	149.50	16
5MPGS	5A	80	146.50	48
5MPR	5A	80	54.00	48
5MPRGSA	5A	80	152.50	48
5MPRX	3K	51	54.00	16
5MPRXGSA	3K	51	149.50	16
5MPX	3K	51	30.50	16
5PC	5A	80	73.00	48
5PCB	5A	80	80.00	48
5PCBM	5A	80	87.50	48
5PCBX	3K	51	80.00	16
5PCBXM	3K	51	87.50	16
5PCM	5A	80	81.50	48
5PCR	5A	80	80.00	48
5PCRX	3K	51	80.00	16
5PCX	3K	51	73.00	16
5PCXM	3K	51	81.50	16
5C317G3	3B	42	565.00	21
5C327G3	3B	42	585.00	21
5C337EG3	3B	42	847.00	18
5C337G3	3B	42	585.00	21
5C347G3	3B	42	675.00	21
5C357EG3	3B	42	949.00	18
5C357G3	3B	42	675.00	21
5C367EG3	3B	42	1,065.00	18
5C367G3	3B	42	777.50	21
5C367G3	3B	42	86	

Part Number	Sales Class	AQ Cat	List Price	Page #
50427G3	3B	42	640.00	21
50437G3	3B	42	640.00	21
50447G3	3B	42	727.50	21
50457G3	3B	42	727.50	21
50467G3	3B	42	827.50	21
50477G3	3B	42	980.00	21
50517G3	3B	42	670.00	21
50527G3	3B	42	680.00	21
50537EG3	3B	42	955.00	18
50537G3	3B	42	680.00	21
50547G3	3B	42	800.00	21
50557EG3	3B	42	1,090.50	18
50557G3	3B	42	800.00	21
50567EG3	3B	42	1,228.50	18
50567G3	3B	42	922.50	21
50577G3	3B	42	1,055.00	21
5X317GX3	3A	41	820.50	20
5X327GX3	3A	41	848.00	20
5X337EGX3	3A	41	1,069.00	18
5X337GX3	3A	41	848.00	20
5X347GX3	3A	41	980.50	20
5X357EGX3	3A	41	1,205.00	18
5X357GX3	3A	41	980.50	20
5X367EGX3	3A	41	1,359.00	18
5X367GX3	3A	41	1,130.50	20
5X377GX3	3A	41	1,288.00	20
5X517GX3	3A	41	973.00	20
5X527GX3	3A	41	988.00	20
5X537EGX3	3A	41	1,213.00	18
5X537GX3	3A	41	988.00	20
5X547GX3	3A	41	1,163.00	20
5X557EGX3	3A	41	1,392.50	18
5X557GX3	3A	41	1,163.00	20
5X567EGX3	3A	41	1,574.50	18
5X567GX3	3A	41	1,340.50	20
5X577GX3	3A	41	1,548.00	20
63HPC	2F	22	66.50	68
63HPS	2F	22	139.50	68
63P	2B	18	23.00	37, 42, 64, 194
63PBL	2D	20	22.50	194
63P-D	2D	20	25.50	195
63PDF	2B	18	56.00	80
63PDFK3	2A	17	66.50	80
63PDFS	2C	19	153.00	80
63P-DSG	2D	20	22.50	194
63PK3	2A	17	26.50	35,37,42
63PK3-STKD	2A	17	33.00	194
63PQ	2H	24	27.50	193, 194
63PQBL	2H	24	27.50	193, 194
63PQ-D	2H	24	30.50	195
63PQ-DBM	2H	24	30.50	195
63PQ-DCH	2H	24	30.50	195
63PQ-DHG	2H	24	30.50	195
63PQ-DSG	2H	24	27.50	193, 194
63PQ-DSH	2H	24	30.50	193, 194
63PQW	2H	24	27.50	193, 194
63PS	2C	19	59.00	35,37,42, 64
63PS-STKD	2C	19	65.00	50
63P-STKD	2B	18	30.00	50
63PW	2D	20	22.50	194
63SAP	2B	18	23.50	194
63UHPC	2F	22	66.50	68
63UHPK3	5G	86	71.00	68
63UHPS	2F	22	139.50	68
63UP	2B	18	23.00	37, 42, 64, 194
63UPBL	2D	20	22.50	194
63UP-D	2D	20	25.50	195
63UP-DSG	2D	20	22.50	194
63UPK3	2A	17	26.50	35,37,42
63UPQ-D	2H	24	30.50	195
63UPQ-DHG	2H	24	30.50	195
63UPQ-DSG	2H	24	27.50	193, 194
63UPS	2C	19	59.00	37, 42, 64
63UPS-SW	2C	19	62.00	48
63UPW	2D	20	22.50	194
6511DR	3E	45	19.00	176
6517DR	3E	45	30.00	176
6518DR	3E	45	43.00	176
654SRC	4G	67	87.00	170

Part Number	Sales Class	AQ Cat	List Price	Page #
660SRC	4G	67	91.50	170
6703R	3E	45	35.00	170
6704R	3E	45	21.50	170
6MP	5A	80	63.50	48
6MPB	5A	80	75.00	48
6MPR	5A	80	75.00	48
6P	5A	80	139.00	37, 42, 64, 194
6PR	5A	80	139.00	37, 42, 64, 194
70UPK3	2A	17	35.00	35,37,42
74FPC	2N	30	36.50	191
74HPC	2F	22	70.00	68
74HPS	2F	22	151.00	68
74P	2B	18	25.00	37, 42, 64, 194
74PBL	2D	20	24.50	194
74PC-TTMP	2B	18	33.00	194
74P-D	2D	20	27.50	194
74P-DSG	2D	20	24.50	194
74PK3	2A	17	29.00	35,37,42
74PK3-STKD	2A	17	35.00	194
74PQBL	2H	24	29.50	193, 194
74PQ-D	2H	24	32.50	193, 194
74PQ-DBM	2H	24	32.50	193, 194
74PQ-DCH	2H	24	32.50	193, 194
74PQ-DHG	2H	24	32.50	193, 194
74PQ-DSG	2H	24	29.50	193, 194
74PQ-DSH	2H	24	32.50	193, 194
74PQW	2H	24	29.50	193, 194
74PS	2C	19	66.00	35,37,42, 64
74PS-STKD	2C	19	72.00	50
74P-STKD	2B	18	31.00	50
74PS-TTMP	5B	19	74.00	193, 194
74PW	2D	20	24.50	193, 194
74SAP	2B	18	27.00	193, 194
74UHPC	2F	22	70.00	68
74UHPK3	5G	86	78.50	193, 194
74UHPS	2F	22	151.00	68
74UP	2B	18	25.00	37, 42, 64, 194
74UPBL	2D	20	24.50	194
74UP-D	2D	20	27.50	195
74UP-DSG	2D	20	24.50	193, 194
74UPK3	2A	17	29.00	35,37,42
74UPQ-D	2H	24	32.50	195
74UPQ-DBM	2H	24	32.50	195
74UPQ-DCH	2H	24	32.50	195
74UPQ-DHG	2H	24	32.50	195
74UPQ-DSG	2H	24	29.50	193, 194
74UPQ-DSH	2H	24	32.50	193, 194
74UPS	2C	19	66.00	35,37,42, 64
74UPS-SW	2C	19	69.00	193, 194
74UPW	2D	20	24.50	193, 194
7P	2B	18	12.50	37, 64, 194
7PBL	2D	20	12.00	194
7P-D	2D	20	15.00	195
7P-DSG	2D	20	12.00	194
7PK3	2A	17	14.00	64
7UP	2B	18	12.50	64
7UPK3	2A	17	14.00	64
7UPS	2C	19	22.00	64
86FPC	2N	30	39.50	191
86P	2B	18	31.00	37, 42, 64, 194
86PBL	2D	20	30.50	194
86P-D	2D	20	33.50	195
86P-DSG	2D	20	30.50	195
86PK3	2A	17	34.00	35,37,42
86PQ	2H	24	35.50	193, 194
86PQBL	2H	24	35.50	193, 194
86PQ-D	2H	24	38.50	195
86PQ-DSG	2H	24	38.50	193, 194
86PQ-DSH	2H	24	38.50	193, 194
86PQW	2H	24	35.50	193, 194
86PS	2C	19	76.00	35,37,42, 64
86PW	2D	20	30.50	193, 194
86SAP	2B	18	32.00	193, 194
86UP	2B	18	31.00	37, 42, 64, 194

Part Number	Sales Class	AQ Cat	List Price	Page #
86UPBL	2D	20	30.50	194
86UP-D	2D	20	33.50	195
86UP-DSG	2D	20	30.50	193, 194
86UPK3	2A	17	34.00	35,37,42
86UPQ-DHG	2H	24	38.50	193, 194
86UPS	2C	19	76.00	35,37,42, 64
86UPW	2D	20	30.50	195
8P	5A	80	157.00	197
8PR	5A	80	157.00	197
9084Z	2B	18	8.40	55
9184Z	2K	27	11.20	66
96P	2B	18	35.50	37, 42, 64
9970EPZ	2G	23	16.70	54
9971Z	2J	26	4.60	54
9975C	2J	26	3.50	54
9976C	2J	26	6.20	54
9982GR-4	2B	18	16.50	44
9984C	2N	30	7.40	191
9984HZ	2F	22	9.40	69
9985	2G	23	6.80	44
9985-ESD	2B	18	9.00	44
9985H	2F	22	14.70	69
9985QS	2H	24	8.00	193
9985QSL	2H	24	10.00	102, 193
9985W	2D	20	6.80	44
9986HZ	2F	22	20.00	69
9986S	2C	19	13.00	44
9986Z	2G	23	8.90	44
9989PX	3C	43	4.70	25
9989X1	3C	43	8.30	25
9989X2	3C	43	10.60	25
9989X3	3C	43	12.90	25
9989X4	3C	43	14.60	25
9989X5	3C	43	17.50	25
9989X6	3C	43	18.60	25
9990CL	2G	23	4.40	59
9990CL1	2G	23	6.10	59
9990CL2	2G	23	8.80	59
9990CL3	2G	23	11.00	59
9990CL30	2G	23	9.90	59
9990CL4	2G	23	13.70	59
9990CL5	2G	23	18.60	59
9990P	2G	23	4.40	59, 184, 192
9990P1	2G	23	6.10	59
9990P2	2G	23	8.80	59
9990P3	2G	23	11.00	59
9990P30	2G	23	9.90	59
9990P4	2G	23	13.70	59
9990P5	2G	23	19.00	59
9990SL	2G	23	4.40	59
9990SL1	2G	23	6.10	59
9990SL2	2G	23	8.80	59
9990SL3	2G	23	11.00	59
9990SL30	2G	23	9.90	59
9990SL4	2G	23	13.70	59
9990SL5	2G	23	19.00	59
9991P	2G	23	3.40	44
9992DB	5A	80	7.20	49, 161
9992H	2F	22	11.70	69
9992N	5A	80	12.50	49, 161
9993BL	2D	20	12.80	44
9993HS	2F	22	31.00	69
9993S	2C	19	27.00	14, 44
9993Z	2B	18	12.00	14, 44
9994BL	2D	20	6.60	38

Part Number	Sales Class	AQ Cat	List Price	Page #
A1430NC	1A	10	65.00	37
A1430NK3	1C	12	73.50	34, 37
A1430NS	1D	13	185.00	37
A1436NC	1A	10	65.00	37
A1436NK3	1C	12	73.50	34, 37
A1436NS	1D	13	185.00	37
A1442NC	1A	10	74.50	37
A1442NK3	1C	12	85.50	34, 37
A1442NS	1D	13	226.50	37
A1448NC	1A	10	74.50	37
A1448NK3	1C	12	85.50	34, 37
A1448NS	1D	13	226.50	37
A1460NC	1A	10	85.50	37
A1460NK3	1C	12	96.00	34, 37
A1460NS	1D	13	284.50	37
A1472NC	1A	10	97.00	37
A1472NK3	1C	12	109.00	34, 37
A1472NS	1D	13	319.50	37
A1824NC	1A	10	66.50	37
A1824NK3	1C	12	79.00	34, 37
A1824NS	1D	13	224.00	37
A1830NC	1A	10	68.00	37
A1830NK3	1C	12	82.50	34, 37
A1830NS	1D	13	226.50	37
A1836NC	1A	10	68.00	37, 101
A1836NK3	1C	12	82.50	34, 37, 101
A1836NS	1D	13	226.50	37, 101
A1842NC	1A	10	81.50	37
A1842NK3	1C	12	98.00	34, 37
A1842NS	1D	13	267.50	37
A1848NC	1A	10	81.50	37, 101
A1848NK3	1C	12	98.00	34, 37, 101
A1848NS	1D	13	267.50	37, 101
A1854NC	1A	10	94.00	37
A1854NK3	1C	12	115.00	34, 37
A1854NS	1D	13	338.50	37
A1860NC	1A	10	94.00	37
A1860NK3	1C	12	115.00	34, 37
A1860NS	1D	13	338.50	37
A1872NC	1A	10	112.00	37
A1872NK3	1C	12	131.00	34, 37
A1872NS	1D	13	402.00	37
A190	4A	61	123.00	176
A2124NC	1A	10	77.50	37
A2124NK3	1C	12	89.50	34, 37
A2124NS	1D	13	255.50	37
A2130NC	1A	10	80.50	37
A2130NK3	1C	12	92.00	34, 37
A2130NS	1D	13	258.50	37
A2136NC	1A	10	80.50	37
A2136NK3	1C	12	92.00	34, 37
A2136NS	1D	13	258.50	37
A2142NC	1A	10	92.00	37
A2142NK3	1C	12	107.00	34, 37
A2142NS	1D	13	297.50	37
A2148NC	1A	10	92.00	37
A2148NK3	1C	12	107.00	34, 37
A2148NS	1D	13	297.50	37
A2154NC	1A	10	107.00	37
A2154NK3	1C	12	124.50	34, 37
A2154NS	1D	13	393.50	37
A2160NC	1A	10	107.00	37
A2160NK3	1C	12	124.50	34, 37
A2160NS	1D	13	393.50	37
A2172NC	1A	10	127.00	37
A2172NK3	1C	12	150.50	34, 37
A2172NS	1D	13	465.00	37
A2424NC	1A	10	82.50	37
A2424NK3	1C	12	97.00	34, 37
A2424NS	1D	13	275.00	37
A2430NC	1A	10	85.50	37
A2430NK3	1C	12	99.00	34, 37
A2430NS	1D	13	278.50	37
A2436NC	1A	10	85.50	37, 101
A2436NK3	1C	12	99.00	34, 37, 101
A2436NS	1D	13	278.50	37, 101
A2442NC	1A	10	100.00	37
A2442NK3	1C	12	119.50	34, 37
A2442NS	1D	13	335.50	37

Part Number	Sales Class	AQ Cat	List Price	Page #
A2448NC	1A	10	100.00	37, 101, 182
A2448NK3	1C	12	119.50	34, 37, 101
A2448NS	1D	13	335.50	37, 101
A2454NC	1A	10	117.00	37
A2454NK3	1C	12	140.50	34, 37
A2454NS	1D	13	408.50	37
A2460NC	1A	10	117.00	37, 101
A2460NK3	1C	12	140.50	34, 37, 101
A2460NS	1D	13	408.50	37, 101
A2472NC	1A	10	138.50	37
A2472NK3	1C	12	163.50	34, 37
A2472NS	1D	13	509.00	37
A3036NC	1A	10	116.00	101
A3036NS	1D	13	365.00	101
A3048NC	1A	10	134.00	101
A3048NS	1D	13	426.00	101
A3060NC	1A	10	148.00	101
A3060NS	1D	13	473.50	101
A3072NC	1A	10	177.00	101
A3072NS	1D	13	575.00	101
A32	4I	69	166.00	39
A33	4I	69	284.00	39
A336BC	1A	10	498.00	39
A336EC	1A	10	568.00	39
A336JC	2B	18	784.00	39
A33RD	4I	69	288.50	163, 164
A34	4I	69	288.50	39
A35	4I	69	288.50	39
A356BC	1A	10	552.00	39
A356EC	1A	10	622.00	39
A356JC	1F	15	862.50	39
A356LC	1F	15	932.50	39
A356MC	1F	15	1,378.00	39
A3636NC	1A	10	129.00	39
A3636NS	1D	13	408.00	39
A3648NC	1A	10	151.50	39
A3648NS	1D	13	484.00	39
A3660NC	1A	10	172.50	39
A3660NS	1D	13	561.50	39
A366BC	1A	10	602.00	39
A366EC	1A	10	672.00	39
A366JC	2B	18	944.50	39
A366LC	2B	18	1,014.50	39
A366MC	2B	18	1,460.00	39
A3672NC	1A	10	203.50	39
A3672NS	1D	13	667.00	39
A37	4I	69	163.00	163, 164
A436BC	1A	10	548.00	39
A436EC	1A	10	618.00	39
A436JC	2B	18	856.50	39
A456BC	1A	10	594.00	39
A456EC	1A	10	664.00	39
A456JC	2B	18	925.50	39
A456LC	2B	18	995.50	39
A456MC	2B	18	1,441.00	39
A466BC	1A	10	654.00	39
A466EC	1A	10	724.00	39
A466JC	2B	18	1,011.00	39
A466LC	2B	18	1,081.00	39
A466MC	2B	18	1,526.50	39
A536BC	1A	10	568.00	39
A536EC	1A	10	638.00	39
A536JC	2B	18	871.00	39
A536LC	2B	18	941.00	39
A536MC	2B	18	1,386.50	39
A556BC	1A	10	626.00	39
A556EC	1A	10	696.00	39
A556JC	2B	18	954.50	39
A556LC	2B	18	1,024.50	39
A556MC	2B	18	1,470.00	39
A556PC	2B	18	1,550.00	39
A566BC	1A	10	694.00	39
A566EC	1A	10	764.00	39
A566JC	2B	18	1,051.00	39
A566LC	2B	18	1,121.00	39
A566MC	2B	18	1,566.50	39
A566PC	2B	18	1,646.50	39
A71	4A	61	171.00	163, 164
AD11A	3G	47	180.00	175

Part Number	Sales Class	AQ Cat	List Price	Page #
AST35DC	2G	23	958.00	47, 185, 188
AST35MC	2G	23	1,798.00	47, 185, 188
AST55DC	2G	23	1,078.00	47, 185, 188
AST55MC	2G	23	1,864.00	47, 185, 188
AST65DC	2G	23	1,151.00	47, 185, 188
AST65MC	2G	23	1,965.50	47, 185, 188
AT2418NC	2E	21	35.50	56
AT2421NC	2E	21	35.50	56
AT2424NC	2E	21	35.50	56
AT3018NC	2E	21	37.50	56
AT3021NC	2E	21	37.50	56
AT3618NC	2E	21	39.00	56
AT3621NC	2E	21	39.00	56
AT3624NC	2E	21	39.00	56
AT4218NC	2E	21	40.00	56
AT4221NC	2E	21	40.00	56
AT4224NC	2E	21	40.00	56
AT4818NC	2E	21	41.00	56
AT4821NC	2E	21	41.00	56
AT4824NC	2E	21	41.00	56
AT6018NC	2E	21	49.00	56
AT6021NC	2E	21	49.00	56
AT6024NC	2E	21	49.00	56
AT7218NC	2E	21	51.00	56
AT7221NC	2E	21	51.00	56
AT7224NC	2E	21	51.00	56
AW21C	2B	18	90.00	79
AW23C	2B	18	163.50	79
AW25C	2B	18	219.50	79
AW26C	2B	18	275.00	79
AW31C	2B	18	91.00	79
AW33C	2B	18	165.50	79
AW35C	2B	18	222.50	79
AW36C	2B	18	279.00	79
AW41C	2B	18	92.00	79
AW43C	2B	18	168.00	79
AW45C	2B	18	226.00	79
AW46C	2B	18	284.00	79
AW51C	2B	18	93.00	79
AW53C	2B	18	170.00	79
AW55C	2B	18	229.00	79
AW56C	2B	18	288.00	79
B3N-AS	5A	80	121.50	51
B3P-TL	5A	80	62.50	51
B5DN	5A	80	30.50	51
B5DNB	5A	80	36.50	51
B5DNR	5A	80	30.50	51
B5P	5A	80	48.00	51
B5PB	5A	80	54.00	51
B5PGSA	5A	80	148.00	51
B5PC-TL	5A	80	102.00	51
B5PGSA	5A	80	142.00	51
B5PR	5A	80	48.00	51
B5PRGSA	5A	80	146.50	51
B5PTB	5A	80	58.50	51
BC1627-24BL	3H	48	213.00	82
BC1627-24BU	3H	48	213.00	82
BC1627-24G	3H	48	213.00	82
BC1627-24MB	3H	48	233.50	82
BC1627-34BL	3H	48	249.50	82
BC1627-34BU	3H	48	249.50	82
BC1627-34G	3H	48	249.50	82
BC1627-34MB	3H	48	274.50	82
BC20				

Part Number	Sales Class	AQ Cat	List Price	Page #
BC2030-3DMB	3H	48	326.50	83
BC2636-24BL	3H	48	269.00	82
BC2636-24BU	3H	48	269.00	82
BC2636-24G	3H	48	269.00	82
BC2636-2DBL	3H	48	281.50	83
BC2636-2DBU	3H	48	281.50	83
BC2636-2DG	3H	48	281.50	83
BC2636-34BL	3H	48	329.00	82
BC2636-34BU	3H	48	329.00	82
BC2636-34G	3H	48	329.00	82
BC2636-3DBL	3H	48	345.00	83
BC2636-3DBU	3H	48	345.00	83
BC2636-3DG	3H	48	345.00	83
BGS	2B	18	8.60	80
BCSK3	2A	17	9.00	80
BCUB1	3H	48	58.00	82
BCUB2	3H	48	58.00	82
BCUB2D	3H	48	58.00	83
BCWB1	3H	48	69.50	82
BCWB2	3H	48	69.50	82
BCWB2D	3H	48	69.50	83
BD15C	2N	30	40.50	191
BES	2B	18	11.90	80
BESK3	2A	17	14.00	80
BH6K3	2P	32	52.00	77
BL6P18	5A	80	371.50	52
BL6P21	5A	80	371.50	52
BL6P24	5A	80	371.50	52
BL8P21	5A	80	415.50	52
BL8P24	5A	80	415.50	52
BP27C	2N	30	101.00	191
BP28C	2N	30	112.50	191
BS3C	2N	30	36.50	191
BS5C	2N	30	43.00	191
BSD2218XA	3C	43	129.50	26
BSD2224XB	3C	43	132.00	26
BT48	3D	44	1,489.50	188
BT48A	3D	44	1,489.50	188
BT4N	5N	93	372.00	90
BTAC	5N	93	316.00	90
BTAK3	5N	93	381.00	90
BTAQ3	5N	93	405.00	90
BTAS	5N	93	531.00	90
BTAX3	5N	93	463.00	90
BTEC	5N	93	416.00	90
BTE-CTN3	5N	93	263.00	90
BTEK3	5N	93	499.00	90
BTEQ3	5N	93	547.00	90
BTES	5N	93	799.00	90
BTEX3	5N	93	663.00	90
BTMC	5N	93	363.00	90
BTM-CTN3	5N	93	490.00	90
BTMK3	5N	93	608.00	90
BTMQ3	5N	93	632.00	90
BTMS	5N	93	758.00	90
BTMX3	5N	93	690.00	90
BTS10NA	5N	93	747.00	90
BTS11NA	5N	93	803.50	90
BTS12NA	5N	93	859.50	90
BTS13NA	5N	93	915.00	90
BTS14NA	5N	93	968.50	90
BTS15NA	5N	93	1,175.50	90
BTS16NA	5N	93	1,230.00	90
BTS17NA	5N	93	1,287.50	90
BTS18NA	5N	93	1,343.50	90
BTS19NA	5N	93	1,398.00	90
BTS2.5NA	5N	93	371.00	90
BTS20NA	5N	93	1,452.50	90
BTS21NA	5N	93	1,506.00	90
BTS6NA	5N	93	378.50	90
BTS7NA	5N	93	431.00	90
BTS8NA	5N	93	636.00	90
BTS9NA	5N	93	690.50	90
C190	4A	61	3,304.00	159
C307FS	4G	67	1,530.50	
C4SC	4A	61	191.00	
C515-CFC-4	4A	61	3,113.00	146
C515-CFC-4A	4A	61	3,113.00	146
C515-CFC-L	4A	61	3,368.00	146

Part Number	Sales Class	AQ Cat	List Price	Page #
C515-CFC-LA	4A	61	3,368.00	146
C515-CFC-U	4A	61	3,269.00	146
C515-CFC-UA	4A	61	3,269.00	146
C515-CXF-4	4A	61	3,113.00	146
C515-CXF-4A	4A	61	3,113.00	146
C515-CXF-L	4A	61	3,368.00	146
C515-CXF-LA	4A	61	3,368.00	146
C515-CXF-UC	4A	61	3,269.00	146
C515-CXF-UA	4A	61	3,269.00	146
C515-HFC-4	4A	61	2,957.00	146
C515-HFC-4A	4A	61	2,957.00	146
C515-HFC-L	4A	61	3,199.00	146
C515-HFC-LA	4A	61	3,199.00	146
C515-HFC-UC	4A	61	3,105.00	146
C515-HFC-UA	4A	61	3,105.00	146
C515-HXF-4	4A	61	2,957.00	146
C515-HXF-4A	4A	61	2,957.00	146
C515-HXF-L	4A	61	3,199.00	146
C515-HXF-LA	4A	61	3,199.00	146
C515-HXF-UC	4A	61	3,105.00	146
C515-HXF-UA	4A	61	3,105.00	146
C515-PFC-4	4A	61	2,957.00	146
C515-PFC-4A	4A	61	2,957.00	146
C515-PFC-L	4A	61	3,199.00	146
C515-PFC-LA	4A	61	3,199.00	146
C515-PFC-UC	4A	61	3,105.00	146
C515-PFC-UA	4A	61	3,105.00	146
C515-PXF-4	4A	61	2,957.00	146
C515-PXF-4A	4A	61	2,957.00	146
C515-PXF-L	4A	61	3,199.00	146
C515-PXF-LA	4A	61	3,199.00	146
C515-PXF-UC	4A	61	3,105.00	146
C515-PXF-UA	4A	61	3,105.00	146
C515-PXF-4	4A	61	2,957.00	146
C515-PXF-4A	4A	61	2,957.00	146
C515-PXF-L	4A	61	3,199.00	146
C515-PXF-LA	4A	61	3,199.00	146
C515-PXF-UC	4A	61	3,105.00	146
C515-PXF-UA	4A	61	3,105.00	146
C515-SFC-4	4A	61	3,360.00	146
C515-SFC-4A	4A	61	3,360.00	146
C515-SFC-4-BU	4A	61	4,086.00	142
C515-SFC-4-BUA	4A	61	4,086.00	142
C515-SFC-4-GY	4A	61	4,086.00	142
C515-SFC-4-GYA	4A	61	4,086.00	142
C515-SFC-L	4A	61	4,419.00	142
C515-SFC-LA	4A	61	4,419.00	142
C515-SFC-L-BU	4A	61	4,419.00	142
C515-SFC-L-BUA	4A	61	4,419.00	142
C515-SFC-L-GY	4A	61	4,419.00	142
C515-SFC-L-GYA	4A	61	4,419.00	142
C515-SFC-U	4A	61	4,291.00	142
C515-SFC-U-GY	4A	61	4,291.00	142
C515-SFC-U-GYA	4A	61	4,291.00	142
C515-SFS-4	4A	61	3,883.00	142
C515-SFS-4A	4A	61	3,883.00	142
C515-SFS-4-BU	4A	61	3,883.00	142
C515-SFS-4-BUA	4A	61	3,883.00	142
C515-SFS-4-GY	4A	61	3,883.00	142
C515-SFS-4-GYA	4A	61	3,883.00	142
C515-SFS-L	4A	61	4,199.00	142
C515-SFS-LA	4A	61	4,199.00	142
C515-SFS-L-BU	4A	61	4,199.00	142
C515-SFS-L-BUA	4A	61	4,199.00	142
C515-SFS-L-GY	4A	61	4,199.00	142
C515-SFS-L-GYA	4A	61	4,199.00	142
C515-SFS-U	4A	61	4,077.00	142
C515-SFS-UA	4A	61	4,077.00	142
C515-SFS-U-BU	4A	61	4,077.00	142
C515-SFS-U-BUA	4A	61	4,077.00	142
C515-SFS-U-GY	4A	61	4,077.00	142
C515-SFS-U-GYA	4A	61	4,077.00	142
C515-SLF-4	4A	61	4,086.00	142
C515-SLF-4A	4A	61	4,086.00	142
C515-SLF-4-BU	4A	61	4,086.00	142
C515-SLF-4-BUA	4A	61	4,086.00	142
C515-SLF-4-GY	4A	61	4,086.00	142
C515-SLF-4-GYA	4A	61	4,086.00	142
C515-SLF-L	4A	61	4,419.00	142
C515-SLF-LA	4A	61	4,419.00	142
C515-SLF-L-BU	4A	61	4,419.00	142
C515-SLF-L-BUA	4A	61	4,419.00	142
C515-SLF-L-GY	4A	61	4,419.00	142
C515-SLF-L-GYA	4A	61	4,419.00	142
C515-SLF-U	4A	61	4,291.00	142
C515-SLF-U-A	4A	61	4,291.00	142
C515-SLF-U-BU	4A	61	4,291.00	142
C515-SLF-U-BUA	4A	61	4,291.00	142
C515-SLF-U-GY	4A	61	4,291.00	142
C515-SLF-U-GYA	4A	61	4,291.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C519-CXFC-U	4A	61	3,713.00	146
C519-CXFC-UA	4A	61	3,713.00	146
C519-HFC-4	4A	61	3,360.00	146
C519-HFC-4A	4A	61	3,360.00	146
C519-HFC-L	4A	61	3,634.00	146
C519-HFC-LA	4A	61	3,634.00	146
C519-HFC-UC	4A	61	3,634.00	146
C519-HFC-UA	4A	61	3,634.00	146
C519-HXF-4	4A	61	3,634.00	146
C519-HXF-4A	4A	61	3,634.00	146
C519-HXF-L	4A	61	3,634.00	146
C519-HXF-LA	4A	61	3,634.00	146
C519-HXF-UC	4A	61	3,634.00	146
C519-HXF-UA	4A	61	3,634.00	146
C519-PFC-4	4A	61	3,634.00	146
C519-PFC-4A	4A	61	3,634.00	146
C519-PFC-L	4A	61	3,634.00	146
C519-PFC-LA	4A	61	3,634.00	146
C519-PFC-UC	4A	61	3,634.00	146
C519-PFC-UA	4A	61	3,634.00	146
C519-PXF-4	4A	61	3,634.00	146
C519-PXF-4A	4A	61	3,634.00	146
C519-PXF-L	4A	61	3,634.00	146
C519-PXF-LA	4A	61	3,634.00	146
C519-PXF-UC	4A	61	3,634.00	146
C519-PXF-UA	4A	61	3,634.00	146
C519-SFC-4	4A	61	4,086.00	142
C519-SFC-4A	4A	61	4,086.00	142
C519-SFC-4-BU	4A	61	4,086.00	142
C519-SFC-4-BUA	4A	61	4,086.00	142
C519-SFC-4-GY	4A	61	4,086.00	142
C519-SFC-4-GYA	4A	61	4,086.00	142
C519-SFC-L	4A	61	4,419.00	142
C519-SFC-LA	4A	61	4,419.00	142
C519-SFC-L-BU	4A	61	4,419.00	142
C519-SFC-L-BUA	4A	61	4,419.00	142
C519-SFC-L-GY	4A	61	4,419.00	142
C519-SFC-L-GYA	4A	61	4,419.00	142
C519-SFC-U	4A	61	4,291.00	142
C519-SFC-U-A	4A	61	4,291.00	142
C519-SFC-U-BU	4A	61	4,291.00	142
C519-SFC-U-BUA	4A	61	4,291.00	142
C519				

Part Number	Sales Class	AQ Cat	List Price	Page #
C535-CLFC-U-GYA	4A	61	4,291.00	142
C535-CLFS-4	4A	61	3,883.00	142
C535-CLFS-4A	4A	61	3,883.00	142
C535-CLFS-4-BU	4A	61	3,883.00	142
C535-CLFS-4-BUA	4A	61	3,883.00	142
C535-CLFS-4-GY	4A	61	3,883.00	142
C535-CLFS-4-GYA	4A	61	3,883.00	142
C535-CLFS-L	4A	61	4,199.00	142
C535-CLFS-LA	4A	61	4,199.00	142
C535-CLFS-L-BU	4A	61	4,199.00	142
C535-CLFS-L-BUA	4A	61	4,199.00	142
C535-CLFS-L-GY	4A	61	4,199.00	142
C535-CLFS-L-GYA	4A	61	4,199.00	142
C535-CLFS-U	4A	61	4,077.00	142
C535-CLFS-UA	4A	61	4,077.00	142
C535-CLFS-U-BU	4A	61	4,077.00	142
C535-CLFS-U-BUA	4A	61	4,077.00	142
C535-CLFS-U-GY	4A	61	4,077.00	142
C535-CLFS-U-GYA	4A	61	4,077.00	142
C535-CXFC-4	4A	61	4,086.00	142
C535-CXFC-4A	4A	61	4,086.00	142
C535-CXFC-4-BU	4A	61	4,086.00	142
C535-CXFC-4-BUA	4A	61	4,086.00	142
C535-CXFC-4-GY	4A	61	4,086.00	142
C535-CXFC-4-GYA	4A	61	4,086.00	142
C535-CXFC-L	4A	61	4,419.00	142
C535-CXFC-LA	4A	61	4,419.00	142
C535-CXFC-L-BU	4A	61	4,419.00	142
C535-CXFC-L-BUA	4A	61	4,419.00	142
C535-CXFC-L-GY	4A	61	4,419.00	142
C535-CXFC-L-GYA	4A	61	4,419.00	142
C535-CXFC-U	4A	61	4,291.00	142
C535-CXFC-UA	4A	61	4,291.00	142
C535-CXFC-U-BU	4A	61	4,291.00	142
C535-CXFC-U-BUA	4A	61	4,291.00	142
C535-CXFC-U-GY	4A	61	4,291.00	142
C535-CXFC-U-GYA	4A	61	4,291.00	142
C535-CXFS-4	4A	61	3,883.00	142
C535-CXFS-4A	4A	61	3,883.00	142
C535-CXFS-4-BU	4A	61	3,883.00	142
C535-CXFS-4-BUA	4A	61	3,883.00	142
C535-CXFS-4-GY	4A	61	3,883.00	142
C535-CXFS-4-GYA	4A	61	3,883.00	142
C535-CXFS-L	4A	61	4,199.00	142
C535-CXFS-LA	4A	61	4,199.00	142
C535-CXFS-L-BU	4A	61	4,199.00	142
C535-CXFS-L-BUA	4A	61	4,199.00	142
C535-CXFS-L-GY	4A	61	4,199.00	142
C535-CXFS-L-GYA	4A	61	4,199.00	142
C535-CXFS-U	4A	61	4,077.00	142
C535-CXFS-UA	4A	61	4,077.00	142
C535-CXFS-U-BU	4A	61	4,077.00	142
C535-CXFS-U-BUA	4A	61	4,077.00	142
C535-CXFS-U-GY	4A	61	4,077.00	142
C535-CXFS-U-GYA	4A	61	4,077.00	142
C535-HFC-4	4A	61	3,678.00	143
C535-HFC-4A	4A	61	3,678.00	143
C535-HFC-4-BU	4A	61	3,678.00	143
C535-HFC-4-BUA	4A	61	3,678.00	143
C535-HFC-4-GY	4A	61	3,678.00	143
C535-HFC-4-GYA	4A	61	3,678.00	143
C535-HFC-L	4A	61	3,978.00	143
C535-HFC-LA	4A	61	3,978.00	143
C535-HFC-L-BU	4A	61	3,978.00	143
C535-HFC-L-BUA	4A	61	3,978.00	143
C535-HFC-L-GY	4A	61	3,978.00	143
C535-HFC-L-GYA	4A	61	3,978.00	143
C535-HFC-U	4A	61	3,862.00	143
C535-HFC-UA	4A	61	3,862.00	143
C535-HFC-U-BU	4A	61	3,862.00	143
C535-HFC-U-BUA	4A	61	3,862.00	143
C535-HFC-U-GY	4A	61	3,862.00	143
C535-HFC-U-GYA	4A	61	3,862.00	143
C535-HFS-4	4A	61	3,494.00	143
C535-HFS-4A	4A	61	3,494.00	143
C535-HFS-4-BU	4A	61	3,494.00	143
C535-HFS-4-BUA	4A	61	3,494.00	143
C535-HFS-4-GY	4A	61	3,494.00	143
C535-HFS-4-GYA	4A	61	3,494.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C535-HFS-L	4A	61	3,780.00	143
C535-HFS-LA	4A	61	3,780.00	143
C535-HFS-L-BU	4A	61	3,780.00	143
C535-HFS-L-BUA	4A	61	3,780.00	143
C535-HFS-L-GY	4A	61	3,780.00	143
C535-HFS-L-GYA	4A	61	3,780.00	143
C535-HFS-U	4A	61	3,670.00	143
C535-HFS-UA	4A	61	3,670.00	143
C535-HFS-U-BU	4A	61	3,670.00	143
C535-HFS-U-BUA	4A	61	3,670.00	143
C535-HFS-U-GY	4A	61	3,670.00	143
C535-HFS-U-GYA	4A	61	3,670.00	143
C535-HLFC-4	4A	61	3,678.00	143
C535-HLFC-4A	4A	61	3,678.00	143
C535-HLFC-4-BU	4A	61	3,678.00	143
C535-HLFC-4-BUA	4A	61	3,678.00	143
C535-HLFC-4-GY	4A	61	3,678.00	143
C535-HLFC-4-GYA	4A	61	3,678.00	143
C535-HLFC-L	4A	61	3,978.00	143
C535-HLFC-LA	4A	61	3,978.00	143
C535-HLFC-L-BU	4A	61	3,978.00	143
C535-HLFC-L-BUA	4A	61	3,978.00	143
C535-HLFC-L-GY	4A	61	3,978.00	143
C535-HLFC-L-GYA	4A	61	3,978.00	143
C535-HLFC-U	4A	61	3,862.00	143
C535-HLFC-JA	4A	61	3,862.00	143
C535-HLFC-U-BU	4A	61	3,862.00	143
C535-HLFC-U-BUA	4A	61	3,862.00	143
C535-HLFC-U-GY	4A	61	3,862.00	143
C535-HLFC-U-GYA	4A	61	3,862.00	143
C535-HLFS-4	4A	61	3,494.00	143
C535-HLFS-4A	4A	61	3,494.00	143
C535-HLFS-4-BU	4A	61	3,494.00	143
C535-HLFS-4-BUA	4A	61	3,494.00	143
C535-HLFS-4-GY	4A	61	3,494.00	143
C535-HLFS-4-GYA	4A	61	3,494.00	143
C535-HLFS-L	4A	61	3,780.00	143
C535-HLFS-LA	4A	61	3,780.00	143
C535-HLFS-L-BU	4A	61	3,780.00	143
C535-HLFS-L-BUA	4A	61	3,780.00	143
C535-HLFS-L-GY	4A	61	3,780.00	143
C535-HLFS-L-GYA	4A	61	3,780.00	143
C535-HXFC-4	4A	61	3,678.00	143
C535-HXFC-4A	4A	61	3,678.00	143
C535-HXFC-4-BU	4A	61	3,678.00	143
C535-HXFC-4-BUA	4A	61	3,678.00	143
C535-HXFC-4-GY	4A	61	3,678.00	143
C535-HXFC-4-GYA	4A	61	3,678.00	143
C535-HXFC-L	4A	61	3,978.00	143
C535-HXFC-LA	4A	61	3,978.00	143
C535-HXFC-L-BU	4A	61	3,978.00	143
C535-HXFC-L-BUA	4A	61	3,978.00	143
C535-HXFC-L-GY	4A	61	3,978.00	143
C535-HXFC-L-GYA	4A	61	3,978.00	143
C535-HXFC-U	4A	61	3,862.00	143
C535-HXFC-UA	4A	61	3,862.00	143
C535-HXFC-U-BU	4A	61	3,862.00	143
C535-HXFC-U-BUA	4A	61	3,862.00	143
C535-HXFC-U-GY	4A	61	3,862.00	143
C535-HXFC-U-GYA	4A	61	3,862.00	143
C535-HXFS-4	4A	61	3,494.00	143
C535-HXFS-4A	4A	61	3,494.00	143
C535-HXFS-4-BU	4A	61	3,494.00	143
C535-HXFS-4-BUA	4A	61	3,494.00	143
C535-HXFS-4-GY	4A	61	3,494.00	143
C535-HXFS-4-GYA	4A	61	3,494.00	143
C535-HXFS-L	4A	61	3,780.00	143
C535-HXFS-LA	4A	61	3,780.00	143
C535-HXFS-L-BU	4A	61	3,780.00	143
C535-HXFS-L-BUA	4A	61	3,780.00	143
C535-HXFS-L-GY	4A	61	3,780.00	143
C535-HXFS-L-GYA	4A	61	3,780.00	143
C535-HXFS-U	4A	61	3,670.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C535-HXFS-UA	4A	61	3,670.00	143
C535-HXFS-U-BU	4A	61	3,670.00	143
C535-HXFS-U-BUA	4A	61	3,670.00	143
C535-HXFS-U-GY	4A	61	3,670.00	143
C535-HXFS-U-GYA	4A	61	3,670.00	143
C535-MFC-4	4A	61	4,291.00	142
C535-MFC-4A	4A	61	4,291.00	142
C535-MFC-4-BU	4A	61	4,291.00	142
C535-MFC-4-BUA	4A	61	4,291.00	142
C535-MFC-4-GY	4A	61	4,291.00	142
C535-MFC-4-GYA	4A	61	4,291.00	142
C535-MFC-L	4A	61	4,640.00	142
C535-MFC-LA	4A	61	4,640.00	142
C535-MFC-L-BU	4A	61	4,640.00	142
C535-MFC-L-BUA	4A	61	4,640.00	142
C535-MFC-L-GY	4A	61	4,640.00	142
C535-MFC-L-GYA	4A	61	4,640.00	142
C535-MFC-U	4A	61	4,505.00	142
C535-MFC-UA	4A	61	4,505.00	142
C535-MFC-U-BU	4A	61	4,505.00	142
C535-MFC-U-BUA	4A	61	4,505.00	142
C535-MFC-U-GY	4A	61	4,505.00	142
C535-MFC-U-GYA	4A	61	4,505.00	142
C535-MFS-4	4A	61	4,077.00	142
C535-MFS-4A	4A	61	4,077.00	142
C535-MFS-4-BU	4A	61	4,077.00	142
C535-MFS-4-BUA	4A	61	4,077.00	142
C535-MFS-4-GY	4A	61	4,077.00	142
C535-MFS-4-GYA	4A	61	4,077.00	142
C535-MFS-L	4A	61	4,410.00	142
C535-MFS-LA	4A	61	4,410.00	142
C535-MFS-L-BU	4A	61	4,410.00	142
C535-MFS-L-BUA	4A	61	4,410.00	142
C535-MFS-L-GY	4A	61	4,410.00	142
C535-MFS-L-GYA	4A	61	4,410.00	142
C535-MFS-U	4A	61	4,281.00	142
C535-MFS-UA	4A	61	4,281.00	142
C535-MFS-U-BU	4A	61	4,281.00	142
C535-MFS-U-BUA	4A	61	4,281.00	142
C535-MFS-U-GY	4A	61	4,281.00	142
C535-MFS-U-GYA	4A	61	4,281.00	142
C535-MXFC-4	4A	61	4,291.00	142
C535-MXFC-4A	4A	61	4,291.00	142
C535-MXFC-4-BU	4A	61	4,291.00	142
C535-MXFC-4-BUA	4A	61	4,291.00	142
C535-MXFC-4-GY	4A	61	4,291.00	142
C535-MXFC-4-GYA	4A	61	4,291.00	142
C535-MXFC-L	4A	61	4,640.00	142
C535-MXFC-LA	4A	61	4,640.00	142
C535-MXFC-L-BU	4A	61	4,640.00	142
C535-MXFC-L-BUA	4A	61	4,640.00	142
C535-MXFC-L-GY	4A	61	4,640.00	142
C535-MXFC-L-GYA	4A	61	4,640.00	142
C535-MXFC-U	4A	61	4,505.00	142
C535-MXFC-U-A	4A	61	4,505.00	142
C535-MXFC-U-BU	4A	61	4,505.00	142
C535-MXFC-U-BUA	4A	61	4,505.00	142
C535-MXFC-U-GY	4A	61	4,505.00	142
C535-MXFC-U-GYA	4A	61	4,505.00	142
C535-MXFS-4	4A	61	4,077.00	142
C535-MXFS-4A	4A	61	4,077.00	142
C535-MXFS-4-BU	4A	61	4,077.00	142
C535-MXFS-4-BUA	4A	61	4,077.00	142
C535-MXFS-4-GY	4A	61	4,077.00	142
C535-MXFS-4-GYA	4A	61	4,077.00	142
C535-MXFS-L	4A	61	4,410.00	142
C535-MXFS-LA	4A	61	4,410.00	142
C535-MXFS-L-BU	4A	61	4,410.00	142
C535-MXFS-L-BUA	4A	61	4,410.00	142
C535-MXFS-L-GY	4A	61	4,410.00	142
C535-MXFS-L-GYA	4A	61	4,410.00	142
C535-MXFS-U	4A	61	4,281.00	142
C535-MXFS-U-GY	4A	61	4,281.00	142
C535-MXFS-U-GYA	4A	61	4,281.00	142
C537-CFC-4	4A	61	4,410.00	142
C537-CFC-4A	4A	61	4,410.00	142



ALPHA-NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C537-CFC-4-BU	4A	61	4,410.00	142
C537-CFC-4-BUA	4A	61	4,410.00	142
C537-CFC-4-GY	4A	61	4,410.00	142
C537-CFC-4-GYA	4A	61	4,410.00	142
C537-CFC-L	4A	61	4,770.00	142
C537-CFC-LA	4A	61	4,770.00	142
C537-CFC-L-BU	4A	61	4,770.00	142
C537-CFC-L-BUA	4A	61	4,770.00	142
C537-CFC-L-GY	4A	61	4,770.00	142
C537-CFC-L-GYA	4A	61	4,770.00	142
C537-CFC-U	4A	61	4,631.00	142
C537-CFC-UA	4A	61	4,631.00	142
C537-CFC-U-BU	4A	61	4,631.00	142
C537-CFC-U-BUA	4A	61	4,631.00	142
C537-CFC-U-GY	4A	61	4,631.00	142
C537-CFC-U-GYA	4A	61	4,631.00	142
C537-CFS-4	4A	61	4,190.00	142
C537-CFS-4A	4A	61	4,190.00	142
C537-CFS-4-BU	4A	61	4,190.00	142
C537-CFS-4-BUA	4A	61	4,190.00	142
C537-CFS-4-GY	4A	61	4,190.00	142
C537-CFS-4-GYA	4A	61	4,190.00	142
C537-CFS-L	4A	61	4,532.00	142
C537-CFS-LA	4A	61	4,532.00	142
C537-CFS-L-BU	4A	61	4,532.00	142
C537-CFS-L-BUA	4A	61	4,532.00	142
C537-CFS-L-GY	4A	61	4,532.00	142
C537-CFS-L-GYA	4A	61	4,532.00	142
C537-CFS-U	4A	61	4,401.00	142
C537-CFS-UA	4A	61	4,401.00	142
C537-CFS-U-BU	4A	61	4,401.00	142
C537-CFS-U-BUA	4A	61	4,401.00	142
C537-CFS-U-GY	4A	61	4,401.00	142
C537-CFS-U-GYA	4A	61	4,401.00	142
C537-CLFC-4	4A	61	4,410.00	142
C537-CLFC-4A	4A	61	4,410.00	142
C537-CLFC-4-BU	4A	61	4,410.00	142
C537-CLFC-4-BUA	4A	61	4,410.00	142
C537-CLFC-4-GY	4A	61	4,410.00	142
C537-CLFC-4-GYA	4A	61	4,410.00	142
C537-CLFC-L	4A	61	4,770.00	142
C537-CLFC-LA	4A	61	4,770.00	142
C537-CLFC-L-BU	4A	61	4,770.00	142
C537-CLFC-L-BUA	4A	61	4,770.00	142
C537-CLFC-L-GY	4A	61	4,770.00	142
C537-CLFC-L-GYA	4A	61	4,770.00	142
C537-CLFC-U	4A	61	4,631.00	142
C537-CLFC-UA	4A	61	4,631.00	142
C537-CLFC-U-BU	4A	61	4,631.00	142
C537-CLFC-U-BUA	4A	61	4,631.00	142
C537-CLFC-U-GY	4A	61	4,631.00	142
C537-CLFC-U-GYA	4A	61	4,631.00	142
C537-CLFLC-4	4A	61	4,631.00	142
C537-CLFLC-4A	4A	61	4,631.00	142
C537-CLFLC-4-BU	4A	61	4,631.00	142
C537-CLFLC-4-BUA	4A	61	4,631.00	142
C537-CLFLC-4-GY	4A	61	4,631.00	142
C537-CLFLC-4-GYA	4A	61	4,631.00	142
C537-CLFLC-L	4A	61	4,770.00	142
C537-CLFLC-LA	4A	61	4,770.00	142
C537-CLFLC-L-BU	4A	61	4,770.00	142
C537-CLFLC-L-BUA	4A	61	4,770.00	142
C537-CLFLC-L-GY	4A	61	4,770.00	142
C537-CLFLC-L-GYA	4A	61	4,770.00	142
C537-CLFLC-U	4A	61	4,631.00	142
C537-CLFLC-UA	4A	61	4,631.00	142
C537-CLFLC-U-BU	4A	61	4,631.00	142
C537-CLFLC-U-BUA	4A	61	4,631.00	142
C537-CLFLC-U-GY	4A	61	4,631.00	142
C537-CLFLC-U-GYA	4A	61	4,631.00	142
C537-CLFLS-4	4A	61	4,190.00	142
C537-CLFLS-4A	4A	61	4,190.00	142
C537-CLFLS-4-BU	4A	61	4,190.00	142
C537-CLFLS-4-BUA	4A	61	4,190.00	142
C537-CLFLS-4-GY	4A	61	4,190.00	142
C537-CLFLS-4-GYA	4A	61	4,190.00	142
C537-CLFLS-L	4A	61	4,532.00	142
C537-CLFLS-LA	4A	61	4,532.00	142
C537-CLFLS-L-BU	4A	61	4,532.00	142
C537-CLFLS-L-BUA	4A	61	4,532.00	142
C537-CLFLS-L-GY	4A	61	4,532.00	142
C537-CLFLS-L-GYA	4A	61	4,532.00	142
C537-CLFLS-U	4A	61	4,401.00	142
C537-CLFLS-UA	4A	61	4,401.00	142
C537-CLFLS-U-BU	4A	61	4,401.00	142
C537-CLFLS-U-BUA	4A	61	4,401.00	142
C537-CLFLS-U-GY	4A	61	4,401.00	142
C537-CLFLS-U-GYA	4A	61	4,401.00	142
C537-CXFC-4	4A	61	4,410.00	142
C537-CXFC-4A	4A	61	4,410.00	142
C537-CXFC-4-BU	4A	61	4,410.00	142
C537-CXFC-4-BUA	4A	61	4,410.00	142
C537-CXFC-4-GY	4A	61	4,410.00	142
C537-CXFC-4-GYA	4A	61	4,410.00	142
C537-CXFC-L	4A	61	4,770.00	142
C537-CXFC-LA	4A	61	4,770.00	142
C537-CXFC-L-BU	4A	61	4,770.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C537-CXFC-L-BUA	4A	61	4,770.00	142
C537-CXFC-L-GY	4A	61	4,770.00	142
C537-CXFC-L-GYA	4A	61	4,770.00	142
C537-CXFC-U	4A	61	4,631.00	142
C537-CXFC-UA	4A	61	4,631.00	142
C537-CXFC-U-BU	4A	61	4,631.00	142
C537-CXFC-U-BUA	4A	61	4,631.00	142
C537-CXFC-U-GY	4A	61	4,631.00	142
C537-CXFC-U-GYA	4A	61	4,631.00	142
C537-CXFS-4	4A	61	4,190.00	142
C537-CXFS-4A	4A	61	4,190.00	142
C537-CXFS-4-BU	4A	61	4,190.00	142
C537-CXFS-4-BUA	4A	61	4,190.00	142
C537-CXFS-4-GY	4A	61	4,190.00	142
C537-CXFS-4-GYA	4A	61	4,190.00	142
C537-CXFS-L	4A	61	4,532.00	142
C537-CXFS-LA	4A	61	4,532.00	142
C537-CXFS-L-BU	4A	61	4,532.00	142
C537-CXFS-L-BUA	4A	61	4,532.00	142
C537-CXFS-L-GY	4A	61	4,532.00	142
C537-CXFS-L-GYA	4A	61	4,532.00	142
C537-CXFS-U	4A	61	4,401.00	142
C537-CXFS-UA	4A	61	4,401.00	142
C537-CXFS-U-BU	4A	61	4,401.00	142
C537-CXFS-U-BUA	4A	61	4,401.00	142
C537-CXFS-U-GY	4A	61	4,401.00	142
C537-CXFS-U-GYA	4A	61	4,401.00	142
C537-HFC-4	4A	61	3,970.00	143
C537-HFC-4A	4A	61	3,970.00	143
C537-HFC-4-BU	4A	61	3,970.00	143
C537-HFC-4-BUA	4A	61	3,970.00	143
C537-HFC-4-GY	4A	61	3,970.00	143
C537-HFC-4-GYA	4A	61	3,970.00	143
C537-HFC-L	4A	61	4,295.00	143
C537-HFC-LA	4A	61	4,295.00	143
C537-HFC-L-BU	4A	61	4,295.00	143
C537-HFC-L-BUA	4A	61	4,295.00	143
C537-HFC-L-GY	4A	61	4,295.00	143
C537-HFC-L-GYA	4A	61	4,295.00	143
C537-HFC-U	4A	61	4,169.00	143
C537-HFC-UA	4A	61	4,169.00	143
C537-HFC-U-BU	4A	61	4,169.00	143
C537-HFC-U-BUA	4A	61	4,169.00	143
C537-HFC-U-GY	4A	61	4,169.00	143
C537-HFC-U-GYA	4A	61	4,169.00	143
C537-HFS-4	4A	61	3,772.00	143
C537-HFS-4A	4A	61	3,772.00	143
C537-HFS-4-BU	4A	61	3,772.00	143
C537-HFS-4-BUA	4A	61	3,772.00	143
C537-HFS-4-GY	4A	61	3,772.00	143
C537-HFS-4-GYA	4A	61	3,772.00	143
C537-HFS-L	4A	61	4,081.00	143
C537-HFS-LA	4A	61	4,081.00	143
C537-HFS-L-BU	4A	61	4,081.00	143
C537-HFS-L-BUA	4A	61	4,081.00	143
C537-HFS-L-GY	4A	61	4,081.00	143
C537-HFS-L-GYA	4A	61	4,081.00	143
C537-HFS-U	4A	61	3,962.00	143
C537-HFS-UA	4A	61	3,962.00	143
C537-HFS-U-BU	4A	61	3,962.00	143
C537-HFS-U-BUA	4A	61	3,962.00	143
C537-HFS-U-GY	4A	61	3,962.00	143
C537-HFS-U-GYA	4A	61	3,962.00	143
C537-HLFC-4	4A	61	3,970.00	143
C537-HLFC-4A	4A	61	3,970.00	143
C537-HLFC-4-BU	4A	61	3,970.00	143
C537-HLFC-4-BUA	4A	61	3,970.00	143
C537-HLFC-4-GY	4A	61	3,970.00	143
C537-HLFC-4-GYA	4A	61	3,970.00	143
C537-HLFC-L	4A	61	4,295.00	143
C537-HLFC-LA	4A	61	4,295.00	143
C537-HLFC-L-BU	4A	61	4,295.00	143
C537-HLFC-L-BUA	4A	61	4,295.00	143
C537-HLFC-L-GY	4A	61	4,295.00	143
C537-HLFC-L-GYA	4A	61	4,295.00	143
C537-HLFC-U	4A	61	4,169.00	143
C537-HLFC-UA	4A	61	4,169.00	143
C537-HLFC-U-BU	4A	61	4,169.00	143
C537-HLFC-U-BUA	4A	61	4,169.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C537-HLFC-U-GY	4A	61	4,169.00	143
C537-HLFC-U-GYA	4A	61	4,169.00	143
C537-HLFS-4	4A	61	3,772.00	143
C537-HLFS-4A	4A	61	3,772.00	143
C537-HLFS-4-BU	4A	61	3,772.00	143
C537-HLFS-4-BUA	4A	61	3,772.00	143
C537-HLFS-4-GY	4A	61	3,772.00	143
C537-HLFS-4-GYA	4A	61	3,772.00	143
C537-HLFS-L	4A	61	4,081.00	143
C537-HLFS-LA	4A	61	4,081.00	143
C537-HLFS-L-BU	4A	61	4,081.00	143
C537-HLFS-L-BUA	4A	61	4,081.00	143
C537-HLFS-L-GY	4A	61	4,081.00	143
C537-HLFS-L-GYA	4A	61	4,081.00	143
C537-HLFS-U	4A	61	3,962.00	143
C537-HLFS-UA	4A	61	3,962.00	143
C537-HLFS-U-BU	4A	61	3,962.00	143
C537-HLFS-U-BUA	4A	61	3,962.00	143
C537-HLFS-U-GY	4A	61	3,962.00	143
C537-HLFS-U-GYA	4A	61	3,962.00	143
C537-HXFC-4	4A	61	3,970.00	143
C537-HXFC-4A	4A	61	3,970.00	143
C537-HXFC-4-BU	4A	61	3,970.00	143
C537-HXFC-4-BUA	4A	61	3,970.00	143
C537-HXFC-4-GY	4A	61	3,970.00	143
C537-HXFC-4-GYA	4A	61	3,970.00	143
C537-HXFC-L	4A	61	4,295.00	143
C537-HXFC-LA	4A	61	4,295.00	143
C537-HXFC-L-BU	4A	61	4,295.00	143
C537-HXFC-L-BUA	4A	61	4,295.00	143
C537-HXFC-L-GY	4A	61	4,295.00	143
C537-HXFC-L-GYA	4A	61	4,295.00	143
C537-HXFC-U	4A	61	4,169.00	143
C537-HXFC-UA	4A	61	4,169.00	143
C537-HXFC-U-BU	4A	61	4,169.00	143
C537-HXFC-U-BUA	4A	61	4,169.00	143
C537-HXFC-U-GY	4A	61	4,169.00	143
C537-HXFC-U-GYA	4A	61	4,169.00	143
C537-HXFS-4	4A	61	3,772.00	143
C537-HXFS-4A	4A	61	3,772.00	143
C537-HXFS-4-BU	4A	61	3,772.00	143
C537-HXFS-4-BUA	4A	61	3,772.00	143
C537-HXFS-4-GY	4A	61	3,772.00	143
C537-HXFS-4-GYA	4A	61	3,772.00	143
C537-HXFS-L	4A	61	4,081.00	143
C537-HXFS-LA	4A	61	4,081.00	143
C537-HXFS-L-BU	4A	61	4,081.00	143
C537-HXFS-L-BUA	4A	61	4,081.00	143
C537-HXFS-L-GY	4A	61	4,081.00	143
C537-HXFS-L-GYA	4A	61	4,081.00	143
C537-HXFS-4	4A	61	3,962.00	143
C537-HXFS-4A	4A	61	3,962.00	143
C537-HXFS-4-BU	4A	61	3,962.00	143
C537-HXFS-4-BUA	4A	61	3,962.00	143
C537-HXFS-4-GY	4A	61	3,962.00	143
C537-HXFS-4-GYA	4A	61	3,962.00	143
C537-MFC-4	4A	61	4,631.00	142
C537-MFC-4A	4A	61	4,631.00	142
C537-MFC-4-BU	4A	61	4,631.00	142
C537-MFC-4-BUA	4A	61	4,631.00	142
C537-MFC-4-GY	4A	61	4,631.00	142
C537-MFC-4-GYA	4A	61	4,631.00	142
C537-MFC-L	4A	61	5,009.00	142
C537-MFC-LA	4A	61	5,009.00	142
C537-MFC-L-BU	4A	61	5,009.00	142
C537-MFC-L-BUA	4A	61	5,009.00	142
C537-MFC-L-GY	4A	61	5,009.00	142
C537-MFC-L-GYA	4A	61	5,009.00	142
C537-MFC-U	4A	61	4,864.00	142
C537-MFC-UA	4A	61	4,864.00	142
C537-MFC-U-BU	4A	61	4,864.00	142
C537-MFC-U-BUA	4A	61	4,864.00	142
C537-MFC-U-GY	4A	61	4,864.00	142
C537-MFC-U-GYA	4A	61	4,864.00	142
C537-MFS-4	4A	61	4,400.00	142
C537-MFS-4A	4A	61	4,400.00	142
C537-MFS-4-BU	4A	61	4,400.00	142
C537-MFS-4-BUA	4A	61	4,400.00	142
C537-MFS-4-GY	4A	61	4,400.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C537-MFS-4-GYA	4A	61	4,400.00	142
C537-MFS-L	4A	61	4,760.00	142
C537-MFS-LA	4A	61	4,760.00	142
C537-MFS-L-BU	4A	61	4,760.00	142
C537-MFS-L-BUA	4A	61	4,760.00	142
C537-MFS-L-GY	4A	61	4,760.00	142
C537-MFS-L-GYA	4A	61	4,760.00	142
C537-MFS-U	4A	61	4,621.00	142
C537-MFS-UA	4A	61	4,621.00	142
C537-MFS-U-BU	4A	61	4,621.00	142
C537-MFS-U-BUA	4A	61	4,621.00	142
C537-MFS-U-GY	4A	61	4,621.00	142
C537-MFS-U-GYA	4A	61	4,621.00	142
C537-MXFC-4	4A	61	4,631.00	142
C537-MXFC-4A	4A	61	4,631.00	142
C537-MXFC-4-BU	4A	61	4,631.00	142
C537-MXFC-4-BUA	4A	61	4,631.00	142
C537-MXFC-4-GY	4A	61	4,631.00	142
C537-MXFC-4-GYA	4A	61	4,631.00	142
C537-MXFC-4-GYA	4A	61	4,631.00	142
C537-MXFC-L	4A	61	5,009.00	142
C537-MXFC-LA	4A	61	5,009.00	142
C537-MXFC-L-BU	4A	61	5,009.00	142
C537-MXFC-L-BUA	4A	61	5,009.00	142
C537-MXFC-L-GY	4A	61	5,009.00	142
C537-MXFC-L-GYA	4A	61	5,009.00	142
C537-MXFC-U	4A	61	4,864.00	142
C537-MXFC-UA	4A	61	4,864.00	142
C537-MXFC-U-BU	4A	61	4,864.00	142
C537-MXFC-U-BUA	4A	61	4,864.00	142
C537-MXFC-U-GY	4A	61	4,864.00	142
C537-MXFC-U-GYA	4A	61	4,864.00	142
C537-MXFS-4	4A	61	4,400.00	142
C537-MXFS-4A	4A	61	4,400.00	142
C537-MXFS-4-BU	4A	61	4,400.00	142
C537-MXFS-4-BUA	4A	61	4,400.00	142
C537-MXFS-4-GY	4A	61	4,400.00	142
C537-MXFS-4-GYA	4A	61	4,400.00	142
C537-MXFS-L	4A	61	4,760.00	142
C537-MXFS-LA	4A	61	4,760.00	142
C537-MXFS-L-BU	4A	61	4,760.00	142
C537-MXFS-L-BUA	4A	61	4,760.00	142
C537-MXFS-L-GY	4A	61	4,760.00	142
C537-MXFS-L-GYA	4A	61	4,760.00	142
C537-MXFS-U	4A	61	4,621.00	142
C537-MXFS-UA	4A	61	4,621.00	142
C537-MXFS-U-BU	4A	61	4,621.00	142
C537-MXFS-U-BUA	4A	61	4,621.00	142
C537-MXFS-U-GY	4A	61	4,621.00	142
C537-MXFS-U-GYA	4A	61	4,621.00	142
C539-CDC-4	4A	61	4,875.00	142
C539-CDC-4A	4A	61	4,875.00	142
C539-CDC-4-BU	4A	61	4,875.00	142
C539-CDC-4-BUA	4A	61	4,875.00	142
C539-CDC-4-GY	4A	61	4,875.00	142
C539-CDC-4-GYA	4A	61	4,875.00	142
C539-CDC-L	4A	61	5,274.00	142
C539-CDC-LA	4A	61	5,274.00	142
C539-CDC-L-BU	4A	61	5,274.00	142
C539-CDC-L-BUA	4A	61	5,274.00	142
C539-CDC-L-GY	4A	61	5,274.00	142
C539-CDC-L-GYA	4A	61	5,274.00	142
C539-CDC-U	4A	61	5,119.00	142
C539-CDC-UA	4A	61	5,119.00	142
C539-CDC-U-BU	4A	61	5,119.00	142
C539-CDC-U-BUA	4A	61	5,119.00	142
C539-CDC-U-GY	4A	61	5,119.00	142
C539-CDC-U-GYA	4A	61	5,119.00	142
C539-CDS-4	4A	61	4,631.00	142
C539-CDS-4A	4A	61	4,631.00	142
C539-CDS-4-BU	4A	61	4,631.00	142
C539-CDS-4-BUA	4A	61	4,631.00	142
C539-CDS-4-GY	4A	61	4,631.00	142
C539-CDS-4-GYA	4A	61	4,631.00	142
C539-CDS-L	4A	61	5,010.00	142
C539-CDS-LA	4A	61	5,010.00	142
C539-CDS-L-BU	4A	61	5,010.00	142
C539-CDS-L-BUA	4A	61	5,010.00	142
C539-CDS-L-GY	4A	61	5,010.00	142
C539-CDS-L-GYA	4A	61	5,010.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-CDS-U	4A	61	4,865.00	142
C539-CDS-UA	4A	61	4,865.00	142
C539-CDS-U-BU	4A	61	4,865.00	142
C539-CDS-U-BUA	4A	61	4,865.00	142
C539-CDS-U-GY	4A	61	4,865.00	142
C539-CDS-U-GYA	4A	61	4,865.00	142
C539-CFC-4	4A	61	4,642.00	142
C539-CFC-4A	4A	61	4,642.00	142
C539-CFC-4-BU	4A	61	4,642.00	142
C539-CFC-4-BUA	4A	61	4,642.00	142
C539-CFC-4-GY	4A	61	4,642.00	142
C539-CFC-4-GYA	4A	61	4,642.00	142
C539-CFC-L	4A	61	5,021.00	142
C539-CFC-LA	4A	61	5,021.00	142
C539-CFC-L-BU	4A	61	5,021.00	142
C539-CFC-L-BUA	4A	61	5,021.00	142
C539-CFC-L-GY	4A	61	5,021.00	142
C539-CFC-L-GYA	4A	61	5,021.00	142
C539-CFC-U	4A	61	4,875.00	142
C539-CFC-UA	4A	61	4,875.00	142
C539-CFC-U-BU	4A	61	4,875.00	142
C539-CFC-U-BUA	4A	61	4,875.00	142
C539-CFC-U-GY	4A	61	4,875.00	142
C539-CFC-U-GYA	4A	61	4,875.00	142
C539-CFS-4	4A	61	4,410.00	142
C539-CFS-4A	4A	61	4,410.00	142
C539-CFS-4-BU	4A	61	4,410.00	142
C539-CFS-4-BUA	4A	61	4,410.00	142
C539-CFS-4-GY	4A	61	4,410.00	142
C539-CFS-4-GYA	4A	61	4,410.00	142
C539-CFS-L	4A	61	4,770.00	142
C539-CFS-LA	4A	61	4,770.00	142
C539-CFS-L-BU	4A	61	4,770.00	142
C539-CFS-L-BUA	4A	61	4,770.00	142
C539-CFS-L-GY	4A	61	4,770.00	142
C539-CFS-L-GYA	4A	61	4,770.00	142
C539-CFS-U	4A	61	4,631.00	142
C539-CFS-UA	4A	61	4,631.00	142
C539-CFS-U-BU	4A	61	4,631.00	142
C539-CFS-U-BUA	4A	61	4,631.00	142
C539-CFS-U-GY	4A	61	4,631.00	142
C539-CFS-U-GYA	4A	61	4,631.00	142
C539-CLDC-4	4A	61	4,875.00	142
C539-CLDC-4A	4A	61	4,875.00	142
C539-CLDC-4-BU	4A	61	4,875.00	142
C539-CLDC-4-BUA	4A	61	4,875.00	142
C539-CLDC-4-GY	4A	61	4,875.00	142
C539-CLDC-4-GYA	4A	61	4,875.00	142
C539-CLDC-L	4A	61	5,274.00	142
C539-CLDC-LA	4A	61	5,274.00	142
C539-CLDC-L-BU	4A	61	5,274.00	142
C539-CLDC-L-BUA	4A	61	5,274.00	142
C539-CLDC-L-GY	4A	61	5,274.00	142
C539-CLDC-L-GYA	4A	61	5,274.00	142
C539-CLDC-U	4A	61	5,119.00	142
C539-CLDC-UA	4A	61	5,119.00	142
C539-CLDC-U-BU	4A	61	5,119.00	142
C539-CLDC-U-BUA	4A	61	5,119.00	142
C539-CLDC-U-GY	4A	61	5,119.00	142
C539-CLDC-U-GYA	4A	61	5,119.00	142
C539-CLDC-L-GY	4A	61	5,119.00	142
C539-CLDS-4	4A	61	4,631.00	142
C539-CLDS-4A	4A	61	4,631.00	142
C539-CLDS-4-BU	4A	61	4,631.00	142
C539-CLDS-4-BUA	4A	61	4,631.00	142
C539-CLDS-4-GY	4A	61	4,631.00	142
C539-CLDS-4-GYA	4A	61	4,631.00	142
C539-CLDS-L	4A	61	5,010.00	142
C539-CLDS-LA	4A	61	5,010.00	142
C539-CLDS-L-BU	4A	61	5,010.00	142
C539-CLDS-L-BUA	4A	61	5,010.00	142
C539-CLDS-L-GY	4A	61	5,010.00	142
C539-CLDS-L-GYA	4A	61	5,010.00	142
C539-CLDS-U	4A	61	4,865.00	142
C539-CLDS-UA	4A	61	4,865.00	142
C539-CLDS-U-BU	4A	61	4,865.00	142
C539-CLDS-U-BUA	4A	61	4,865.00	142
C539-CLDS-U-GY	4A	61	4,865.00	142
C539-CLDS-U-GYA	4A	61	4,865.00	142
C539-CLFC-4	4A	61	4,642.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-CLFC-4A	4A	61	4,642.00	142
C539-CLFC-4-BU	4A	61	4,642.00	142
C539-CLFC-4-BUA	4A	61	4,642.00	142
C539-CLFC-4-GY	4A	61	4,642.00	142
C539-CLFC-4-GYA	4A	61	4,642.00	142
C539-CLFC-L	4A	61	5,021.00	142
C539-CLFC-LA	4A	61	5,021.00	142
C539-CLFC-L-BU	4A	61	5,021.00	142
C539-CLFC-L-BUA	4A	61	5,021.00	142
C539-CLFC-L-GY	4A	61	5,021.00	142
C539-CLFC-L-GYA	4A	61	5,021.00	142
C539-CLFC-U	4A	61	4,875.00	142
C539-CLFC-UA	4A	61	4,875.00	142
C539-CLFC-U-BU	4A	61	4,875.00	142
C539-CLFC-U-BUA	4A	61	4,875.00	142
C539-CLFC-U-GY	4A	61	4,875.00	142
C539-CLFC-U-GYA	4A	61	4,875.00	142
C539-CLFS-4	4A	61	4,410.00	142
C539-CLFS-4A	4A	61	4,410.00	142
C539-CLFS-4-BU	4A	61	4,410.00	142
C539-CLFS-4-BUA	4A	61	4,410.00	142
C539-CLFS-4-GY	4A	61	4,410.00	142
C539-CLFS-4-GYA	4A	61	4,410.00	142
C539-CLFS-L	4A	61	4,770.00	142
C539-CLFS-LA	4A	61	4,770.00	142
C539-CLFS-L-BU	4A	61	4,770.00	142
C539-CLFS-L-BUA	4A	61	4,770.00	142
C539-CLFS-L-GY	4A	61	4,770.00	142
C539-CLFS-L-GYA	4A	61	4,770.00	142
C539-CLFS-U	4A	61	4,631.00	142
C539-CLFS-UA	4A	61	4,631.00	142
C539-CLFS-U-BU	4A	61	4,631.00	142
C539-CLFS-U-BUA	4A	61	4,631.00	142
C539-CLFS-U-GY	4A	61	4,631.00	142
C539-CLFS-U-GYA	4A	61	4,631.00	142
C539-CXDC-4	4A	61	4,875.00	142
C539-CXDC-4A	4A	61	4,875.00	142
C539-CXDC-4-BU	4A	61	4,875.00	142
C539-CXDC-4-BUA	4A	61	4,875.00	142
C539-CXDC-4-GY	4A	61	4,875.00	142
C539-CXDC-4-GYA	4A	61	4,875.00	142
C539-CXDC-L	4A	61	5,274.00	142
C539-CXDC-LA	4A	61	5,274.00	142
C539-CXDC-L-BU	4A	61	5,274.00	142
C539-CXDC-L-BUA	4A	61	5,274.00	142
C539-CXDC-L-GY	4A	61	5,274.00	142
C539-CXDC-L-GYA	4A	61	5,274.00	142
C539-CXDC-U	4A	61	5,119.00	142
C539-CXDC-UA	4A	61	5,119.00	142
C539-CXDC-U-BU	4A	61	5,119.00	142
C539-CXDC-U-BUA	4A	61	5,119.00	142
C539-CXDC-U-GY	4A	61	5,119.00	142
C539-CXDC-U-GYA	4A	61	5,119.00	142
C539-CXDS-4	4A	61	4,631.00	142
C539-CXDS-4A	4A	61	4,631.00	142
C539-CXDS-4-BU	4A	61	4,631.00	142
C539-CXDS-4-BUA	4A	61	4,631.00	142
C539-CXDS-4-GY	4A	61	4,631.00	142
C539-CXDS-4-GYA	4A	61	4,631.00	142
C539-CXDS-L	4A	61	5,010.00	142
C539-CXDS-LA	4A	61	5,010.00	142
C539-CXDS-L-BU	4A	61	5,010.00	142
C539-CXDS-L-BUA	4A	61	5,010.00	142
C539-CXDS-L-GY	4A	61	5,010.00	142
C539-CXDS-L-GYA	4A	61	5,010.00	142
C539-CXDS-U	4A	61	4,865.00	142
C539-CXDS-UA	4A	61	4,865.00	142
C539-CXDS-U-BU	4A	61	4,865.00	142
C539-CXDS-U-BUA	4A	61	4,865.00	142
C539-CXDS-U-GY	4A	61	4,865.00	142
C539-CXDS-U-GYA	4A	61	4,865.00	142
C539-CXFC-4	4A	61	4,642.00	142
C539-CXFC-4A	4A	61	4,642.00	142
C539-CXFC-4-BU	4A	61	4,642.00	142
C539-CXFC-4-BUA	4A	61	4,642.00	142
C539-CXFC-4-GY	4A	61	4,642.00	142
C539-CXFC-4-GYA	4A	61	4,642.00	142
C539-CXFC-L	4A	61	5,021.00	142
C539-CXFC-LA	4A	61	5,021.00	142



ALPHA-NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-CXFC-L-BU	4A	61	5,021.00	142
C539-CXFC-L-BUA	4A	61	5,021.00	142
C539-CXFC-L-GY	4A	61	5,021.00	142
C539-CXFC-L-GYA	4A	61	5,021.00	142
C539-CXFC-U	4A	61	4,875.00	142
C539-CXFC-UA	4A	61	4,875.00	142
C539-CXFC-U-BU	4A	61	4,875.00	142
C539-CXFC-U-BUA	4A	61	4,875.00	142
C539-CXFC-U-GY	4A	61	4,875.00	142
C539-CXFC-U-GYA	4A	61	4,875.00	142
C539-CXFS-4	4A	61	4,410.00	142
C539-CXFS-4A	4A	61	4,410.00	142
C539-CXFS-4-BU	4A	61	4,410.00	142
C539-CXFS-4-BUA	4A	61	4,410.00	142
C539-CXFS-4-GY	4A	61	4,410.00	142
C539-CXFS-4-GYA	4A	61	4,410.00	142
C539-CXFS-L	4A	61	4,770.00	142
C539-CXFS-LA	4A	61	4,770.00	142
C539-CXFS-L-BU	4A	61	4,770.00	142
C539-CXFS-L-BUA	4A	61	4,770.00	142
C539-CXFS-L-GY	4A	61	4,770.00	142
C539-CXFS-L-GYA	4A	61	4,770.00	142
C539-CXFS-U	4A	61	4,631.00	142
C539-CXFS-UA	4A	61	4,631.00	142
C539-CXFS-U-BU	4A	61	4,631.00	142
C539-CXFS-U-BUA	4A	61	4,631.00	142
C539-CXFS-U-GY	4A	61	4,631.00	142
C539-CXFS-U-GYA	4A	61	4,631.00	142
C539-HDC-4	4A	61	4,388.00	143
C539-HDC-4A	4A	61	4,388.00	143
C539-HDC-4-BU	4A	61	4,388.00	143
C539-HDC-4-BUA	4A	61	4,388.00	143
C539-HDC-4-GY	4A	61	4,388.00	143
C539-HDC-4-GYA	4A	61	4,388.00	143
C539-HDC-L	4A	61	4,746.00	143
C539-HDC-LA	4A	61	4,746.00	143
C539-HDC-L-BU	4A	61	4,746.00	143
C539-HDC-L-BUA	4A	61	4,746.00	143
C539-HDC-L-GY	4A	61	4,746.00	143
C539-HDC-L-GYA	4A	61	4,746.00	143
C539-HDC-U	4A	61	4,608.00	143
C539-HDC-UA	4A	61	4,608.00	143
C539-HDC-U-BU	4A	61	4,608.00	143
C539-HDC-U-BUA	4A	61	4,608.00	143
C539-HDC-U-GY	4A	61	4,608.00	143
C539-HDC-U-GYA	4A	61	4,608.00	143
C539-HDS-4	4A	61	4,169.00	143
C539-HDS-4A	4A	61	4,169.00	143
C539-HDS-4-BU	4A	61	4,169.00	143
C539-HDS-4-BUA	4A	61	4,169.00	143
C539-HDS-4-GY	4A	61	4,169.00	143
C539-HDS-4-GYA	4A	61	4,169.00	143
C539-HDS-L	4A	61	4,510.00	143
C539-HDS-LA	4A	61	4,510.00	143
C539-HDS-L-BU	4A	61	4,510.00	143
C539-HDS-L-BUA	4A	61	4,510.00	143
C539-HDS-L-GY	4A	61	4,510.00	143
C539-HDS-L-GYA	4A	61	4,510.00	143
C539-HDS-U	4A	61	4,379.00	143
C539-HDS-U-A	4A	61	4,379.00	143
C539-HDS-U-BU	4A	61	4,379.00	143
C539-HDS-U-BUA	4A	61	4,379.00	143
C539-HDS-U-GY	4A	61	4,379.00	143
C539-HDS-U-GYA	4A	61	4,379.00	143
C539-HFC-4	4A	61	4,178.00	143
C539-HFC-4A	4A	61	4,178.00	143
C539-HFC-4-BU	4A	61	4,178.00	143
C539-HFC-4-BUA	4A	61	4,178.00	143
C539-HFC-4-GY	4A	61	4,178.00	143
C539-HFC-4-GYA	4A	61	4,178.00	143
C539-HFC-L	4A	61	4,520.00	143
C539-HFC-LA	4A	61	4,520.00	143
C539-HFC-L-BU	4A	61	4,520.00	143
C539-HFC-L-BUA	4A	61	4,520.00	143
C539-HFC-L-GY	4A	61	4,520.00	143
C539-HFC-L-GYA	4A	61	4,520.00	143
C539-HFC-U	4A	61	4,388.00	143
C539-HFC-UA	4A	61	4,388.00	143
C539-HFC-U-BU	4A	61	4,388.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-HFC-U-BUA	4A	61	4,388.00	143
C539-HFC-U-GY	4A	61	4,388.00	143
C539-HFC-U-GYA	4A	61	4,388.00	143
C539-HFS-4	4A	61	3,970.00	143
C539-HFS-4A	4A	61	3,970.00	143
C539-HFS-4-BU	4A	61	3,970.00	143
C539-HFS-4-BUA	4A	61	3,970.00	143
C539-HFS-4-GY	4A	61	3,970.00	143
C539-HFS-4-GYA	4A	61	3,970.00	143
C539-HFS-L	4A	61	4,295.00	143
C539-HFS-LA	4A	61	4,295.00	143
C539-HFS-L-BU	4A	61	4,295.00	143
C539-HFS-L-BUA	4A	61	4,295.00	143
C539-HFS-L-GY	4A	61	4,295.00	143
C539-HFS-L-GYA	4A	61	4,295.00	143
C539-HFS-U	4A	61	4,169.00	143
C539-HFS-UA	4A	61	4,169.00	143
C539-HFS-U-BU	4A	61	4,169.00	143
C539-HFS-U-BUA	4A	61	4,169.00	143
C539-HFS-U-GY	4A	61	4,169.00	143
C539-HFS-U-GYA	4A	61	4,169.00	143
C539-HLDC-4	4A	61	4,388.00	143
C539-HLDC-4A	4A	61	4,388.00	143
C539-HLDC-4-BU	4A	61	4,388.00	143
C539-HLDC-4-BUA	4A	61	4,388.00	143
C539-HLDC-4-GY	4A	61	4,388.00	143
C539-HLDC-4-GYA	4A	61	4,388.00	143
C539-HLDC-L	4A	61	4,746.00	143
C539-HLDC-LA	4A	61	4,746.00	143
C539-HLDC-L-BU	4A	61	4,746.00	143
C539-HLDC-L-BUA	4A	61	4,746.00	143
C539-HLDC-L-GY	4A	61	4,746.00	143
C539-HLDC-L-GYA	4A	61	4,746.00	143
C539-HLDC-U	4A	61	4,608.00	143
C539-HLDC-U-A	4A	61	4,608.00	143
C539-HLDC-U-BU	4A	61	4,608.00	143
C539-HLDC-U-BUA	4A	61	4,608.00	143
C539-HLDC-U-GY	4A	61	4,608.00	143
C539-HLDC-U-GYA	4A	61	4,608.00	143
C539-HLD-S-4	4A	61	4,169.00	143
C539-HLD-S-4A	4A	61	4,169.00	143
C539-HLD-S-4-BU	4A	61	4,169.00	143
C539-HLD-S-4-BUA	4A	61	4,169.00	143
C539-HLD-S-4-GY	4A	61	4,169.00	143
C539-HLD-S-4-GYA	4A	61	4,169.00	143
C539-HLD-S-L	4A	61	4,510.00	143
C539-HLD-S-LA	4A	61	4,510.00	143
C539-HLD-S-L-BU	4A	61	4,510.00	143
C539-HLD-S-L-BUA	4A	61	4,510.00	143
C539-HLD-S-L-GY	4A	61	4,510.00	143
C539-HLD-S-L-GYA	4A	61	4,510.00	143
C539-HLDS-U	4A	61	4,379.00	143
C539-HLDS-UA	4A	61	4,379.00	143
C539-HLDS-U-BU	4A	61	4,379.00	143
C539-HLDS-U-BUA	4A	61	4,379.00	143
C539-HLDS-U-GY	4A	61	4,379.00	143
C539-HLDS-U-GYA	4A	61	4,379.00	143
C539-HLFC-4	4A	61	4,178.00	143
C539-HLFC-4A	4A	61	4,178.00	143
C539-HLFC-4-BU	4A	61	4,178.00	143
C539-HLFC-4-BUA	4A	61	4,178.00	143
C539-HLFC-4-GY	4A	61	4,178.00	143
C539-HLFC-4-GYA	4A	61	4,178.00	143
C539-HLFC-L	4A	61	4,520.00	143
C539-HLFC-LA	4A	61	4,520.00	143
C539-HLFC-L-BU	4A	61	4,520.00	143
C539-HLFC-L-BUA	4A	61	4,520.00	143
C539-HLFC-L-GY	4A	61	4,520.00	143
C539-HLFC-L-GYA	4A	61	4,520.00	143
C539-HLFC-U	4A	61	4,388.00	143
C539-HLFC-UA	4A	61	4,388.00	143
C539-HLFC-U-BU	4A	61	4,388.00	143
C539-HLFC-U-BUA	4A	61	4,388.00	143
C539-HLFC-U-GY	4A	61	4,388.00	143
C539-HLFC-U-GYA	4A	61	4,388.00	143
C539-HLFS-4	4A	61	3,970.00	143
C539-HLFS-4A	4A	61	3,970.00	143
C539-HLFS-4-BU	4A	61	3,970.00	143
C539-HLFS-4-BUA	4A	61	3,970.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-HLFS-4-GY	4A	61	3,970.00	143
C539-HLFS-4-GYA	4A	61	3,970.00	143
C539-HLFS-L	4A	61	4,295.00	143
C539-HLFS-LA	4A	61	4,295.00	143
C539-HLFS-L-BU	4A	61	4,295.00	143
C539-HLFS-L-BUA	4A	61	4,295.00	143
C539-HLFS-L-GY	4A	61	4,295.00	143
C539-HLFS-L-GYA	4A	61	4,295.00	143
C539-HLFS-U	4A	61	4,169.00	143
C539-HLFS-UA	4A	61	4,169.00	143
C539-HLFS-U-BU	4A	61	4,169.00	143
C539-HLFS-U-BUA	4A	61	4,169.00	143
C539-HLFS-U-GY	4A	61	4,169.00	143
C539-HLFS-U-GYA	4A	61	4,169.00	143
C539-HLFS-U-GYA	4A	61	4,169.00	143
C539-HXDC-4	4A	61	4,388.00	143
C539-HXDC-4A	4A	61	4,388.00	143
C539-HXDC-4-BU	4A	61	4,388.00	143
C539-HXDC-4-BUA	4A	61	4,388.00	143
C539-HXDC-4-GY	4A	61	4,388.00	143
C539-HXDC-4-GYA	4A	61	4,388.00	143
C539-HXDC-L	4A	61	4,746.00	143
C539-HXDC-LA	4A	61	4,746.00	143
C539-HXDC-L-BU	4A	61	4,746.00	143
C539-HXDC-L-BUA	4A	61	4,746.00	143
C539-HXDC-L-GY	4A	61	4,746.00	143
C539-HXDC-L-GYA	4A	61	4,746.00	143
C539-HXDC-U	4A	61	4,608.00	143
C539-HXDC-UA	4A	61	4,608.00	143
C539-HXDC-U-BU	4A	61	4,608.00	143
C539-HXDC-U-BUA	4A	61	4,608.00	143
C539-HXDC-U-GY	4A	61	4,608.00	143
C539-HXDC-U-GYA	4A	61	4,608.00	143
C539-HXDS-4	4A	61	4,169.00	143
C539-HXDS-4A	4A	61	4,169.00	143
C539-HXDS-4-BU	4A	61	4,169.00	143
C539-HXDS-4-BUA	4A	61	4,169.00	143
C539-HXDS-4-GY	4A	61	4,169.00	143
C539-HXDS-4-GYA	4A	61	4,169.00	143
C539-HXDS-L	4A	61	4,510.00	143
C539-HXDS-LA	4A	61	4,510.00	143
C539-HXDS-L-BU	4A	61	4,510.00	143
C539-HXDS-L-BUA	4A	61	4,510.00	143
C539-HXDS-L-GY	4A	61	4,510.00	143
C539-HXDS-L-GYA	4A	61	4,510.00	143
C539-HXDS-U	4A	61	4,379.00	143
C539-HXDS-UA	4A	61	4,379.00	143
C539-HXDS-U-BU	4A	61	4,379.00	143
C539-HXDS-U-BUA	4A	61	4,379.00	143
C539-HXDS-U-GY	4A	61	4,379.00	143
C539-HXDS-U-GYA	4A	61	4,379.00	143
C539-HXFC-4	4A	61	4,178.00	143
C539-HXFC-4A	4A	61	4,178.00	143
C539-HXFC-4-BU	4A	61	4,178.00	143
C539-HXFC-4-BUA	4A	61	4,178.00	143
C539-HXFC-4-GY	4A	61	4,178.00	143
C539-HXFC-4-GYA	4A	61	4,178.00	143
C539-HXFC-L	4A	61	4,520.00	143
C539-HXFC-LA	4A	61	4,520.00	143
C539-HXFC-L-BU	4A	61	4,520.00	143
C539-HXFC-L-BUA	4A	61	4,520.00	143
C539-HXFC-L-GY	4A	61	4,520.00	143
C539-HXFC-L-GYA	4A	61	4,520.00	143
C539-HXFC-U	4A	61	4,388.00	143
C539-HXFC-U-A	4A	61	4,388.00	143
C539-HXFC-U-BU	4A	61	4,388.00	143
C539-HXFC-U-BUA	4A	61	4,388.00	143
C539-HXFC-U-GY	4A	61	4,388.00	143
C539-HXFC-U-GYA	4A	61	4,388.00	143
C539-HXFS-4	4A	61	3,970.00	143
C539-HXFS-4A	4A	61	3,970.00	143
C539-HXFS-4-BU	4A	61	3,970.00	143
C539-HXFS-4-BUA	4A	61	3,970.00	143
C539-HXFS-4-GY	4A	61	3,970.00	143
C539-HXFS-4-GYA	4A	61	3,970.00	143
C539-HXFS-L	4A	61	4,295.00	143
C539-HXFS-LA	4A	61	4,295.00	143
C539-HXFS-L-BU	4A	61	4,295.00	143
C539-HXFS-L-BUA	4A	61	4,295.00	143
C539-HXFS-L-GY	4A	61	4,295.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-HXFS-L-GYA	4A	61	4,295.00	143
C539-HXFS-U	4A	61	4,169.00	143
C539-HXFS-UA	4A	61	4,169.00	143
C539-HXFS-U-BU	4A	61	4,169.00	143
C539-HXFS-U-BUA	4A	61	4,169.00	143
C539-HXFS-U-GY	4A	61	4,169.00	143
C539-HXFS-U-GYA	4A	61	4,169.00	143
C539-MDC-4	4A	61	5,119.00	142
C539-MDC-4A	4A	61	5,119.00	142
C539-MDC-4-BU	4A	61	5,119.00	142
C539-MDC-4-BUA	4A	61	5,119.00	142
C539-MDC-4-GY	4A	61	5,119.00	142
C539-MDC-4-GYA	4A	61	5,119.00	142
C539-MDC-L	4A	61	5,537.00	142
C539-MDC-LA	4A	61	5,537.00	142
C539-MDC-L-BU	4A	61	5,537.00	142
C539-MDC-L-BUA	4A	61	5,537.00	142
C539-MDC-L-GY	4A	61	5,537.00	142
C539-MDC-L-GYA	4A	61	5,537.00	142
C539-MDC-U	4A	61	5,375.00	142
C539-MDC-UA	4A	61	5,375.00	142
C539-MDC-U-BU	4A	61	5,375.00	142
C539-MDC-U-BUA	4A	61	5,375.00	142
C539-MDC-U-GY	4A	61	5,375.00	142
C539-MDC-U-GYA	4A	61	5,375.00	142
C539-MDS-4	4A	61	4,864.00	142
C539-MDS-4A	4A	61	4,864.00	142
C539-MDS-4-BU	4A	61	4,864.00	142
C539-MDS-4-BUA	4A	61	4,864.00	142
C539-MDS-4-CY	4A	61	4,864.00	142
C539-MDS-4-GYA	4A	61	4,864.00	142
C539-MDS-L	4A	61	5,261.00	142
C539-MDS-LA	4A	61	5,261.00	142
C539-MDS-L-BU	4A	61	5,261.00	142
C539-MDS-L-BUA	4A	61	5,261.00	142
C539-MDS-L-GY	4A	61	5,261.00	142
C539-MDS-L-GYA	4A	61	5,261.00	142
C539-MDS-U	4A	61	5,108.00	142
C539-MDS-UA	4A	61	5,108.00	142
C539-MDS-U-BU	4A	61	5,108.00	142
C539-MDS-U-BUA	4A	61	5,108.00	142
C539-MDS-U-GY	4A	61	5,108.00	142
C539-MDS-U-GYA	4A	61	5,108.00	142
C539-MFC-4	4A	61	4,875.00	142
C539-MFC-4A	4A	61	4,875.00	142
C539-MFC-4-BU	4A	61	4,875.00	142
C539-MFC-4-BUA	4A	61	4,875.00	142
C539-MFC-4-GY	4A	61	4,875.00	142
C539-MFC-4-GYA	4A	61	4,875.00	142
C539-MFC-L	4A	61	5,273.00	142
C539-MFC-LA	4A	61	5,273.00	142
C539-MFC-L-BU	4A	61	5,273.00	142
C539-MFC-L-BUA	4A	61	5,273.00	142
C539-MFC-L-GY	4A	61	5,273.00	142
C539-MFC-L-GYA	4A	61	5,273.00	142
C539-MFC-U	4A	61	5,119.00	142
C539-MFC-UA	4A	61	5,119.00	142
C539-MFC-U-BU	4A	61	5,119.00	142
C539-MFC-U-BUA	4A	61	5,119.00	142
C539-MFC-U-GY	4A	61	5,119.00	142
C539-MFC-U-GYA	4A	61	5,119.00	142
C539-MFS-4	4A	61	4,631.00	142
C539-MFS-4A	4A	61	4,631.00	142
C539-MFS-4-BU	4A	61	4,631.00	142
C539-MFS-4-BUA	4A	61	4,631.00	142
C539-MFS-4-GY	4A	61	4,631.00	142
C539-MFS-4-GYA	4A	61	4,631.00	142
C539-MFS-L	4A	61	5,009.00	142
C539-MFS-LA	4A	61	5,009.00	142
C539-MFS-L-BU	4A	61	5,009.00	142
C539-MFS-L-BUA	4A	61	5,009.00	142
C539-MFS-L-GY	4A	61	5,009.00	142
C539-MFS-L-GYA	4A	61	5,009.00	142
C539-MFS-U	4A	61	4,864.00	142
C539-MFS-UA	4A	61	4,864.00	142
C539-MFS-U-BU	4A	61	4,864.00	142
C539-MFS-U-BUA	4A	61	4,864.00	142
C539-MFS-U-GY	4A	61	4,864.00	142
C539-MFS-U-GYA	4A	61	4,864.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-MXDC-4	4A	61	5,119.00	142
C539-MXDC-4A	4A	61	5,119.00	142
C539-MXDC-4-BU	4A	61	5,119.00	142
C539-MXDC-4-BUA	4A	61	5,119.00	142
C539-MXDC-4-GY	4A	61	5,119.00	142
C539-MXDC-4-GYA	4A	61	5,119.00	142
C539-MXDC-L	4A	61	5,537.00	142
C539-MXDC-LA	4A	61	5,537.00	142
C539-MXDC-L-BU	4A	61	5,537.00	142
C539-MXDC-L-BUA	4A	61	5,537.00	142
C539-MXDC-L-GY	4A	61	5,537.00	142
C539-MXDC-L-GYA	4A	61	5,537.00	142
C539-MXDC-U	4A	61	5,375.00	142
C539-MXDC-UA	4A	61	5,375.00	142
C539-MXDC-U-BU	4A	61	5,375.00	142
C539-MXDC-U-BUA	4A	61	5,375.00	142
C539-MXDC-U-GY	4A	61	5,375.00	142
C539-MXDC-U-GYA	4A	61	5,375.00	142
C539-MXDS-4	4A	61	4,864.00	142
C539-MXDS-4A	4A	61	4,864.00	142
C539-MXDS-4-BU	4A	61	4,864.00	142
C539-MXDS-4-BUA	4A	61	4,864.00	142
C539-MXDS-4-GY	4A	61	4,864.00	142
C539-MXDS-4-GYA	4A	61	4,864.00	142
C539-MXDS-L	4A	61	5,261.00	142
C539-MXDS-LA	4A	61	5,261.00	142
C539-MXDS-L-BU	4A	61	5,261.00	142
C539-MXDS-L-BUA	4A	61	5,261.00	142
C539-MXDS-L-GY	4A	61	5,261.00	142
C539-MXDS-L-GYA	4A	61	5,261.00	142
C539-MXDS-U	4A	61	5,108.00	142
C539-MXDS-UA	4A	61	5,108.00	142
C539-MXDS-U-BU	4A	61	5,108.00	142
C539-MXDS-U-BUA	4A	61	5,108.00	142
C539-MXDS-U-GY	4A	61	5,108.00	142
C539-MXDS-U-GYA	4A	61	5,108.00	142
C539-MXFC-4	4A	61	4,875.00	142
C539-MXFC-4A	4A	61	4,875.00	142
C539-MXFC-4-BU	4A	61	4,875.00	142
C539-MXFC-4-BUA	4A	61	4,875.00	142
C539-MXFC-4-GY	4A	61	4,875.00	142
C539-MXFC-4-GYA	4A	61	4,875.00	142
C539-MXFC-L	4A	61	5,273.00	142
C539-MXFC-LA	4A	61	5,273.00	142
C539-MXFC-L-BU	4A	61	5,273.00	142
C539-MXFC-L-BUA	4A	61	5,273.00	142
C539-MXFC-L-GY	4A	61	5,273.00	142
C539-MXFC-L-GYA	4A	61	5,273.00	142
C539-MXFC-U	4A	61	5,119.00	142
C539-MXFC-UA	4A	61	5,119.00	142
C539-MXFC-U-BU	4A	61	5,119.00	142
C539-MXFC-U-BUA	4A	61	5,119.00	142
C539-MXFC-U-GY	4A	61	5,119.00	142
C539-MXFC-U-GYA	4A	61	5,119.00	142
C539-MXFS-4	4A	61	4,631.00	142
C539-MXFS-4A	4A	61	4,631.00	142
C539-MXFS-4-BU	4A	61	4,631.00	142
C539-MXFS-4-BUA	4A	61	4,631.00	142
C539-MXFS-4-GY	4A	61	4,631.00	142
C539-MXFS-4-GYA	4A	61	4,631.00	142
C539-MXFS-L	4A	61	5,009.00	142
C539-MXFS-LA	4A	61	5,009.00	142
C539-MXFS-L-BU	4A	61	5,009.00	142
C539-MXFS-L-BUA	4A	61	5,009.00	142
C539-MXFS-L-GY	4A	61	5,009.00	142
C539-MXFS-L-GYA	4A	61	5,009.00	142
C539-MXFS-U	4A	61	4,864.00	142
C539-MXFS-U-GY	4A	61	4,864.00	142
C539-MXFS-U-GYA	4A	61	4,864.00	142
C5-5RDGCSTR	4P	76	78.00	149
C563L-NFC-L	4P	76	4,767.00	132
C563L-NFC-LA	4P	76	4,767.00	132
C563L-NFC-U	4P	76	4,867.00	132
C563L-NFC-UA	4P	76	4,867.00	132
C563L-NFS-L	4P	76	4,468.00	132
C563L-NFS-LA	4P	76	4,468.00	132

Part Number	Sales Class	AQ Cat	List Price	Page #
C563L-NFS-U	4P	76	4,568.00	132
C563L-NFS-UA	4P	76	4,568.00	132
C563L-SFC-L	4P	76	5,484.00	132
C563L-SFC-LA	4P	76	5,484.00	132
C563L-SFC-U	4P	76	5,587.00	132
C563L-SFC-UA	4P	76	5,587.00	132
C563L-SFS-L	4P	76	5,173.00	132
C563L-SFS-LA	4P	76	5,173.00	132
C563L-SFS-U	4P	76	5,276.00	132
C563L-SFS-UA	4P	76	5,276.00	132
C563X-NFC-L	4P	76	4,767.00	132
C563X-NFC-LA	4P	76	4,767.00	132
C563X-NFC-U	4P	76	4,867.00	132
C563X-NFC-UA	4P	76	4,867.00	132
C563X-NFS-L	4P	76	4,468.00	132
C563X-NFS-LA	4P	76	4,468.00	132
C563X-NFS-U	4P	76	4,568.00	132
C563X-NFS-UA	4P	76	4,568.00	132
C563X-SFC-L	4P	76	5,484.00	132
C563X-SFC-LA	4P	76	5,484.00	132
C563X-SFC-U	4P	76	5,587.00	132
C563X-SFC-UA	4P	76	5,587.00	132
C563X-SFS-L	4P	76	5,173.00	132
C563X-SFS-LA	4P	76	5,173.00	132
C563X-SFS-U	4P	76	5,276.00	132
C563X-SFS-UA	4P	76	5,276.00	132
C565L-NFC-L	4P	76	5,007.00	132
C565L-NFC-LA	4P	76	5,007.00	132
C565L-NFC-LPFC	4P	76	5,786.00	132
C565L-NFC-LPFC4	4P	76	5,786.00	132
C565L-NFC-LPFS	4P	76	5,487.00	132
C565L-NFC-LPFS4	4P	76	5,487.00	132
C565L-NFC-U	4P	76	5,107.00	132
C565L-NFC-UA	4P	76	5,107.00	132
C565L-NFC-UPFC	4P	76	5,887.00	132
C565L-NFC-UPFC4	4P	76	5,887.00	132
C565L-NFC-UPFS	4P	76	5,587.00	132
C565L-NFC-UPFS4	4P	76	5,587.00	132
C565L-NFS-L	4P	76	4,708.00	132
C565L-NFS-LA	4P	76	4,708.00	132
C565L-NFS-LPFC	4P	76	5,487.00	132
C565L-NFS-LPFC4	4P	76	5,487.00	132
C565L-NFS-LPFS	4P	76	5,188.00	132
C565L-NFS-LPFS4	4P	76	5,188.00	132
C565L-NFS-U	4P	76	4,809.00	132
C565L-NFS-UA	4P	76	4,809.00	132
C565L-NFS-UPFC	4P	76	5,587.00	132
C565L-NFS-UPFC4	4P	76	5,587.00	132
C565L-NFS-UPFS	4P	76	5,288.00	132
C565L-NFS-UPFS4	4P	76	5,288.00	132
C565L-SFC-L	4P	76	5,762.00	132
C565L-SFC-LA	4P	76	5,762.00	132
C565L-SFC-LPFC	4P	76	6,630.00	132
C565L-SFC-LPFC4	4P	76	6,630.00	132
C565L-SFC-LPFS	4P	76	6,319.00	132
C565L-SFC-LPFS4	4P	76	6,319.00	132
C565L-SFC-U	4P	76	5,866.00	132
C565L-SFC-UA	4P	76	5,866.00	132
C565L-SFC-UPFC	4P	76	6,732.00	132
C565L-SFC-UPFC4	4P	76	6,732.00	132
C565L-SFC-UPFS	4P	76	6,422.00	132
C565L-SFC-UPFS4	4P	76	6,422.00	132
C565L-SFS-L	4P	76	5,451.00	132
C565L-SFS-LA	4P	76	5,451.00	132
C565L-SFS-LPFC	4P	76	6,319.00	132
C565L-SFS-LPFC4	4P	76	6,319.00	132
C565L-SFS-U	4P	76	6,007.00	132
C565L-SFS-UPFS	4P	76	6,007.00	132
C565L-SFS-UPFS4	4P	76	6,110.00	132
C565L-SFS-UPFS4	4P	76	6,110.00	132
C565-NFC-L	4P	76	5,007.00	132
C565-NFC-LA	4P	76	5,007.00	132
C565-NFC-LPFC	4P	76	5,786.00	133
C565-NFC-LPFC4	4P	76	5,786.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C565-NFC-LPFS-A	4P	76	5,487.00	133
C565-NFC-U	4P	76	5,107.00	132
C565-NFC-UA	4P	76	5,107.00	132
C565-NFC-UPFC	4P	76	5,887.00	133
C565-NFC-UPFCA	4P	76	5,887.00	133
C565-NFC-UPFS	4P	76	5,587.00	133
C565-NFC-UPFSA	4P	76	5,587.00	133
C565-NFS-L	4P	76	4,708.00	132
C565-NFS-LA	4P	76	4,708.00	132
C565-NFS-LFPC	4P	76	5,487.00	133
C565-NFS-LPFCA	4P	76	5,487.00	133
C565-NFS-LPFS	4P	76	5,188.00	133
C565-NFS-LPFS-A	4P	76	5,188.00	133
C565-NFS-U	4P	76	4,809.00	132
C565-NFS-UA	4P	76	4,809.00	132
C565-NFS-UPFC	4P	76	5,587.00	133
C565-NFS-UPFCA	4P	76	5,587.00	133
C565-NFS-UPFS	4P	76	5,288.00	133
C565-NFS-UPFSA	4P	76	5,288.00	133
C565-SFC-L	4P	76	5,762.00	132
C565-SFC-LA	4P	76	5,762.00	132
C565-SFC-LFPC	4P	76	6,630.00	133
C565-SFC-LFPCA	4P	76	6,630.00	133
C565-SFC-LPFS	4P	76	6,319.00	133
C565-SFC-LPFS-A	4P	76	6,319.00	133
C565-SFC-U	4P	76	5,866.00	132
C565-SFC-UA	4P	76	5,866.00	132
C565-SFC-UPFC	4P	76	6,732.00	133
C565-SFC-UPFCA	4P	76	6,732.00	133
C565-SFC-UPFS	4P	76	6,422.00	133
C565-SFC-UPFSA	4P	76	6,422.00	133
C565-SFS-L	4P	76	5,451.00	132
C565-SFS-LA	4P	76	5,451.00	132
C565-SFS-LFPC	4P	76	6,319.00	133
C565-SFS-LFPCA	4P	76	6,319.00	133
C565-SFS-LPFS	4P	76	6,007.00	133
C565-SFS-LPFS-A	4P	76	6,007.00	133
C565-SFS-U	4P	76	5,555.00	132
C565-SFS-UA	4P	76	5,555.00	132
C565-SFS-UPFC	4P	76	6,422.00	133
C565-SFS-UPFCA	4P	76	6,422.00	133
C565-SFS-UPFS	4P	76	6,110.00	133
C565-SFS-UPFSA	4P	76	6,110.00	133
C565X-NFC-L	4P	76	5,007.00	133
C565X-NFC-LA	4P	76	5,007.00	133
C565X-NFC-LPFC	4P	76	5,786.00	133
C565X-NFC-LPFA	4P	76	5,786.00	133
C565X-NFC-LPFS	4P	76	5,487.00	133
C565X-NFC-LPFS-A	4P	76	5,487.00	133
C565X-NFC-U	4P	76	5,107.00	133
C565X-NFC-UA	4P	76	5,107.00	133
C565X-NFC-UPFC	4P	76	5,887.00	133
C565X-NFC-UPFCA	4P	76	5,887.00	133
C565X-NFC-UPFS	4P	76	5,587.00	133
C565X-NFC-UPFSA	4P	76	5,587.00	133
C565X-NFS-L	4P	76	4,708.00	133
C565X-NFS-LA	4P	76	4,708.00	133
C565X-NFS-LFPC	4P	76	5,487.00	133
C565X-NFS-LPFC	4P	76	5,487.00	133
C565X-NFS-LPFS	4P	76	5,188.00	133
C565X-NFS-LPFS-A	4P	76	5,188.00	133
C565X-NFS-U	4P	76	4,809.00	133
C565X-NFS-UA	4P	76	4,809.00	133
C565X-NFS-UPFC	4P	76	5,587.00	133
C565X-NFS-UPFCA	4P	76	5,587.00	133
C565X-NFS-UPFS	4P	76	5,288.00	133
C565X-NFS-UPFSA	4P	76	5,288.00	133
C565X-SFC-L	4P	76	5,762.00	133
C565X-SFC-LA	4P	76	5,762.00	133
C565X-SFC-LFPC	4P	76	6,630.00	133
C565X-SFC-LFPCA	4P	76	6,630.00	133
C565X-SFC-LPFS	4P	76	6,319.00	133
C565X-SFC-UPFSA	4P	76	6,319.00	133
C565X-SFC-UPFS	4P	76	6,422.00	133
C565X-SFC-UPFSA	4P	76	6,422.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C565X-SFS-L	4P	76	5,451.00	133
C565X-SFS-LA	4P	76	5,451.00	133
C565X-SFS-LPFC	4P	76	6,319.00	133
C565X-SFS-LPFA	4P	76	6,319.00	133
C565X-SFS-LPFS	4P	76	6,007.00	133
C565X-SFS-LPFS-A	4P	76	6,007.00	133
C565X-SFS-U	4P	76	5,555.00	133
C565X-SFS-UA	4P	76	5,555.00	133
C565X-SFS-UPFC	4P	76	6,422.00	133
C565X-SFS-UPFCA	4P	76	6,422.00	133
C565X-SFS-UPFS	4P	76	6,110.00	133
C565X-SFS-UPFSA	4P	76	6,110.00	133
C567L-NFC-L	4P	76	5,607.00	133
C567L-NFC-LA	4P	76	5,607.00	133
C567L-NFC-U	4P	76	5,706.00	133
C567L-NFC-UA	4P	76	5,706.00	133
C567L-NFS-L	4P	76	5,309.00	133
C567L-NFS-LA	4P	76	5,309.00	133
C567L-NFS-U	4P	76	5,409.00	133
C567L-NFS-UA	4P	76	5,409.00	133
C567L-SFC-L	4P	76	6,457.00	133
C567L-SFC-LA	4P	76	6,457.00	133
C567L-SFC-U	4P	76	6,561.00	133
C567L-SFC-UA	4P	76	6,561.00	133
C567L-SFS-L	4P	76	6,145.00	133
C567L-SFS-LA	4P	76	6,145.00	133
C567L-SFS-U	4P	76	6,250.00	133
C567L-SFS-UA	4P	76	6,250.00	133
C567L-SFC-L	4P	76	5,607.00	132
C567L-SFC-LA	4P	76	5,607.00	132
C567L-SFC-U	4P	76	5,706.00	132
C567L-SFC-UA	4P	76	5,706.00	132
C567L-SFS-L	4P	76	5,309.00	132
C567L-SFS-LA	4P	76	5,309.00	132
C567L-SFS-U	4P	76	5,409.00	132
C567L-SFS-UA	4P	76	5,409.00	132
C567L-SFC-L	4P	76	6,457.00	132
C567L-SFC-LA	4P	76	6,457.00	132
C567L-SFC-U	4P	76	6,561.00	132
C567L-SFC-UA	4P	76	6,561.00	132
C567L-SFS-L	4P	76	6,145.00	132
C567L-SFS-LA	4P	76	6,145.00	132
C567L-SFS-U	4P	76	6,250.00	132
C567L-SFS-UA	4P	76	6,250.00	132
C567X-NFC-L	4P	76	5,607.00	132
C567X-NFC-LA	4P	76	5,607.00	132
C567X-NFC-U	4P	76	5,706.00	132
C567X-NFC-UA	4P	76	5,706.00	132
C567X-SFC-L	4P	76	6,457.00	132
C567X-SFC-LA	4P	76	6,457.00	132
C567X-SFC-U	4P	76	6,561.00	132
C567X-SFC-UA	4P	76	6,561.00	132
C567X-SFS-L	4P	76	6,145.00	132
C567X-SFS-LA	4P	76	6,145.00	132
C567X-SFS-U	4P	76	6,250.00	132
C567X-SFS-UA	4P	76	6,250.00	132
C569L-NDC-L	4P	76	6,686.00	132
C569L-NDC-LA	4P	76	6,686.00	132
C569L-NDC-LPDC	4P	76	7,902.00	133
C569L-NDC-LPDC4	4P	76	7,902.00	133
C569L-NDC-LPDS	4P	76	7,305.00	133
C569L-NDC-LPDSA	4P	76	7,305.00	133
C569L-NDC-NDC	4P	76	6,786.00	132
C569L-NDC-UPDC	4P	76	8,002.00	133
C569L-NDC-UPDCA	4P	76	8,002.00	133
C569L-NDC-UPDS	4P	76	7,406.00	133
C569L-NDC-UPDSA	4P	76	7,406.00	133
C569L-NDS-L	4P	76	6,088.00	132
C569L-NDS-LA	4P	76	6,088.00	132
C569L-NDS-LPDC	4P	76	7,305.00	133
C569L-NDS-LPDC4	4P	76	7,305.00	133
C569L-NDS-LPDS	4P	76	6,707.00	133
C569L-NDS-LPDSA	4P	76	6,707.00	133
C569L-NDS-U	4P	76	6,188.00	132

Part Number	Sales Class	AQ Cat	List Price	Page #
C569L-NDS-UA	4P	76	6,188.00	132
C569L-NDS-UPDC	4P	76	7,406.00	133
C569L-NDS-UPDCA	4P	76	7,406.00	133
C569L-NDS-UPDS	4P	76	6,808.00	133
C569L-NDS-UPDSA	4P	76	6,808.00	133
C569L-NFC-L	4P	76	6,488.00	132
C569L-NFC-LA	4P	76	6,488.00	132
C569L-NFC-UPFC	4P	76	7,704.00	133
C569L-NFC-LPFC	4P	76	7,704.00	133
C569L-NFC-LPFS	4P	76	7,106.00	133
C569L-NFC-UPFSA	4P	76	7,106.00	133
C569L-NFC-UPFS	4P	76	6,587.00	132
C569L-NFC-UPFSA	4P	76	6,587.00	132
C569L-NFS-L	4P	76	5,890.00	132
C569L-NFS-LA	4P	76	5,890.00	132
C569L-NFS-LPFC	4P	76	7,106.00	133
C569L-NFS-LPFS	4P	76	6,508.00	133
C569L-NFS-UPFSA	4P	76	6,508.00	133
C569L-NFS-UPFS	4P	76	6,206.00	133
C569L-NFS-UPFCA	4P	76	7,206.00	133
C569L-NFS-UPFSA	4P	76	6,608.00	133
C569L-NFS-UPFCA	4P	76	6,608.00	133
C569L-SDC-L	4P	76	7,668.00	132
C569L-SDC-LPDC	4P	76	9,006.00	133
C569L-SDC-LPDC4	4P	76	9,006.00	133
C569L-SDC-LPDS	4P	76	8,385.00	133
C569L-SDC-LPDSA	4P	76	8,385.00	133
C569L-SDC-U	4P	76	7,772.00	132
C569L-SDC-UPA	4P	76	7,772.00	132
C569L-SDC-UPDC	4P	76	9,109.00	133
C569L-SDC-UPDCA	4P	76	9,109.00	133
C569L-SDC-UPDS	4P	76	8,488.00	133
C569L-SDC-UPDSA	4P	76	8,488.00	133
C569L-SDS-L	4P	76	7,047.00	132
C569L-SDS-LA	4P	76	7,047.00	132
C569L-SDS-LPDC	4P	76	8,385.00	133
C569L-SDS-LPDC4	4P	76	8,385.00	133
C569L-SDS-LPDS	4P	76	7,763.00	133
C569L-SDS-LPDSA	4P	76	7,763.00	133
C569L-SDS-U	4P	76	7,151.00	132
C569L-SDS-UA	4P	76	7,151.00	132
C569L-SDS-UPDC	4P	76	8,488.00	133
C569L-SDS-UPDCA	4P	76	8,488.00	133
C569L-SDS-UPDS	4P	76	7,866.00	133
C569L-SDS-UPDSA	4P	76	7,866.00	133
C569L-SDC-LPFS	4P	76	8,177.00	133
C569L-SDC-LPFS4	4P	76	8,177.00	133
C569L-SFC-U	4P	76	7,566.00	132
C569L-SFC-UA	4P	76	7,566.00	132
C569L-SFC-UPFC	4P	76	8,902.00	133</td

Part Number	Sales Class	AQ Cat	List Price	Page #
C569-NDC-LPDC	4P	76	7,902.00	133
C569-NDC-LPDCA	4P	76	7,902.00	133
C569-NDC-LPDS	4P	76	7,305.00	133
C569-NDC-LPDSA	4P	76	7,305.00	133
C569-NDC-U	4P	76	6,786.00	132
C569-NDC-UA	4P	76	6,786.00	132
C569-NDC-UPDC	4P	76	8,002.00	133
C569-NDC-UPDCA	4P	76	8,002.00	133
C569-NDC-UPDS	4P	76	7,406.00	133
C569-NDC-UPDSA	4P	76	7,406.00	133
C569-NDS-L	4P	76	6,088.00	132
C569-NDS-LA	4P	76	6,088.00	132
C569-NDS-LPDC	4P	76	7,305.00	133
C569-NDS-LPDCA	4P	76	7,305.00	133
C569-NDS-LPDS	4P	76	6,707.00	133
C569-NDS-LPDSA	4P	76	6,707.00	133
C569-NDS-U	4P	76	6,188.00	132
C569-NDS-UA	4P	76	6,188.00	132
C569-NDS-UPDC	4P	76	7,406.00	133
C569-NDS-UPDCA	4P	76	7,406.00	133
C569-NDS-UPDS	4P	76	6,808.00	133
C569-NDS-UPDSA	4P	76	6,808.00	133
C569-NFC-L	4P	76	6,488.00	132
C569-NFC-LA	4P	76	6,488.00	132
C569-NFC-LPFC	4P	76	7,704.00	133
C569-NFC-LPFC4	4P	76	7,704.00	133
C569-NFC-LPFS	4P	76	7,106.00	133
C569-NFC-LPFS4	4P	76	7,106.00	133
C569-NFC-U	4P	76	6,587.00	132
C569-NFC-UA	4P	76	6,587.00	132
C569-NFC-UPFC	4P	76	7,802.00	133
C569-NFC-UPFCA	4P	76	7,802.00	133
C569-NFC-UPFS	4P	76	7,206.00	133
C569-NFC-UPFSA	4P	76	7,206.00	133
C569-NFS-L	4P	76	5,890.00	132
C569-NFS-LA	4P	76	5,890.00	132
C569-NFS-LPFC	4P	76	7,106.00	133
C569-NFS-LPFC4	4P	76	7,106.00	133
C569-NFS-LPFS	4P	76	6,508.00	133
C569-NFS-LPFS4	4P	76	6,508.00	133
C569-NFS-U	4P	76	5,988.00	132
C569-NFS-UA	4P	76	5,988.00	132
C569-NFS-UPFC	4P	76	7,206.00	133
C569-NFS-UPFCA	4P	76	7,206.00	133
C569-NFS-UPFS	4P	76	6,608.00	133
C569-NFS-UPFSA	4P	76	6,608.00	133
C569-SDC-DL	4P	76	7,668.00	132
C569-SDC-LA	4P	76	7,668.00	132
C569-SDC-LPDC	4P	76	9,006.00	133
C569-SDC-LPDC4	4P	76	9,006.00	133
C569-SDC-LPDS	4P	76	8,385.00	133
C569-SDC-LPDSA	4P	76	8,385.00	133
C569-SDC-U	4P	76	7,772.00	132
C569-SDC-UA	4P	76	7,772.00	132
C569-SDC-UPDC	4P	76	9,109.00	133
C569-SDC-UPDCA	4P	76	9,109.00	133
C569-SDC-UPDS	4P	76	8,488.00	133
C569-SDC-UPDSA	4P	76	8,488.00	133
C569-SDS-L	4P	76	7,047.00	132
C569-SDS-LA	4P	76	7,047.00	132
C569-SDS-LPDC	4P	76	8,385.00	133
C569-SDS-LPDC4	4P	76	8,385.00	133
C569-SDS-LPDS	4P	76	7,763.00	133
C569-SDS-LPDSA	4P	76	7,763.00	133
C569-SDS-U	4P	76	7,151.00	132
C569-SDS-UA	4P	76	7,151.00	132
C569-SDS-UPDC	4P	76	8,488.00	133
C569-SDS-UPDCA	4P	76	8,488.00	133
C569-SDS-UPDS	4P	76	7,866.00	133
C569-SDS-UPDSA	4P	76	7,866.00	133
C569-SFC-L	4P	76	7,462.00	132
C569-SFC-LA	4P	76	7,462.00	132
C569-SFC-LPFC	4P	76	8,798.00	133
C569-SFC-LPFC4	4P	76	8,798.00	133
C569-SFC-LPFS	4P	76	8,177.00	133
C569-SFC-LPFS4	4P	76	8,177.00	133
C569-SFC-U	4P	76	7,566.00	132
C569-SFC-UA	4P	76	7,566.00	132
C569-SFC-UPFC	4P	76	8,902.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C569-SFC-UPFCA	4P	76	8,902.00	133
C569-SFC-UPFS	4P	76	8,280.00	133
C569-SFC-UPFSA	4P	76	8,280.00	133
C569-SFS-L	4P	76	6,840.00	132
C569-SFS-LA	4P	76	6,840.00	132
C569-SFS-LPFC	4P	76	8,177.00	133
C569-SFS-LPFC4	4P	76	8,177.00	133
C569-SFS-LPFS	4P	76	7,556.00	133
C569-SFS-LPFS4	4P	76	7,556.00	133
C569-SFS-U	4P	76	6,944.00	132
C569-SFS-UA	4P	76	6,944.00	132
C569-SFS-UPFC	4P	76	8,280.00	133
C569-SFS-UPFCA	4P	76	8,280.00	133
C569-SFS-UPFS	4P	76	7,659.00	133
C569-SFS-UPFSA	4P	76	7,659.00	133
C569X-NDC-L	4P	76	6,686.00	133
C569X-NDC-LA	4P	76	6,686.00	133
C569X-NDC-LPDC	4P	76	7,902.00	133
C569X-NDC-LPDCA	4P	76	7,902.00	133
C569X-NDC-LPDS	4P	76	7,305.00	133
C569X-NDC-LPDSA	4P	76	7,305.00	133
C569X-NDC-U	4P	76	6,786.00	133
C569X-NDC-UA	4P	76	6,786.00	133
C569X-NDC-UPDC	4P	76	8,002.00	133
C569X-NDC-UPDCA	4P	76	8,002.00	133
C569X-NDC-UPDPS	4P	76	7,406.00	133
C569X-NDC-UPDSA	4P	76	7,406.00	133
C569X-NDS-L	4P	76	6,088.00	133
C569X-NDS-LA	4P	76	6,088.00	133
C569X-NDS-LPDC	4P	76	7,305.00	133
C569X-NDS-LPDCA	4P	76	7,305.00	133
C569X-NDS-LPDS	4P	76	6,707.00	133
C569X-NDS-LPDSA	4P	76	6,707.00	133
C569X-NDS-U	4P	76	6,188.00	133
C569X-NDS-UA	4P	76	6,188.00	133
C569X-NDS-UPDC	4P	76	7,406.00	133
C569X-NDS-UPDCA	4P	76	7,406.00	133
C569X-NDS-UPDPS	4P	76	6,808.00	133
C569X-NDS-UPDSA	4P	76	6,808.00	133
C569X-NFC-L	4P	76	6,488.00	133
C569X-NFC-LA	4P	76	6,488.00	133
C569X-NFC-LPFC	4P	76	7,704.00	133
C569X-NFC-LPFC4	4P	76	7,704.00	133
C569X-NFC-LPFS	4P	76	7,106.00	133
C569X-NFC-LPFS4	4P	76	7,106.00	133
C569X-NFC-UPFS	4P	76	7,206.00	133
C569X-NFC-UPFSA	4P	76	7,206.00	133
C569X-NFS-L	4P	76	5,890.00	133
C569X-NFS-LA	4P	76	5,890.00	133
C569X-NFS-LPFC	4P	76	7,106.00	133
C569X-NFS-LPFC4	4P	76	7,106.00	133
C569X-NFS-LPFS	4P	76	6,508.00	133
C569X-NFS-LPFS4	4P	76	6,508.00	133
C569X-NFS-U	4P	76	5,988.00	133
C569X-NFS-UA	4P	76	5,988.00	133
C569X-NFS-UPFC	4P	76	7,206.00	133
C569X-NFS-UPFCA	4P	76	7,206.00	133
C569X-SDC-L	4P	76	7,668.00	133
C569X-SDC-LA	4P	76	7,668.00	133
C569X-SDC-LPDC	4P	76	9,006.00	133
C569X-SDC-LPDCA	4P	76	9,006.00	133
C569X-SDC-LPDS	4P	76	8,385.00	133
C569X-SDC-LPDSA	4P	76	8,385.00	133
C569X-SDC-U	4P	76	7,772.00	133
C569X-SDC-UA	4P	76	7,772.00	133
C569X-SDC-UPDC	4P	76	9,109.00	133
C569X-SDC-UPDCA	4P	76	9,109.00	133
C569X-SDC-UPDPS	4P	76	8,488.00	133
C569X-SDC-UPDSA	4P	76	8,488.00	133
C569X-SDS-L	4P	76	7,047.00	133
C569X-SDS-LA	4P	76	7,047.00	133
C569X-SDS-LPDC	4P	76	8,385.00	133
C569X-SDS-LPDA	4P	76	8,385.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C569X-SDS-LPDS	4P	76	7,763.00	133
C569X-SDS-LPDSA	4P	76	7,763.00	133
C569X-SDS-U	4P	76	7,151.00	133
C569X-SDS-UA	4P	76	7,151.00	133
C569X-SDS-UPDC	4P	76	8,488.00	133
C569X-SDS-UPDCA	4P	76	8,488.00	133
C569X-SDS-UPDS	4P	76	7,866.00	133
C569X-SDS-UPDSA	4P	76	7,866.00	133
C569X-SFC-L	4P	76	7,462.00	133
C569X-SFC-LA	4P	76	7,462.00	133
C569X-SFC-LPFC	4P	76	8,798.00	133
C569X-SFC-LPFC4	4P	76	8,798.00	133
C569X-SFC-LPFS	4P	76	8,177.00	133
C569X-SFC-LPFS4	4P	76	8,177.00	133
C569X-SFC-U	4P	76	7,566.00	133
C569X-SFC-UA	4P	76	7,566.00	133
C569X-SFC-UFPC	4P	76	8,902.00	133
C569X-SFC-UFPCA	4P	76	8,902.00	133
C569X-SFC-UPFS	4P	76	8,280.00	133
C569X-SFC-UPFSA	4P	76	8,280.00	133
C569X-SFS-L	4P	76	6,840.00	133
C569X-SFS-LA	4P	76	6,840.00	133
C569X-SFS-LPFC	4P	76	8,177.00	133
C569X-SFS-LPFC4	4P	76	8,177.00	133
C569X-SFS-LPFS	4P	76	7,556.00	133
C569X-SFS-LPFS4	4P	76	7,556.00	133
C569X-SFS-U	4P	76	6,944.00	133
C569X-SFS-UA	4P	76	6,944.00	133
C569X-SFS-UFPC	4P	76	8,280.00	133
C569X-SFS-UFPCA	4P	76	8,280.00	133
C569X-SFS-UPFS	4P	76	7,659.00	133
C569X-SFS-UPFSA	4P	76	7,659.00	133
C5-6CASTER	4P	76	137.00	133
C583L-NFC-L	4P	76	5,387.00	129
C583L-NFC-LA	4P	76	5,387.00	129
C583L-NFC-U	4P	76	5,500.00	129
C583L-NFC-UA	4P	76	5,500.00	129
C583L-NFS-L	4P	76	5,049.00	129
C583L-NFS-LA	4P	76	5,049.00	129
C583L-NFS-U	4P	76	5,162.00	129
C583L-NFS-UA	4P	76	5,162.00	129
C583L-SFC-L	4P	76	5,970.00	129
C583L-SFC-LA	4P	76	5,970.00	129
C583L-SFC-U	4P	76	6,085.00	129
C583L-SFC-UA	4P	76	6,085.00	129
C583L-SFS-L	4P	76	5,635.00	129
C583L-SFS-LA	4P	76	5,635.00	129
C583L-SFS-U	4P	76	5,745.00	129
C583L-SFS-UA	4P	76	5,745.00	129
C583X-NFC-L	4P	76	5,387.00	129
C583X-NFC-LA	4P	76	5,387.00	129
C583X-NFC-U	4P	76	5,500.00	129
C583X-NFC-UA	4P	76	5,500.00	129
C583X-NFS-L	4P	76	5,049.00	129
C583X-NFS-LA	4P	76	5,049.00	129
C583X-NFS-U	4P	76	5,162.00	129
C583X-NFS-UA	4P	76	5,162.00	129
C583X-SFC-L	4P	76	5,970.00	129
C583X-SFC-LA	4P	76	5,970.00	129
C583X-SFC-U	4P	76	6,085.00	129
C583X-SFC-UA	4P	76	6,085.00	129
C583X-SFS-L	4P	76	5,635.00	129
C583X-SFS-LA	4P	76	5,635.00	129
C583X-SFS-U	4P	76	5,745.00	129
C583X-SFS-UA	4P	76	5,745.00	129
C585L-NFC-L	4P	76	5,658.00	129
C585L-NFC-LA	4P	76	5,658.00	129
C585L-NFC-LPFC	4P	76	6,539.00	129
C585L-NFC-LPFC4	4P	76	6,539.00	129
C585L-NFC-LPFS	4P	76	6,202.00	129
C585L-NFC-LPFS4	4P	76	6,202.00	129
C585L-NFC-U	4P	76	5,771.00	129
C585L-NFC-UA	4P	76	5,771.00	129
C585L-NFC-UFPC	4P	76	6,652.00	129
C585L-NFC-UFPCA	4P	76	6,652.00	129
C585L-NFC-UPFS	4P	76	6,314.00	129
C585L-NFC-UPFSA	4P	76	6,314.00	129
C585L-NFS-L	4P	76	5,321.00	129
C585L-NFS-LA	4P	76	5,321.00	129



ALPHA-NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C585L-NFS-LPFC	4P	76	6,202.00	129
C585L-NFS-LPFC4	4P	76	6,202.00	129
C585L-NFS-LPFS	4P	76	5,864.00	129
C585L-NFS-LPFS4	4P	76	5,864.00	129
C585L-NFS-U	4P	76	5,433.00	129
C585L-NFS-UA	4P	76	5,433.00	129
C585L-NFS-UPFC	4P	76	6,314.00	129
C585L-NFS-UPFC4	4P	76	6,314.00	129
C585L-NFS-UPFS	4P	76	5,977.00	129
C585L-NFS-UPFSA	4P	76	5,977.00	129
C585L-SFC-L	4P	76	6,272.00	129
C585L-SFC-LA	4P	76	6,272.00	129
C585L-SFC-LPC	4P	76	7,217.00	129
C585L-SFC-LPFC	4P	76	7,217.00	129
C585L-SFC-LPFS	4P	76	6,877.00	129
C585L-SFC-LPFS4	4P	76	6,877.00	129
C585L-SFC-U	4P	76	6,386.00	129
C585L-SFC-UA	4P	76	6,386.00	129
C585L-SFC-UPFC	4P	76	7,330.00	129
C585L-SFC-UPFC4	4P	76	7,330.00	129
C585L-SFC-UPFS	4P	76	6,991.00	129
C585L-SFC-UPFSA	4P	76	6,991.00	129
C585L-SFS-L	4P	76	5,936.00	129
C585L-SFS-LA	4P	76	5,936.00	129
C585L-SFS-LPFC	4P	76	6,877.00	129
C585L-SFS-LPFC4	4P	76	6,877.00	129
C585L-SFS-LPFS	4P	76	6,540.00	129
C585L-SFS-LPFS4	4P	76	6,540.00	129
C585L-SFS-U	4P	76	6,048.00	129
C585L-SFS-UA	4P	76	6,048.00	129
C585L-SFS-UPFC	4P	76	6,991.00	129
C585L-SFS-UPFS	4P	76	6,652.00	129
C585L-SFS-UPFSA	4P	76	6,652.00	129
C585-NFC-L	4P	76	5,658.00	128
C585-NFC-LA	4P	76	5,658.00	128
C585-NFC-LPFC	4P	76	6,539.00	129
C585-NFC-LPFC4	4P	76	6,539.00	129
C585-NFC-LPFS	4P	76	6,202.00	129
C585-NFC-LPFS4	4P	76	6,202.00	129
C585-NFC-U	4P	76	5,771.00	128
C585-NFC-UA	4P	76	5,771.00	128
C585-NFC-UPFC	4P	76	6,652.00	129
C585-NFC-UPFC4	4P	76	6,652.00	129
C585-NFC-UPFS	4P	76	6,314.00	129
C585-NFC-UPFSA	4P	76	6,314.00	129
C585-NFS-L	4P	76	5,321.00	128
C585-NFS-LA	4P	76	5,321.00	128
C585-NFS-LPFC	4P	76	6,202.00	129
C585-NFS-LPFC4	4P	76	6,202.00	129
C585-NFS-LPFS	4P	76	5,864.00	129
C585-NFS-LPFS4	4P	76	5,864.00	129
C585-NFS-U	4P	76	5,433.00	128
C585-NFS-UA	4P	76	5,433.00	128
C585-NFS-UPFC	4P	76	6,314.00	129
C585-NFS-UPFC4	4P	76	6,314.00	129
C585-NFS-UPFS	4P	76	5,977.00	129
C585-NFS-UPFSA	4P	76	5,977.00	129
C585-SFC-L	4P	76	6,272.00	128
C585-SFC-LA	4P	76	6,272.00	128
C585-SFC-LPFC	4P	76	7,217.00	129
C585-SFC-LPFC4	4P	76	7,217.00	129
C585-SFC-LPFS	4P	76	6,877.00	129
C585-SFC-LPFS4	4P	76	6,877.00	129
C585-SFC-U	4P	76	6,386.00	128
C585-SFC-UA	4P	76	6,386.00	128
C585-SFC-UPFC	4P	76	7,330.00	129
C585-SFC-UPFC4	4P	76	7,330.00	129
C585-SFC-UPFS	4P	76	6,991.00	129
C585-SFC-UPFSA	4P	76	6,991.00	129
C585-SFS-L	4P	76	5,936.00	128
C585-SFS-LA	4P	76	5,936.00	128
C585-SFS-LPFC	4P	76	6,877.00	129
C585-SFS-LPFC4	4P	76	6,877.00	129
C585-SFS-LPFS	4P	76	6,540.00	129
C585-SFS-LPFS4	4P	76	6,540.00	129
C585-SFS-U	4P	76	6,048.00	128
C585-SFS-UA	4P	76	6,048.00	128
C585-SFS-UPFC	4P	76	6,991.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C585-SFS-UPFCA	4P	76	6,991.00	129
C585-SFS-UPFS	4P	76	6,652.00	129
C585-SFS-UPFSA	4P	76	6,652.00	129
C585X-NFC-L	4P	76	5,658.00	129
C585X-NFC-LA	4P	76	5,658.00	129
C585X-NFC-LPFC	4P	76	6,539.00	129
C585X-NFC-LPFWCA	4P	76	6,539.00	129
C585X-NFC-LPFS	4P	76	6,202.00	129
C585X-NFC-LPFS4	4P	76	6,202.00	129
C585X-NFC-U	4P	76	5,771.00	129
C585X-NFC-UA	4P	76	5,771.00	129
C585X-NFC-UPFC	4P	76	6,652.00	129
C585X-NFC-UPFCA	4P	76	6,652.00	129
C585X-NFC-UPFS	4P	76	6,314.00	129
C585X-NFC-UPFSA	4P	76	6,314.00	129
C585X-NFS-L	4P	76	5,321.00	129
C585X-NFS-LA	4P	76	5,321.00	129
C585X-NFS-LPFC	4P	76	6,202.00	129
C585X-NFS-LPFWCA	4P	76	6,202.00	129
C585X-NFS-LPFS	4P	76	5,864.00	129
C585X-NFS-LPFS4	4P	76	5,864.00	129
C585X-NFS-U	4P	76	5,433.00	129
C585X-NFS-UA	4P	76	5,433.00	129
C585X-NFS-UPFC	4P	76	6,314.00	129
C585X-NFS-UPFCA	4P	76	6,314.00	129
C585X-NFS-UPFS	4P	76	5,977.00	129
C585X-NFS-UPFSA	4P	76	5,977.00	129
C585X-SFC-L	4P	76	6,272.00	129
C585X-SFC-LA	4P	76	6,272.00	129
C585X-SFC-LPFC	4P	76	7,217.00	129
C585X-SFC-LPFWCA	4P	76	7,217.00	129
C585X-SFC-LPFS	4P	76	6,877.00	129
C585X-SFC-LPFS4	4P	76	6,877.00	129
C585X-SFC-U	4P	76	6,386.00	129
C585X-SFC-UA	4P	76	6,386.00	129
C585X-SFC-UPFC	4P	76	7,330.00	129
C585X-SFC-UPFCA	4P	76	7,330.00	129
C585X-SFC-UPFS	4P	76	6,991.00	129
C585X-SFC-UPFSA	4P	76	6,991.00	129
C585X-SFS-L	4P	76	5,936.00	129
C585X-SFS-LA	4P	76	5,936.00	129
C585X-SFS-LPFC	4P	76	6,877.00	129
C585X-SFS-LPFWCA	4P	76	6,877.00	129
C585X-SFS-LPFS	4P	76	6,540.00	129
C585X-SFS-LPFS4	4P	76	6,540.00	129
C585X-SFS-U	4P	76	6,048.00	129
C585X-SFS-UA	4P	76	6,048.00	129
C585X-SFS-UPFC	4P	76	6,991.00	129
C585X-SFS-UPFCA	4P	76	6,991.00	129
C585X-SFS-UPFS	4P	76	6,652.00	129
C585X-SFS-UPFSA	4P	76	6,652.00	129
C587L-NFC-L	4P	76	6,337.00	129
C587L-NFC-LA	4P	76	6,337.00	129
C587L-NFC-U	4P	76	6,450.00	129
C587L-NFC-UA	4P	76	6,450.00	129
C587L-NFS-L	4P	76	6,000.00	129
C587L-NFS-LA	4P	76	6,000.00	129
C587L-NFS-U	4P	76	6,113.00	129
C587L-NFS-UA	4P	76	6,113.00	129
C587L-SFC-L	4P	76	7,029.00	129
C587L-SFC-LA	4P	76	7,029.00	129
C587L-SFC-U	4P	76	7,144.00	129
C587L-SFC-UA	4P	76	7,144.00	129
C587L-SFS-L	4P	76	6,691.00	129
C587L-SFS-LA	4P	76	6,691.00	129
C587L-SFS-U	4P	76	6,805.00	129
C587L-SFS-UA	4P	76	6,805.00	129
C587-NFC-L	4P	76	6,337.00	128
C587-NFC-LA	4P	76	6,337.00	128
C587-NFC-U	4P	76	6,450.00	128
C587-NFC-UA	4P	76	6,450.00	128
C587-NFS-L	4P	76	6,000.00	128
C587-NFS-LA	4P	76	6,000.00	128
C587-NFS-U	4P	76	6,113.00	128
C587-NFS-UA	4P	76	6,113.00	128
C587-SFC-L	4P	76	7,029.00	128
C587-SFC-LA	4P	76	7,029.00	128
C587-SFC-U	4P	76	7,144.00	128
C587-SFC-UA	4P	76	7,144.00	128

Part Number	Sales Class	AQ Cat	List Price	Page #
C587-SFS-L	4P	76	6,691.00	128
C587-SFS-LA	4P	76	6,691.00	128
C587-SFS-U	4P	76	6,805.00	128
C587-SFS-UA	4P	76	6,805.00	128
C587X-NFC-L	4P	76	6,337.00	129
C587X-NFC-LA	4P	76	6,337.00	129
C587X-NFC-U	4P	76	6,450.00	129
C587X-NFC-UA	4P	76	6,450.00	129
C587X-NFS-L	4P	76	6,000.00	129
C587X-NFS-LA	4P	76	6,000.00	129
C587X-NFS-U	4P	76	6,113.00	129
C587X-NFS-UA	4P	76	6,113.00	129
C587X-SFC-L	4P	76	7,029.00	129
C587X-SFC-LA	4P	76	7,029.00	129
C587X-SFC-U	4P	76	7,144.00	129
C587X-SFC-UA	4P	76	7,144.00	129
C587X-SFS-L	4P	76	6,691.00	129
C587X-SFS-LA	4P	76	6,691.00	129
C587X-SFS-U	4P	76	6,805.00	129
C587X-SFS-UA	4P	76	6,805.00	129
C589L-NDC-L	4P	76	7,558.00	129
C589L-NDC-LA	4P	76	7,558.00	129
C589L-NDC-LPDC	4P	76	8,933.00	129
C589L-NDC-LPDCA	4P	76	8,933.00	129
C589L-NDC-LPDS	4P	76	8,255.00	129
C589L-NDC-LPDSPA	4P	76	8,255.00	129
C589L-NDC-U	4P	76	7,668.00	129
C589L-NDC-UA	4P	76	7,668.00	129
C589L-NDC-UPDC	4P	76	9,045.00	129
C589L-NDC-UPDCA	4P	76	9,045.00	129
C589L-NDC-UPDS	4P	76	8,369.00	129
C589L-NDC-UPDSA	4P	76	8,369.00	129
C589L-NDS-L	4P	76	6,881.00	129
C589L-NDS-LA	4P	76	6,881.00	129
C589L-NDS-LPDC	4P	76	8,255.00	129
C589L-NDS-LPDCA	4P	76	8,255.00	129
C589L-NDS-LPDS	4P	76	7,580.00	129
C589L-NDS-LPDSPA	4P	76	7,580.00	129
C589L-NDS-U	4P	76	6,995.00	129
C589L-NDS-UA	4P	76	6,995.00	129
C589L-NDS-UPDC	4P	76	8,369.00	129
C589L-NDS-UPDCA	4P	76	8,369.00	129
C589L-NDS-UPDS	4P	76	7,693.00	129
C589L-NDS-UPDSA	4P	76	7,693.00	129
C589L-NFC-L	4P	76	7,332.00	129
C589L-NFC-LA	4P	76	7,332.00	129
C589L-NFC-LPFC	4P	76	8,706.00	129
C589L-NFC-LPFWCA	4P	76	8,706.00	129
C589L-NFC-LPFS	4P	76	8,031.00	129
C589L-NFC-LPFS4	4P	76	8,031.00	129
C589L-NFC-U	4P	76	7,445.00	129
C589L-NFC-UA	4P	76	7,445.00	129
C589L-NFC-UPFC	4P	76	8,819.00	129
C589L-NFC-UPFWCA	4P	76	8,819.00	129
C589L-NFC-UPFS	4P	76	8,144.00	129
C589L-NFC-UPFWSA	4P	76	8,144.00	129
C589L-NFS-L	4P	76	6,656.00	129
C589L-NFS-LA	4P	76	6,656.00	129
C589L-NFS-LPFC	4P	76	8,031.00	129
C589L-NFS-LPFWCA	4P	76	8,031.00	129
C589L-NFS-LPFS	4P	76	7,355.00	129
C589L-NFS-LPFS4	4P	76	7,355.00	129
C589L-NFS-U	4P	76	6,769.00	129
C589L-NFS-UA	4P	76	6,769.00	129
C589L-NFS-UPFC	4P	76	8,144.00	129
C589L-NFS-UPFWCA	4P	76	8,144.00	129
C589L-NFS-UPFS	4P	76	7,468.00	129
C589L-NFS-UPFWSA	4P	76	7,468.00	129
C589L-SDC-L	4P	76	8,350.00	129
C589L-SDC-LA	4P	76	8,350.00	129
C589L-SDC-LPDC	4P	76	9,805.00	129
C589L-SDC-LPDCA	4P	76	9,805.00	129
C589L-SDC-LPDS	4P	76	9,127.00	129
C589L-SDC-LPDSPA	4P	76	9,127.00	129
C589L-SDC-U	4P	76	8,464.00	129
C589L-SDC-UA	4P	76	8,464.00	129
C589L-SDC-UPDC	4P	76	9,916.00	129
C589L-SDC-UPDCA	4P	76	9,916.00	129
C589L-SDC-UPDS	4P	76	9,242.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C589L-SDC-UPDSA	4P	76	9,242.00	129
C589L-SDS-L	4P	76	7,672.00	129
C589L-SDS-LA	4P	76	7,672.00	129
C589L-SDS-LPDC	4P	76	9,127.00	129
C589L-SDS-LPDCA	4P	76	9,127.00	129
C589L-SDS-LPDS	4P	76	8,451.00	129
C589L-SDS-LPDSA	4P	76	8,451.00	129
C589L-SDS-U	4P	76	7,785.00	129
C589L-SDS-UA	4P	76	7,785.00	129
C589L-SDS-UPDC	4P	76	9,242.00	129
C589L-SDS-UPDCA	4P	76	9,242.00	129
C589L-SDS-UPDS	4P	76	8,563.00	129
C589L-SDS-UPDSA	4P	76	8,563.00	129
C589L-SFC-L	4P	76	8,124.00	129
C589L-SFC-LA	4P	76	8,124.00	129
C589L-SFC-LPFC	4P	76	9,578.00	129
C589L-SFC-LPFLCA	4P	76	9,578.00	129
C589L-SFC-LPFS	4P	76	8,902.00	129
C589L-SFC-LPFLSA	4P	76	8,902.00	129
C589L-SFC-UPFSA	4P	76	9,015.00	129
C589L-SFC-UPFLSA	4P	76	9,015.00	129
C589L-SFS-L	4P	76	7,446.00	129
C589L-SFS-LA	4P	76	7,446.00	129
C589L-SFS-LPFC	4P	76	8,902.00	129
C589L-SFS-LPFLCA	4P	76	8,902.00	129
C589L-SFS-LPFS	4P	76	8,225.00	129
C589L-SFS-LPFLSA	4P	76	8,225.00	129
C589L-SFS-U	4P	76	7,559.00	129
C589L-SFS-UA	4P	76	7,559.00	129
C589L-SFS-UPFC	4P	76	9,015.00	129
C589L-SFS-UPFLCA	4P	76	9,015.00	129
C589L-SFS-UPFS	4P	76	8,337.00	129
C589L-SFS-UPFLSA	4P	76	8,337.00	129
C589-NDC-L	4P	76	7,558.00	128
C589-NDC-LA	4P	76	7,558.00	128
C589-NDC-LPDC	4P	76	8,933.00	129
C589-NDC-LPFLCA	4P	76	8,933.00	129
C589-NDC-LPDS	4P	76	8,255.00	129
C589-NDC-LPFLSA	4P	76	8,255.00	129
C589-NDC-U	4P	76	7,668.00	128
C589-NDC-UA	4P	76	7,668.00	128
C589-NDC-UPDC	4P	76	9,045.00	129
C589-NDC-UPFLCA	4P	76	9,045.00	129
C589-NDC-UPDS	4P	76	8,369.00	129
C589-NDC-UPFLSA	4P	76	8,369.00	129
C589-NDS-L	4P	76	6,881.00	128
C589-NDS-LA	4P	76	6,881.00	128
C589-NDS-LPDC	4P	76	8,255.00	129
C589-NDS-LPFLCA	4P	76	8,255.00	129
C589-NDS-LPDS	4P	76	7,580.00	129
C589-NDS-LPFLSA	4P	76	7,580.00	129
C589-NDS-U	4P	76	6,995.00	128
C589-NDS-UA	4P	76	6,995.00	128
C589-NDS-UPDC	4P	76	8,369.00	129
C589-NDS-UPFLCA	4P	76	8,369.00	129
C589-NDS-UPDS	4P	76	7,693.00	129
C589-NDS-UPFLSA	4P	76	7,693.00	129
C589-NFC-L	4P	76	7,332.00	128
C589-NFC-LA	4P	76	7,332.00	128
C589-NFC-LPFC	4P	76	8,706.00	129
C589-NFC-LPFLCA	4P	76	8,706.00	129
C589-NFC-LPFS	4P	76	8,031.00	129
C589-NFC-LPFLSA	4P	76	8,031.00	129
C589-NFC-U	4P	76	7,445.00	128
C589-NFC-UA	4P	76	7,445.00	128
C589-NFC-UPFC	4P	76	8,819.00	129
C589-NFC-UPFLCA	4P	76	8,819.00	129
C589-NFC-UPFS	4P	76	8,144.00	129
C589-NFC-UPFLSA	4P	76	8,144.00	129
C589-NFS-L	4P	76	6,656.00	128
C589-NFS-LA	4P	76	6,656.00	128
C589-NFS-LPFC	4P	76	8,031.00	129
C589-NFS-LPFLCA	4P	76	8,031.00	129
C589-NFS-LPFS	4P	76	7,355.00	129
C589-NFS-LPFLSA	4P	76	7,355.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C589-NFS-U	4P	76	6,769.00	128
C589-NFS-UA	4P	76	6,769.00	128
C589-NFS-UPFC	4P	76	8,144.00	129
C589-NFS-UPFCA	4P	76	8,144.00	129
C589-NFS-UPFS	4P	76	7,468.00	129
C589-NFS-UPFSA	4P	76	7,468.00	129
C589-SDC-L	4P	76	8,350.00	128
C589-SDC-LA	4P	76	8,350.00	128
C589-SDC-LPDC	4P	76	9,805.00	129
C589-SDC-LPDCA	4P	76	9,805.00	129
C589-SDC-LPDS	4P	76	9,127.00	129
C589-SDC-LPDSA	4P	76	9,127.00	129
C589-SDC-U	4P	76	8,464.00	128
C589-SDC-UA	4P	76	8,464.00	128
C589-SDC-UPDC	4P	76	9,916.00	129
C589-SDC-UPDCA	4P	76	9,916.00	129
C589-SDC-UPDS	4P	76	9,242.00	129
C589-SDC-UPDSA	4P	76	9,242.00	129
C589-SDS-L	4P	76	7,672.00	128
C589-SDS-LA	4P	76	7,672.00	128
C589-SDS-LPDC	4P	76	9,127.00	129
C589-SDS-LPDA	4P	76	9,127.00	129
C589-SDS-LPDS	4P	76	8,451.00	129
C589-SDS-LPDSA	4P	76	8,451.00	129
C589-SDS-U	4P	76	7,785.00	128
C589-SDS-UA	4P	76	7,785.00	128
C589-SDS-UPDC	4P	76	9,242.00	129
C589-SDS-UPDCA	4P	76	9,242.00	129
C589-SDS-UPDS	4P	76	8,563.00	129
C589-SDS-UPDSA	4P	76	8,563.00	129
C589-SFC-L	4P	76	8,124.00	128
C589-SFC-LA	4P	76	8,124.00	128
C589-SFC-LPFC	4P	76	9,578.00	129
C589-SFC-LPICA	4P	76	9,578.00	129
C589-SFC-LPFS	4P	76	8,902.00	129
C589-SFC-LPFS	4P	76	8,902.00	129
C589-SFC-U	4P	76	8,236.00	128
C589-SFC-UA	4P	76	8,236.00	128
C589-SFC-UPFC	4P	76	9,691.00	129
C589-SFC-UPFCA	4P	76	9,691.00	129
C589-SFC-UPFS	4P	76	9,015.00	129
C589-SFC-UPFSA	4P	76	9,015.00	129
C589-SFS-L	4P	76	7,446.00	128
C589-SFS-LA	4P	76	7,446.00	128
C589-SFS-LPFC	4P	76	8,902.00	129
C589-SFS-LPICA	4P	76	8,902.00	129
C589-SFS-LPFS	4P	76	8,225.00	129
C589-SFS-LPFS	4P	76	8,225.00	129
C589-SFS-U	4P	76	7,559.00	128
C589-SFS-UA	4P	76	7,559.00	128
C589-SFS-UPFC	4P	76	9,015.00	129
C589-SFS-UPFCA	4P	76	9,015.00	129
C589-SFS-UPFS	4P	76	8,337.00	129
C589-SFS-UPFSA	4P	76	8,337.00	129
C589X-NDC-L	4P	76	7,558.00	129
C589X-NDC-LA	4P	76	7,558.00	129
C589X-NDC-LPDC	4P	76	8,933.00	129
C589X-NDC-LPDCA	4P	76	8,933.00	129
C589X-NDC-LPDS	4P	76	8,255.00	129
C589X-NDC-LPDSA	4P	76	8,255.00	129
C589X-NDC-U	4P	76	7,668.00	129
C589X-NDC-UA	4P	76	7,668.00	129
C589X-NDC-UPDC	4P	76	9,045.00	129
C589X-NDC-UPDCA	4P	76	9,045.00	129
C589X-NDC-UPDS	4P	76	8,369.00	129
C589X-NDC-UPDSA	4P	76	8,369.00	129
C589X-NDS-L	4P	76	6,881.00	129
C589X-NDS-LA	4P	76	6,881.00	129
C589X-NDS-LPDC	4P	76	8,255.00	129
C589X-NDS-LPDA	4P	76	8,255.00	129
C589X-NDS-LPDS	4P	76	7,580.00	129
C589X-NDS-LPDSA	4P	76	7,580.00	129
C589X-NDS-U	4P	76	6,995.00	129
C589X-NDS-UA	4P	76	6,995.00	129
C589X-NDS-UPDC	4P	76	8,369.00	129
C589X-NDS-UPDCA	4P	76	8,369.00	129
C589X-NDS-UPDS	4P	76	7,693.00	129
C589X-NDS-UPDSA	4P	76	7,693.00	129
C589X-NFC-L	4P	76	7,332.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C589X-NFC-LA	4P	76	7,332.00	129
C589X-NFC-LPFC	4P	76	8,706.00	129
C589X-NFC-LPFCA	4P	76	8,706.00	129
C589X-NFC-LPFS	4P	76	8,031.00	129
C589X-NFC-LPFS	4P	76	8,031.00	129
C589X-NFC-U	4P	76	7,445.00	129
C589X-NFC-UA	4P	76	7,445.00	129
C589X-NFC-UPFC	4P	76	8,819.00	129
C589X-NFC-UPFCA	4P	76	8,819.00	129
C589X-NFC-UPFS	4P	76	8,144.00	129
C589X-NFC-UPFSA	4P	76	8,144.00	129
C589X-NFS-L	4P	76	6,656.00	129
C589X-NFS-LA	4P	76	6,656.00	129
C589X-NFS-UPFC	4P	76	8,031.00	129
C589X-NFS-LPFC	4P	76	8,031.00	129
C589X-NFS-LPFS	4P	76	7,355.00	129
C589X-NFS-LPFS	4P	76	7,355.00	129
C589X-NFS-U	4P	76	6,769.00	129
C589X-NFS-UA	4P	76	6,769.00	129
C589X-NFS-UPFC	4P	76	8,144.00	129
C589X-NFS-UPFCA	4P	76	8,144.00	129
C589X-NFS-UPFS	4P	76	7,468.00	129
C589X-NFS-UPFSA	4P	76	7,468.00	129
C589X-SDC-L	4P	76	8,350.00	129
C589X-SDC-LA	4P	76	8,350.00	129
C589X-SDC-LPDC	4P	76	9,805.00	129
C589X-SDC-LPDCA	4P	76	9,805.00	129
C589X-SDC-LPDS	4P	76	9,127.00	129
C589X-SDC-LPDSA	4P	76	9,127.00	129
C589X-SDC-DU	4P	76	8,464.00	129
C589X-SDC-UA	4P	76	8,464.00	129
C589X-SDC-UPDC	4P	76	9,916.00	129
C589X-SDC-UPDCA	4P	76	9,916.00	129
C589X-SDC-UPDPS	4P	76	9,242.00	129
C589X-SDC-UPDSPA	4P	76	9,242.00	129
C589X-SDS-L	4P	76	7,672.00	129
C589X-SDS-LA	4P	76	7,672.00	129
C589X-SDS-LPDC	4P	76	9,127.00	129
C589X-SDS-LPDCA	4P	76	9,127.00	129
C589X-SDS-LPDS	4P	76	8,451.00	129
C589X-SDS-LPDSA	4P	76	8,451.00	129
C589X-SDS-U	4P	76	7,785.00	129
C589X-SDS-UA	4P	76	7,785.00	129
C589X-SDS-UPDC	4P	76	9,242.00	129
C589X-SDS-UPDCA	4P	76	9,242.00	129
C589X-SDS-UPDPS	4P	76	8,563.00	129
C589X-SDS-UPDSPA	4P	76	8,563.00	129
C589X-SFC-L	4P	76	8,124.00	129
C589X-SFC-LA	4P	76	8,124.00	129
C589X-SFC-LPFC	4P	76	9,578.00	129
C589X-SFC-LPFCA	4P	76	9,578.00	129
C589X-SFC-LPFS	4P	76	8,902.00	129
C589X-SFC-LPFS	4P	76	8,902.00	129
C589X-SFC-U	4P	76	8,236.00	129
C589X-SFC-UA	4P	76	8,236.00	129
C589X-SFC-UPFC	4P	76	9,691.00	129
C589X-SFC-UPFCA	4P	76	9,691.00	129
C589X-SFC-UPFS	4P	76	9,015.00	129
C589X-SFC-UPFSA	4P	76	9,015.00	129
C589X-SFS-L	4P	76	7,446.00	129
C589X-SFS-LA	4P	76	7,446.00	129
C589X-SFS-LPFC	4P	76	8,902.00	129
C589X-SFS-LPFC	4P	76	8,902.00	129
C589X-SFS-LPFS	4P	76	8,225.00	129
C589X-SFS-LPFS	4P	76	8,225.00	129
C589X-SFS-U	4P	76	7,559.00	129
C589X-SFS-UA	4P	76	7,559.00	129
C589X-SFS-UPFC	4P	76	9,015.00	129
C589X-SFS-UPFCA	4P	76	9,015.00	129
C589X-SFS-UPFS	4P	76	8,337.00	129
C589X-SFS-UPFSA	4P	76	8,337.00	129
C593L-NFC-L	4P	76	5,963.00	124
C593L-NFC-LA	4P	76	5,963.00	124
C593L-NFC-U	4P	76	6,088.00	124
C593L-NFC-UA	4P	76	6,088.00	124
C593L-NFS-L	4P	76	5,588.00	124
C593L-NFS-LA	4P	76	5,588.00	124
C593L-NFS-U	4P	76	5,714.00	124
C593L-NFS-UA	4P	76	5,714.00	124



ALPHA-NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C593L-SFC-L	4P	76	6,607.00	124
C593L-SFC-LA	4P	76	6,607.00	124
C593L-SFC-U	4P	76	6,733.00	124
C593L-SFC-UA	4P	76	6,733.00	124
C593L-SFS-L	4P	76	6,232.00	124
C593L-SFS-LA	4P	76	6,232.00	124
C593L-SFS-U	4P	76	6,358.00	124
C593L-SFS-UA	4P	76	6,358.00	124
C593X-NFC-L	4P	76	5,963.00	124
C593X-NFC-LA	4P	76	5,963.00	124
C593X-NFC-U	4P	76	6,088.00	124
C593X-NFC-UA	4P	76	6,088.00	124
C593X-NFS-L	4P	76	5,588.00	124
C593X-NFS-LA	4P	76	5,588.00	124
C593X-NFS-U	4P	76	5,714.00	124
C593X-NFS-UA	4P	76	5,714.00	124
C593X-SFC-L	4P	76	6,607.00	124
C593X-SFC-LA	4P	76	6,607.00	124
C593X-SFC-U	4P	76	6,733.00	124
C593X-SFC-UA	4P	76	6,733.00	124
C593X-SFS-L	4P	76	6,232.00	124
C593X-SFS-LA	4P	76	6,232.00	124
C593X-SFS-U	4P	76	6,358.00	124
C593X-SFS-UA	4P	76	6,358.00	124
C595L-NFC-L	4P	76	6,263.00	125
C595L-NFC-LA	4P	76	6,263.00	125
C595L-NFC-LPFC	4P	76	7,237.00	125
C595L-NFC-LPFC4A	4P	76	7,237.00	125
C595L-NFC-LPFS	4P	76	6,865.00	125
C595L-NFC-LPFS4A	4P	76	6,865.00	125
C595L-NFC-UPFS	4P	76	6,991.00	125
C595L-NFC-UPFSA	4P	76	6,991.00	125
C595L-NFS-L	4P	76	5,890.00	125
C595L-NFS-LA	4P	76	5,890.00	125
C595L-NFS-LPFC	4P	76	6,865.00	125
C595L-NFS-LPFC4A	4P	76	6,865.00	125
C595L-NFS-LPFS	4P	76	6,491.00	125
C595L-NFS-LPFS4A	4P	76	6,491.00	125
C595L-NFS-U	4P	76	6,014.00	125
C595L-NFS-UA	4P	76	6,014.00	125
C595L-NFS-UPFC	4P	76	6,991.00	125
C595L-NFS-UPFCA	4P	76	6,991.00	125
C595L-NFS-UPFS	4P	76	6,615.00	125
C595L-NFS-UPFSA	4P	76	6,615.00	125
C595L-SFC-L	4P	76	6,941.00	125
C595L-SFC-LA	4P	76	6,941.00	125
C595L-SFC-LPFC	4P	76	7,985.00	125
C595L-SFC-LPFC4A	4P	76	7,985.00	125
C595L-SFC-LPFS	4P	76	7,611.00	125
C595L-SFC-LPFS4A	4P	76	7,611.00	125
C595L-SFC-U	4P	76	7,066.00	125
C595L-SFC-UA	4P	76	7,066.00	125
C595L-SFC-UPFC	4P	76	8,109.00	125
C595L-SFC-UPFCA	4P	76	8,109.00	125
C595L-SFC-UPFS	4P	76	7,736.00	125
C595L-SFC-UPFSA	4P	76	7,736.00	125
C595L-SFS-L	4P	76	6,568.00	125
C595L-SFS-LA	4P	76	6,568.00	125
C595L-SFS-LPFC	4P	76	7,611.00	125
C595L-SFS-LPFC4A	4P	76	7,611.00	125
C595L-SFS-LPFS	4P	76	7,237.00	125
C595L-SFS-LPFS4A	4P	76	7,237.00	125
C595L-SFS-U	4P	76	6,693.00	125
C595L-SFS-UA	4P	76	6,693.00	125
C595L-SFS-UPFC	4P	76	7,736.00	125
C595L-SFS-UPFCA	4P	76	7,736.00	125
C595L-SFS-UPFS	4P	76	7,361.00	125
C595L-SFS-UPFSA	4P	76	7,361.00	125
C595-NFC-L	4P	76	6,263.00	124
C595-NFC-LA	4P	76	6,263.00	124
C595-NFC-LPFC	4P	76	7,237.00	125
C595-NFC-LPFC4A	4P	76	7,237.00	125
C595-NFC-UPFS	4P	76	6,865.00	125
C595-NFC-UPFSA	4P	76	6,865.00	125
C595-NFC-U	4P	76	6,388.00	124

Part Number	Sales Class	AQ Cat	List Price	Page #
C595-NFC-UA	4P	76	6,388.00	124
C595-NFC-UPFC	4P	76	7,363.00	125
C595-NFC-UPFCA	4P	76	7,363.00	125
C595-NFC-UPFS	4P	76	6,991.00	125
C595-NFC-UPFSA	4P	76	6,991.00	125
C595-NFS-L	4P	76	5,890.00	124
C595-NFS-LA	4P	76	5,890.00	124
C595-NFS-LPFC	4P	76	6,865.00	125
C595-NFS-LPFC4	4P	76	6,865.00	125
C595-NFS-LPFS	4P	76	6,491.00	125
C595-NFS-LPFS4	4P	76	6,491.00	125
C595-NFS-U	4P	76	6,014.00	124
C595-NFS-UA	4P	76	6,014.00	124
C595-NFS-UPFC	4P	76	6,991.00	125
C595-NFS-UPFCA	4P	76	6,991.00	125
C595-NFS-UPFS	4P	76	6,615.00	125
C595-NFS-UPFSA	4P	76	6,615.00	125
C595-SFC-L	4P	76	6,941.00	124
C595-SFC-LA	4P	76	6,941.00	124
C595-SFC-LPFC	4P	76	7,985.00	125
C595-SFC-LPFC4	4P	76	7,985.00	125
C595-SFC-LPFS	4P	76	7,611.00	125
C595-SFC-LPFS4	4P	76	7,611.00	125
C595-SFC-U	4P	76	7,066.00	124
C595-SFC-UA	4P	76	7,066.00	124
C595-SFC-UPFC	4P	76	8,109.00	125
C595-SFC-UPFCA	4P	76	8,109.00	125
C595-SFC-UPFS	4P	76	7,736.00	125
C595-SFC-UPFSA	4P	76	7,736.00	125
C595-SFS-L	4P	76	6,568.00	124
C595-SFS-LA	4P	76	6,568.00	124
C595-SFS-LPFC	4P	76	7,611.00	125
C595-SFS-LPFC4	4P	76	7,611.00	125
C595-SFS-LPFS	4P	76	7,237.00	125
C595-SFS-LPFS4	4P	76	7,237.00	125
C595-SFS-U	4P	76	6,693.00	124
C595-SFS-UA	4P	76	6,693.00	124
C595-SFS-UPFC	4P	76	7,736.00	125
C595-SFS-UPFCA	4P	76	7,736.00	125
C595-SFS-UPFS	4P	76	7,361.00	125
C595-SFS-UPFSA	4P	76	7,361.00	125
C595X-NFC-L	4P	76	6,263.00	125
C595X-NFC-LA	4P	76	6,263.00	125
C595X-NFC-LPFC	4P	76	7,237.00	125
C595X-NFC-LPFC4	4P	76	7,237.00	125
C595X-NFC-LPFS	4P	76	6,865.00	125
C595X-NFC-LPFS4	4P	76	6,865.00	125
C595X-NFC-U	4P	76	6,388.00	125
C595X-NFC-UA	4P	76	6,388.00	125
C595X-NFC-UPFC	4P	76	7,363.00	125
C595X-NFC-UPFCA	4P	76	7,363.00	125
C595X-NFC-UPFS	4P	76	6,991.00	125
C595X-NFC-UPFSA	4P	76	6,991.00	125
C595X-NFS-L	4P	76	5,890.00	125
C595X-NFS-LA	4P	76	5,890.00	125
C595X-NFS-LPFC	4P	76	6,865.00	125
C595X-NFS-LPFC4	4P	76	6,865.00	125
C595X-NFS-LPFS	4P	76	6,491.00	125
C595X-NFS-LPFS4	4P	76	6,491.00	125
C595X-NFS-U	4P	76	6,014.00	125
C595X-NFS-UA	4P	76	6,014.00	125
C595X-NFS-UPFC	4P	76	6,991.00	125
C595X-NFS-UPFCA	4P	76	6,991.00	125
C595X-NFS-UPFS	4P	76	6,615.00	125
C595X-NFS-UPFSA	4P	76	6,615.00	125
C595X-SFC-L	4P	76	6,941.00	125
C595X-SFC-LA	4P	76	6,941.00	125
C595X-SFC-LPFC	4P	76	7,985.00	125
C595X-SFC-LPFC4	4P	76	7,985.00	125
C595X-SFC-LPFS	4P	76	7,611.00	125
C595X-SFC-LPFS4	4P	76	7,611.00	125
C595X-SFC-U	4P	76	7,066.00	125
C595X-SFC-UA	4P	76	7,066.00	125
C595X-SFC-UPFC	4P	76	8,109.00	125
C595X-SFC-UPFCA	4P	76	8,109.00	125
C595X-SFC-UPFS	4P	76	7,736.00	125
C595X-SFC-UPFSA	4P	76	7,736.00	125
C595X-SFS-L	4P	76	6,568.00	125
C595X-SFS-LA	4P	76	6,568.00	125

Part Number	Sales Class	AQ Cat	List Price	Page #
C595X-SFS-LPFC	4P	76	7,611.00	125
C595X-SFS-LPFC4	4P	76	7,611.00	125
C595X-SFS-LPFS	4P	76	7,237.00	125
C595X-SFS-LPFS4	4P	76	7,237.00	125
C595X-SFS-U	4P	76	6,693.00	125
C595X-SFS-UA	4P	76	6,693.00	125
C595X-SFS-UPFC	4P	76	7,736.00	125
C595X-SFS-UPFC4	4P	76	7,736.00	125
C595X-SFS-UPFS	4P	76	7,361.00	125
C595X-SFS-UPFS4	4P	76	7,361.00	125
C597L-NFC-L	4P	76	7,015.00	124
C597L-NFC-LA	4P	76	7,015.00	124
C597L-NFC-U	4P	76	7,140.00	124
C597L-NFC-UA	4P	76	7,140.00	124
C597L-NFS-L	4P	76	6,641.00	124
C597L-NFS-LA	4P	76	6,641.00	124
C597L-NFS-U	4P	76	6,765.00	124
C597L-NFS-UA	4P	76	6,765.00	124
C597L-SFC-L	4P	76	7,777.00	124
C597L-SFC-LA	4P	76	7,777.00	124
C597L-SFC-U	4P	76	7,902.00	124
C597L-SFC-UA	4P	76	7,902.00	124
C597L-SFS-L	4P	76	7,404.00	124
C597L-SFS-LA	4P	76	7,404.00	124
C597L-SFS-U	4P	76	7,529.00	124
C597L-SFS-UA	4P	76	7,529.00	124
C597-NFC-L	4P	76	7,015.00	124
C597-NFC-LA	4P	76	7,015.00	124
C597-NFC-U	4P	76	7,140.00	124
C597-NFC-UA	4P	76	7,140.00	124
C597-NFS-L	4P	76	6,641.00	124
C597-NFS-LA	4P	76	6,641.00	124
C597-NFS-U	4P	76	6,765.00	124
C597-NFS-UA	4P	76	6,765.00	124
C597-SFC-L	4P	76	7,777.00	124
C597-SFC-LA	4P	76	7,777.00	124
C597-SFC-U	4P	76	7,902.00	124
C597-SFC-UA	4P	76	7,902.00	124
C597-SFS-L	4P	76	7,404.00	124
C597-SFS-LA	4P	76	7,404.00	124
C597-SFS-U	4P	76	7,529.00	124
C597-SFS-UA	4P	76	7,529.00	124
C597X-NFC-L	4P	76	7,015.00	124
C597X-NFC-LA	4P	76	7,015.00	124
C597X-NFC-U	4P	76	7,140.00	124
C597X-NFC-UA	4P	76	7,140.00	124
C597X-NFS-L	4P	76	6,641.00	124
C597X-NFS-LA	4P	76	6,641.00	124
C597X-NFS-U	4P	76	6,765.00	124
C597X-NFS-UA	4P	76	6,765.00	124
C597X-SFC-L	4P	76	7,777.00	124
C597X-SFC-LA	4P	76	7,777.00	124
C597X-SFC-U	4P	76	7,902.00	124
C597X-SFC-UA	4P	76	7,902.00	124
C597X-SFS-L	4P	76	7,404.00	124
C597X-SFS-LA	4P	76	7,404.00	124
C597X-SFS-U	4P	76	7,529.00	124
C597X-SFS-UA	4P	76	7,529.00	124
C599L-NDCL	4P	76	8,364.00	125
C599L-NDCL-LA	4P	76	8,364.00	125
C599L-NDCL-PDPC	4P	76	9,886.00	125
C599L-NDCL-LPDCA	4P	76	9,886.00	125
C599L-NDCL-LPDS	4P	76	9,139.00	125
C599L-NDCL-LPDSPA	4P	76	9,139.00	125
C599L-NDCL-UPDC	4P	76	8,490.00	125
C599L-NDCL-UPDCA	4P	76	10,012.00	125
C599L-NDCL-UPDCA	4P	76	10,012.00	125
C599L-NDCL-UPDPS	4P	76	9,263.00	125
C599L-NDCL-UPDSA	4P	76	9,263.00	125
C599L-NDC-L	4P	76	8,490.00	125
C599L-NDC-UA	4P	76	8,490.00	125
C599L-NDC-UPDC	4P	76	10,012.00	125
C599L-NDC-UPDCA	4P	76	10,012.00	125
C599L-NDC-UPDPS	4P	76	9,263.00	125
C599L-NDC-UPDSA	4P	76	9,263.00	125
C599L-NDC-UPDPSA	4P	76	9,263.00	125
C599L-NDC-UPDSPA	4P	76	9,263.00	125
C599L-NDS-L	4P	76	7,617.00	125
C599L-NDS-LA	4P	76	7,617.00	125
C599L-NDS-LPDC	4P	76	9,139.00	125
C599L-NDS-LPDC4	4P	76	9,139.00	125
C599L-NDS-LPDS	4P	76	8,391.00	125
C599L-NDS-LPDSA	4P	76	8,391.00	125
C599L-NDS-LDPSA	4P	76	7,742.00	125
C599L-NDS-UDA	4P	76	7,742.00	125
C599L-NDS-UPDC	4P	76	9,263.00	125

Part Number	Sales Class	AQ Cat	List Price	Page #
C599L-NDS-UPDCA	4P	76	9,263.00	125
C599L-NDS-UPDPS	4P	76	8,391.00	125
C599L-NDS-UPDSA	4P	76	8,391.00	125
C599L-NFC-L	4P	76	8,115.00	125
C599L-NFC-LA	4P	76	8,115.00	125
C599L-NFC-LPFC	4P	76	9,636.00	125
C599L-NFC-LPFC	4P	76	9,636.00	125
C599L-NFC-LPFS	4P	76	8,890.00	125
C599L-NFC-LPFS	4P	76	8,890.00	125
C599L-NFC-U	4P	76	8,240.00	125
C599L-NFC-UA	4P	76	8,240.00	125
C599L-NFC-UPFC	4P	76	9,762.00	125
C599L-NFC-UPFCA	4P	76	9,762.00	125
C599L-NFC-UPFS	4P	76	9,014.00	125
C599L-NFC-UPFSA	4P	76	9,014.00	125
C599L-NFS-L	4P	76	7,367.00	125
C599L-NFS-LA	4P	76	7,367.00	125
C599L-NFS-LPFC	4P	76	8,890.00	125
C599L-NFS-LPFC	4P	76	8,890.00	125
C599L-NFS-LPFS	4P	76	8,142.00	125
C599L-NFS-LPFS	4P	76	8,142.00	125
C599L-NFS-U	4P	76	7,492.00	125
C599L-NFS-UA	4P	76	7,492.00	125
C599L-NFS-UPFC	4P	76	9,014.00	125
C599L-NFS-UPFCA	4P	76	9,014.00	125
C599L-NFS-UPFS	4P	76	8,266.00	125
C599L-NFS-UPFSA	4P	76	8,266.00	125
C599L-SDC-L	4P	76	9,239.00	125
C599L-SDC-LA	4P	76	9,239.00	125
C599L-SDC-LPDC	4P	76	10,847.00	125
C599L-SDC-LPDCA	4P	76	10,847.00	125
C599L-SDC-LPDS	4P	76	10,100.00	125
C599L-SDC-LPDSA	4P	76	10,100.00	125
C599L-SDC-U	4P	76	9,363.00	125
C599L-SDC-UA	4P	76	9,363.00	125
C599L-SDC-UPDC	4P	76	10,972.00	125
C599L-SDC-UPDCA	4P	76	10,972.00	125
C599L-SDC-UPDS	4P	76	10,224.00	125
C599L-SDC-UPDSA	4P	76	10,224.00	125
C599L-SDS-L	4P	76	8,490.00	125
C599L-SDS-LA	4P	76	8,490.00	125
C599L-SDS-LPDC	4P	76	10,100.00	125
C599L-SDS-LPDCA	4P	76	10,100.00	125
C599L-SDS-LPDS	4P	76	9,351.00	125
C599L-SDS-LPDSA	4P	76	9,351.00	125
C599L-SDS-SU	4P	76	8,615.00	125
C599L-SDS-UA	4P	76	8,615.00	125
C599L-SDS-UPDC	4P	76	10,224.00	125
C599L-SDS-UPDCA	4P	76	10,224.00	125
C599L-SDS-UPDS	4P	76	9,475.00	125
C599L-SDS-UPDSA	4P	76	9,475.00	125
C599L-SFC-L	4P	76	8,988.00	125
C599L-SFC-LA	4P	76	8,988.00	125
C599L-SFC-LPFC	4P	76	10,599.00	125
C599L-SFC-LPFC	4P	76	10,599.00	125
C599L-SFC-LPFS	4P	76	9,849.00	125
C599L-SFC-LPFS	4P	76	9,849.00	125
C599L-SFC-UPFSA	4P	76	9,975.00	125
C599L-SFC-UPFSA	4P	76	9,975.00	125
C599L-SFS-L	4P	76	8,240.00	125
C599L-SFS-LA	4P	76	8,240.00	125
C599L-SFS-LPFC	4P	76	9,849.00	125
C599L-SFS-LPFC	4P	76	9,849.00	125
C599L-SFS-LPFS	4P	76	9,101.00	125
C599L-SFS-LPFS	4P	76	9,101.00	125
C599L-SFS-UPFS	4P	76	9,226.00	125
C599L-SFS-UPFSA	4P	76	9,226.00	125
C599-NDC-L	4P	76	8,364.00	124
C599-NDC-LA	4P	76	8,364.00	124
C599-NDC-LPDC	4P	76	9,886.00	125
C599-NDC-LPDCA	4P	76	9,886.00	125
C599-NDC-LPDS	4P	76	9,139.00	125
C599-NDC-LPDSA	4P	76	9,139.00	125
C599-NDC-U	4P	76	7,742.00	124
C599-NDC-UA	4P	76	7,742.00	124
C599-NDC-UPDC	4P	76	10,012.00	125
C599-NDC-UPDCA	4P	76	10,012.00	125
C599-NDC-UPDS	4P	76	9,263.00	125
C599-NDC-UPDSA	4P	76	9,263.00	125
C599-NFS-L	4P	76	7,617.00	124
C599-NFS-LA	4P	76	7,617.00	124
C599-NFS-LPDS	4P	76	9,139.00	125
C599-NFS-LPDSA	4P	76	9,139.00	125
C599-NFS-U	4P	76	8,365.00	124
C599-NFS-UA	4P	76	8,365.00	124
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFS	4P	76	9,101.00	125
C599-NFS-UPFSA	4P	76	9,101.00	125
C599-NFS-L	4P	76	7,367.00	124
C599-NFS-LA	4P	76	7,367.00	124
C599-NFS-LPFC	4P	76	8,890.00	125
C599-NFS-LPFC	4P	76	8,890.00	125
C599-NFS-LPFS	4P	76	8,142.00	125
C599-NFS-LPFS	4P	76	8,142.00	125
C599-NFS-U	4P	76	7,492.00	124
C599-NFS-UA	4P	76	7,492.00	124
C599-NFS-UPFCA	4P	76	9,014.00	125
C599-NFS-UPFCA	4P	76	9,014.00	125
C599-NFS-UPFS	4P	76	8,266.00	125
C599-NFS-UPFSA	4P	76	8,266.00	125
C599-SDC-L	4P	76	9,239.00	124
C599-SDC-LA	4P	76	9,239.00	124
C599-SDC-LPDC	4P	76	10,847.00	125
C599-SDC-LPDCA	4P	76	10,847.00	125
C599-SDC-LPDS	4P	76	10,100.00	125
C599-SDC-LPDSA	4P	76	10,100.00	125
C599-SDC-U	4P	76	9,363.00	124
C599-SDC-UA	4P	76	9,363.00	124
C599-SDC-UPDC	4P	76	10,972.00	125
C599-SDC-UPDCA	4P	76	10,972.00	125
C599-SDC-UPDS	4P	76	10,224.00	125
C599-SDC-UPDSA	4P	76	10,224.00	125
C599-SDS-L	4P	76	8,490.00	124
C599-SDS-LA	4P	76	8,490.00	124
C599-SDS-LPDC	4P	76	10,100.00	125
C599-SDS-LPDCA	4P	76	10,100.00	125
C599-SDS-LPDS	4P	76	9,351.00	125
C599-SDS-LPDSA	4P	76	9,351.00	125
C599-SDS-SU	4P	76	8,615.00	124
C599-SDS-UA	4P	76	8,615.00	124
C599-SDS-UPDC	4P	76	10,224.00	125
C599-SDS-UPDCA	4P	76	10,224.00	125
C599-SDS-UPDS	4P	76	9,475.00	125
C599-SDS-UPDSA	4P	76	9,475.00	125
C599-SFC-L	4P	76	8,988.00	125
C599-SFC-LA	4P	76	8,988.00	125
C599-SFC-LPFC	4P	76	10,599.00	125
C599-SFC-LPFC	4P	76	10,599.00	125
C599-SFC-LPFS	4P	76	9,849.00	125
C599-SFC-LPFS	4P	76	9,849.00	125
C599-SFC-UPFSA	4P	76	9,975.00	125
C599-SFC-UPFSA	4P	76	9,975.00	125
C599-SFS-L	4P	76	8,240.00	125
C599-SFS-LA	4P	76	8,240.00	125
C599-SFS-LPFC	4P	76	9,849.00	125
C599-SFS-LPFC	4P	76	9,849.00	125
C599-SFS-LPFS	4P	76	9,101.00	125
C599-SFS-LPFS	4P	76	9,101.00	125
C599-SFS-UPFS	4P	76	9,226.00	125
C599-SFS-UPFSA	4P	76	9,226.00	125
C599-NDC-L	4P	76	8,364.00	124
C599-NDC-LA	4P	76	8,364.00	124
C599-NDC-LPDC	4P	76	9,886.00	125
C599-NDC-LPDCA	4P	76	9,886.00	125

Part Number	Sales Class	AQ Cat	List Price	Page #
C599-NDC-LPDS	4P	76	9,139.00	125
C599-NDC-LPDSA	4P	76	9,139.00	125
C599-NDC-U	4P	76	8,490.00	124
C599-NDC-UA	4P	76	8,490.00	124
C599-NDC-UPDC	4P	76	10,012.00	125
C599-NDC-UPDCA	4P	76	10,012.00	125
C599-NDC-UPDS	4P	76	9,263.00	125
C599-NDC-UPDSA	4P	76	9,263.00	125
C599-NDS-L	4P	76	7,617.00	124
C599-NDS-LA	4P	76	7,617.00	124
C599-NDS-LPDC	4P	76	9,139.00	125
C599-NDS-UPDCA	4P	76	9,139.00	125
C599-NDS-UPDS	4P	76	8,391.00	125
C599-NDS-UPDSA	4P	76	8,391.00	125
C599-NDS-U	4P	76	7,742.00	124
C599-NDS-UA	4P	76	7,742.00	124
C599-NDS-UPFCA	4P	76	9,975.00	125
C599-NDS-UPFCA	4P	76	9,975.00	125
C599-NDS-UPFS	4P	76	9,101.00	125
C599-NDS-UPFSA	4P	76	9,101.00	125
C599-NFS-L	4P	76	7,367.00	124
C599-NFS-LA	4P	76	7,367.00	124
C599-NFS-LPFC	4P	76	8,890.00	125
C599-NFS-LPFC	4P	76	8,890.00	125
C599-NFS-LPFS	4P	76	8,142.00	125
C599-NFS-LPFS	4P	76	8,142.00	125
C599-NFS-U	4P	76	7,492.00	124
C599-NFS-UA	4P	76	7,492.00	124
C599-NFS-UPFCA	4P	76	9,014.00	125
C599-NFS-UPFCA	4P	76	9,014.00	125
C599-NFS-UPFS	4P	76	8,266.00	125
C599-NFS-UPFSA	4P	76	8,266.00	125
C599-NFS-L	4P	76	7,617.00	124
C599-NFS-LA	4P	76	7,617.00	124
C599-NFS-LPDC	4P	76	9,139.00	125
C599-NFS-UPDCA	4P	76	9,139.00	125
C599-NFS-UPDS	4P	76	8,391.00	125
C599-NFS-UPDSA	4P	76	8,391.00	125
C599-NFS-U	4P	76	7,742.00	124
C599-NFS-UA	4P	76	7,742.00	124
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFS	4P	76	9,101.00	125
C599-NFS-UPFSA	4P	76	9,101.00	125
C599-NFS-L	4P	76	8,240.00	125
C599-NFS-LA	4P	76	8,240.00	125
C599-NFS-LPFC	4P	76	9,849.00	125
C599-NFS-LPFC	4P	76	9,849.00	125
C599-NFS-LPFS	4P	76	9,101.00	125
C599-NFS-LPFS	4P	76	9,101.00	125
C599-NFS-U	4P	76	8,365.00	125
C599-NFS-UA	4P	76	8,365.00	125
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFCA	4P	76	9,975.00	125
C599-NFS-UPFS	4P	76	9,226.00	125
C599-NFS-UPFSA	4P	76	9,226.00	125
C599-NDC-L	4P	76	8,364.00	124
C599-NDC-LA	4P	76	8,364.00	124
C599-NDC-LPDC	4P	76	9,886.00	125
C599-NDC-LPDCA	4P</			

Part Number	Sales Class	AQ Cat	List Price	Page #
C599X-SDS-U	4P	76	8,615.00	125
C599X-SDS-UA	4P	76	8,615.00	125
C599X-SDS-UPDC	4P	76	10,224.00	125
C599X-SDS-UPDCA	4P	76	10,224.00	125
C599X-SDS-UPDS	4P	76	9,475.00	125
C599X-SDS-UPDSA	4P	76	9,475.00	125
C599X-SFC-L	4P	76	8,988.00	125
C599X-SFC-LA	4P	76	8,988.00	125
C599X-SFC-LPFC	4P	76	10,599.00	125
C599X-SFC-LPFC-A	4P	76	10,599.00	125
C599X-SFC-LPFS	4P	76	9,849.00	125
C599X-SFC-LPFS-A	4P	76	9,849.00	125
C599X-SFC-U	4P	76	9,113.00	125
C599X-SFC-UA	4P	76	9,113.00	125
C599X-SFC-UPFC	4P	76	10,725.00	125
C599X-SFC-UPFCA	4P	76	10,725.00	125
C599X-SFC-UPFS	4P	76	9,975.00	125
C599X-SFC-UPFSA	4P	76	9,975.00	125
C599X-SFS-L	4P	76	8,240.00	125
C599X-SFS-LA	4P	76	8,240.00	125
C599X-SFS-LPFC	4P	76	9,849.00	125
C599X-SFS-LPFC-A	4P	76	9,849.00	125
C599X-SFS-LPFS	4P	76	9,101.00	125
C599X-SFS-LPFS-A	4P	76	9,101.00	125
C599X-SFS-U	4P	76	8,365.00	125
C599X-SFS-UA	4P	76	8,365.00	125
C599X-SFS-UPFC	4P	76	9,975.00	125
C599X-SFS-UPFCA	4P	76	9,975.00	125
C599X-SFS-UPFS	4P	76	9,226.00	125
C599X-SFS-UPFSA	4P	76	9,226.00	125
C5-BUMPD RIP	4P	76	133.00	148
C5-COVER	4P	76	126.00	148
C5-HANDLE	4P	76	299.00	148
C5-LATCHFLUSH	4A	61	42.00	148
C5-LATCHLOCK	4P	76	51.00	148
C5-LATCHTWST	4P	76	42.00	148
C5P	5A	80	84.50	51
C5PB	5A	80	92.50	51
C5-PERMBUMP	4P	76	415.00	148
C5-PERMBUMP-1	4A	61	209.00	148
C5PR	5A	80	84.50	51
C5-RHANDLE	4A	76	149.00	148
C5-RTWSTPLG	4P	76	93.00	148
C5-RTWSTPLG-15	4P	76	93.00	148
C5-SHELF	4P	76	105.00	149
C5-SHELFONLY-3	4P	76	168.00	149
C5-SHELFONLY-5	4P	76	168.00	149
C5-SHELFONLY-7	4P	76	221.00	149
C5-SHELFONLY-9	4P	76	305.00	149
C5-SSLEGS	4P	76	98.00	149
C5-SSUSLIDE-3	4P	76	96.00	149
C5-SSUSLIDE-5	4P	76	153.00	149
C5-SSUSLIDE-7	4P	76	268.00	149
C5-SSUSLIDE-9	4P	76	344.00	149
C5-TRVL	4A	61	105.00	148
C5-USLIDECPR	4P	76	51.00	149
C5-USLIDESPR	4P	76	67.00	149
C5T9-DSB	4P	76	10,115.00	118
C5T9-DSL	4P	76	10,115.00	118
C5T9-DSF	4P	76	10,115.00	118
C5T9-ASB	4P	76	9,100.00	118
C5T9-ASL	4P	76	9,100.00	118
C5T9-ASF	4P	76	9,100.00	118
C5T9D-DSB	4P	76	11,415.00	118
C5T9D-DSL	4P	76	11,415.00	118
C5T9D-DSF	4P	76	11,415.00	118
C5T9D-ASB	4P	76	10,192.00	118
C5T9D-ASL	4P	76	10,192.00	118
C5T9D-ASF	4P	76	10,192.00	118
C5T9-DS	4P	76	10,192.00	118
C5T9-AS	4P	76	10,192.00	118
C5T8-DSB	4P	76	9,099.00	118
C5T8-DSL	4P	76	9,099.00	118
C5T8-DSF	4P	76	9,099.00	118
C5T8-ASB	4P	76	8,190.00	118
C5T8-ASL	4P	76	8,190.00	118
C5T8-ASF	4P	76	8,190.00	118
C5T8-DS	4P	76	8,190.00	118
C5T8-AS	4P	76	8,190.00	118
C5T8-ASL	4P	76	8,190.00	118
C5T8-ASF	4P	76	8,190.00	118
C5T8-DS	4P	76	8,190.00	118
C5T8-AS	4P	76	8,190.00	118
C5T8-ASL	4P	76	8,190.00	118
C5T8-ASF	4P	76	8,190.00	118
C5T8-DS	4P	76	8,190.00	118
C5T8-AS	4P	76	8,190.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5T5-DSF	4P	76	7,886.00	118
C5T5-ASB	4P	76	7,098.00	118
C5T5-ASLA	4P	76	7,098.00	118
C5T5-ASFA	4P	76	7,098.00	118
C5T5-DS	4P	76	7,098.00	118
C5T5-AS	4P	76	7,098.00	118
C5T5-DSB	4P	76	7,886.00	118
C5T5-DSL	4P	76	7,886.00	118
C5				

Part Number	Sales Class	AQ Cat	List Price	Page #
C192000NAT	5F	85	7.00	189
C19205BAS	5F	85	27.00	189
C19205CAS	5F	85	27.00	189
C19205CLR	5F	85	17.50	189
C19205NAT	5F	85	9.50	189
C19300BAS	5F	85	30.00	189
C19300CAS	5F	85	30.00	189
C19300CLR	5F	85	12.00	189
C19300NAT	5F	85	12.00	189
C19505BAS	5F	85	24.00	189
C19505CAS	5F	85	24.00	189
C19505NAT	5F	85	8.50	189
CLT2460S	2G	23	4,878.50	188
CLT48	3D	44	2,073.00	188
CLT48A	3D	44	2,073.00	188
CLTH2460C	2G	23	3,239.00	188
CLTS2448C	2G	23	2,623.00	188
CLTS2460C	2G	23	2,862.00	188
CPC-CTN1	2B	18	69.50	
CR24E	3C	43	102.00	26
CR4BR	2P	32	67.50	77
CR4LPBR	2P	32	67.50	77
CSM6-B	2G	23	4.90	59
CSM6-BQ	3C	43	5.20	25.35
CSM6-BX	3C	43	5.20	25
CSM6-G	2G	23	4.90	59
CSM6-GQ	3C	43	5.20	25.35
CSM6-GR	2G	23	4.90	59
CSM6-GRQ	3C	43	5.20	25.35
CSM6-GRX	3C	43	5.20	25
CSM6-GX	3C	43	5.20	25
CSM6-R	2G	23	4.90	59
CSM6-RQ	3C	43	5.20	25.35
CSM6-RX	3C	43	5.20	25
CSM6-T	2G	23	4.90	59
CSM6-TQ	3C	43	5.20	25.35
CSM6-TX	3C	43	5.20	25
CSM6-W	2G	23	4.90	59
CSM6-WQ	3C	43	5.20	25.35
CSM6-WX	3C	43	5.20	25
CSM6-Y	2G	23	4.90	59
CSM6-YQ	3C	43	5.20	25.35
CSM6-YX	3C	43	5.20	25
CVSN	4A	61	1,026.00	59
CWM	2G	23	8.60	62
D1824NCB	4I	69	166.00	50
D1824NP	4I	69	256.50	50
D1824SCB	4I	69	495.00	50
D1824SP	4I	69	588.00	50
D1830NCB	4I	69	178.00	50
D1830NP	4I	69	276.50	50
D1830SCB	4I	69	511.00	50
D1830SP	4I	69	613.00	50
D1836NCB	4I	69	183.50	50
D1836NP	4I	69	286.00	50
D1836SCB	4I	69	531.50	50
D1836SP	4I	69	641.50	50
D1842NCB	4I	69	195.00	50
D1842NP	4I	69	301.00	50
D1842SCB	4I	69	548.00	50
D1842SP	4I	69	660.00	50
D1848NCB	4I	69	196.50	50
D1848NP	4I	69	310.50	50
D1848SCB	4I	69	568.00	50
D1848SP	4I	69	680.50	50
D1860NCB	4I	69	225.00	50
D1860NP	4I	69	342.50	50
D1860SCB	4I	69	602.00	50
D1860SP	4I	69	723.50	50
D1872NCB	4I	69	268.00	50
D1872NP	4I	69	396.50	50
D1872SCB	4I	69	638.50	50
D1872SP	4I	69	770.00	50
D2020N	3E	45	214.50	50, 176
D2121C	3E	45	463.50	50, 176
D2124NCB	4I	69	185.50	50
D2124NP	4I	69	282.00	50
D2124SCB	4I	69	516.00	50
D2124SP	4I	69	615.50	50

Part Number	Sales Class	AQ Cat	List Price	Page #
D2130NCB	4I	69	191.50	50
D2130NP	4I	69	295.00	50
D2130SCB	4I	69	526.50	50
D2130SP	4I	69	634.00	50
D2136NCB	4I	69	198.50	50
D2136NP	4I	69	308.50	50
D2136SCB	4I	69	550.50	50
D2136SP	4I	69	661.50	50
D2142NCB	4I	69	210.50	50
D2142NP	4I	69	318.50	50
D2142SCB	4I	69	573.00	50
D2142SP	4I	69	686.00	50
D2148NCB	4I	69	214.00	50
D2148NP	4I	69	331.50	50
D2148SCB	4I	69	589.00	50
D2148SP	4I	69	711.00	50
D2160NCB	4I	69	234.00	50
D2160NP	4I	69	357.00	50
D2160SCB	4I	69	621.00	50
D2160SP	4I	69	751.50	50
D2172NCB	4I	69	257.00	50
D2172NP	4I	69	397.50	50
D2172SCB	4I	69	721.00	50
D2172SP	4I	69	862.00	50
D2424NCB	4I	69	183.50	50
D2424NP	4I	69	283.00	50
D2424SCB	4I	69	510.00	50
D2424SP	4I	69	612.00	50
D2430NCB	4I	69	194.00	50
D2430NP	4I	69	295.00	50
D2430SCB	4I	69	533.00	50
D2430SP	4I	69	641.50	50
D2436NCB	4I	69	197.50	50
D2436NP	4I	69	303.00	50
D2436SCB	4I	69	548.00	50
D2436SP	4I	69	660.00	50
D2442NCB	4I	69	210.50	50
D2442NP	4I	69	317.50	50
D2442SCB	4I	69	568.00	50
D2442SP	4I	69	677.00	50
D2448NCB	4I	69	212.50	50
D2448NP	4I	69	328.50	50
D2448SCB	4I	69	584.50	50
D2448SP	4I	69	708.00	50
D2460NCB	4I	69	234.00	50
D2460NP	4I	69	357.00	50
D2460SCB	4I	69	618.00	50
D2460SP	4I	69	751.50	50
D2472NCB	4I	69	283.00	50
D2472NP	4I	69	419.00	50
D2472SP	4I	69	856.00	50
D53JN	4I	69	437.00	50
D53LN	4I	69	507.00	50
D53MN	4I	69	952.50	50
D55JN	4I	69	462.50	50
D55JN-CB	4I	69	346.50	50
D55LN	4I	69	532.50	50
D55MN	4I	69	978.00	50
D55PN	4I	69	1,058.00	50
D55PSLN	4I	69	809.50	50
D56JN	4I	69	491.00	50
D56JN-CB	4I	69	368.00	50
D56LN	4I	69	561.00	50
D56MN	4I	69	1,006.50	50
D56PN	4I	69	1,086.50	50
D56PSLN	4I	69	838.00	50
DC15EC	2G	23	952.50	184,192
DC16EC	2G	23	988.00	184,192
DC35EC	2G	23	1,013.00	184,192
DC36EC	2G	23	1,060.50	184,192
DC55EC	2G	23	1,073.50	184,192
DC56EC	2G	23	1,119.50	184,192
DCLIP	3C	43	5.50	22
DCR17C	2B	18	14.00	184,192
DCT2436N	4I	69	130.00	50
DCT2442N	4I	69	147.00	50
DCT2448N	4I	69	169.50	50
DCT2460N	4I	69	199.50	50
DCT2472N	4I	69	221.50	50

Part Number	Sales Class	AQ Cat	List Price	Page #
DD12C	2B	18	18.00	67
DD14BL	2D	20	18.00	53
DD14C	2B	18	18.00	53
DD14-D	2D	20	20.00	53
DD14-DSG	2D	20	18.00	53
DD14FC	2K	27	20.00	66
DD14K3	2A	17	21.50	53
DD14S	2C	19	51.00	53
DD14W	2D	20	18.00	53
DD18BL	2D	20	21.00	53
DD18C	2B	18	21.00	67
DD18-D	2D	20	23.00	53
DD18-DSG	2D	20	21.00	53
DD18FC	2K	27	23.50	66
DD18K3	2A	17	25.50	53
DD18S	2C	19	59.00	53
DD18W	2D	20	21.00	53
DD21BL	2D	20	23.50	53
DD21C	2B	18	23.50	53
DD21-D	2D	20	25.50	53
DD21-DSG	2D	20	23.50	53
DD21FC	2K	27	26.00	66
DD21K3	2A	17	28.50	53
DD21S	2C	19	66.00	53
DD21W	2D	20	23.50	53
DD24BL	2D	20	27.50	53
DD24C	2B	18	27.50	67
DD24-D	2D	20	29.50	53
DD24-DSG	2D	20	27.50	53
DD24FC	2K	27	29.50	66
DD24FS	2K	27	75.00	66
DD24K3	2A	17	34.50	53
DD24S	2C	19	72.00	53
DD24W	2D	20	27.50	53
DD30BL	2D	20	32.50	53
DD30C	2B	18	32.50	53
DD30-DSG	2D	20	32.50	53
DD30S	2C	19	88.00	53
DD30W	2D	20	32.50	53
DD3448A	5G	86	108.00	44
DD3448B	5G	86	126.50	44
DD36BL	2D	20	39.50	53
DD36C	2B	18	39.50	53
DD36-DSG	2D	20	39.50	53
DD36S	2C	19	106.00	53
DD36W	2D	20	39.50	53
DD3722A	2P	32	17.00	77
DEMO-NK3	2A	17	15.50	
DH2020N	3E	45	241.50	176
DH2121C	3E	45	504.50	176
DMK-1X	4I	69	48.50	51
DMK-2X	4I	69	7.50	51
DR36S	3C	43	243.00	28,177
DR48S	3C	43	292.00	28,177
DR60S	3C	43	350.00	28,177
DSC6N	4A	61	1,891.00	160
DSC7N	4A	61	1,934.00	160
DSDF11	3G	47	1,174.00	176
DSDV11	3G	47	76.00	176
ED57C	2N	30	365.00	191
EH14NC	2B	18	29.50	47, 52
EH14NS	2C	19	92.50	47, 52
EH18NC	2B	18	36.50	47, 52
EH18NS	2C	19	111.50	47, 52
EH21NC	2B	18	37.50	47, 52
EH21NS	2C	19	116.00	47, 52
EH24NC	2B	18	37.50	47, 52
EH24NS	2C			

Part Number	Sales Class	AQ Cat	List Price	Page #
EP55S	2C	19	154.50	47, 54
EP56C	2B	18	76.50	47, 54
EP56S	2C	19	168.50	47, 54
EP57C	2B	18	81.00	47, 54
EZ1836BR-4	2B	18	350.00	45
EZ1836NC-4	2B	18	387.00	45
EZ1836NK3-4	2A	17	460.50	45
EZ1848BR-4	2B	18	406.50	45
EZ1848NC-4	2B	18	430.00	45
EZ1848NK3-4	2A	17	527.50	45
EZ1860BR-4	2B	18	453.00	45
EZ1860NC-4	2B	18	479.00	45
EZ1860NK3-4	2A	17	602.50	45
EZ2436BR-4	2B	18	403.00	45
EZ2436NC-4	2B	18	450.50	45
EZ2436NK3-4	2A	17	532.00	45
EZ2448BR-4	2B	18	463.50	45
EZ2448NC-4	2B	18	504.50	45
EZ2448NK3-4	2A	17	629.00	45
EZ2460BR-4	2B	18	539.00	45
EZ2460NC-4	2B	18	574.00	45
EZ2460NK3-4	2A	17	715.50	45
F536EG	2K	27	736.00	46
F556EG	2K	27	796.00	46
F566EG	2K	27	858.00	46
FC1	3E	45	12.00	77
FCH	2P	32	31.00	77
FGS1224K3	2P	32	109.50	77
FL112	3I	49	264.00	187
FL113	3I	49	102.00	187
FL114	3I	49	61.00	187
FL115	3I	49	51.00	187
FL116	3I	49	106.00	187
FL117	3I	49	61.00	187
FL403	3I	49	72.50	187
FL410	3I	49	566.50	187
FL411	3I	49	1,262.00	187
FLMB1	3I	49	2,477.50	187
FLMB2	3I	49	2,466.50	187
FPS10N	5B	81	359.50	96
FPS11N	5B	81	381.50	96
FPS12N	5B	81	428.50	96
FPS13N	5B	81	451.50	96
FPS14N	5B	81	471.00	96
FPS15N	5B	81	520.50	96
FPS16N	5B	81	544.00	96
FPS17N	5B	81	566.50	96
FPS18N	5B	81	618.00	96
FPS19N	5B	81	633.50	96
FPS20N	5B	81	665.50	96
FPS21N	5B	81	710.00	96
FPS6N	5B	81	238.00	96
FPS7N	5B	81	259.00	96
FPS8N	5B	81	288.50	96
FPS9N	5B	81	332.00	96
FSBC	4G	67	25.00	
GBHVK3	2P	32	30.00	77
GS1436K3	2P	32	122.00	77
GS1448K3	2P	32	145.50	77
GS1830K3	2P	32	122.00	77
GS1836K3	2P	32	134.00	77
GS1848K3	2P	32	161.00	77
GWSBK36	3A	41	329.50	61
GWBX3-1	3A	41	721.50	61
GWBX3-2	3A	41	1,204.00	61
GWCVCA1	3A	41	240.00	61
GWCVCG2	3A	41	288.00	61
GWOLYKIT	3A	41	145.50	61
GWVCV41	3A	41	240.00	61
GWVCV62	3A	41	288.00	61
GWTX3-1	3A	41	721.50	61
GWTX3-2	3A	41	1,204.00	61
H110R	2D	20	15.50	58
H114B	2D	20	18.50	55
H114C	2B	18	18.50	55
H114-D	2D	20	20.00	55
H114-DSG	2D	20	18.50	55
H114W	2D	20	18.50	55
H118B	2D	20	19.50	55

Part Number	Sales Class	AQ Cat	List Price	Page #
H118C	2B	18	19.50	55
H118-D	2D	20	21.50	55
H118-DSG	2D	20	19.50	55
H118W	2D	20	19.50	55
H124B	2D	20	20.50	55
H124C	2B	18	20.50	55
H124-D	2D	20	22.50	55
H124-DSG	2D	20	20.50	55
H124W	2D	20	20.50	55
H130B	2D	20	23.00	55
H130C	2B	18	23.00	55
H130-D	2D	20	25.00	55
H130-DSG	2D	20	23.00	55
H130W	2D	20	22.50	55
H136B	2D	20	23.50	55
H136C	2B	18	24.00	55
H136-D	2D	20	25.50	55
H136-DSG	2D	20	23.50	55
H136W	2D	20	23.50	55
H148B	2D	20	27.00	55
H148C	2B	18	27.00	55
H148-D	2D	20	29.00	55
H148-DSG	2D	20	27.00	55
H148W	2D	20	27.00	55
H2020C	3E	45	65.50	176
H209B	2E	21	33.50	58
H209C	2G	23	33.50	58, 77
H209-D	2E	21	36.00	58
H209-DBM	2E	21	36.00	58
H209-DCH	2E	21	36.00	58
H209-DHG	2E	21	36.00	58
H209-DSG	2E	21	33.50	58
H209-DSH	2E	21	36.00	58
H209F	2E	21	49.00	58
H209K3	2P	32	37.00	77
H209W	2E	21	33.50	58
H210B	2E	21	36.50	58
H210C	2G	23	36.50	58, 77
H210-D	2E	21	39.00	58
H210-DBM	2E	21	39.00	58
H210-DCH	2E	21	39.00	58
H210-DHG	2E	21	39.00	58
H210-DSG	2E	21	36.50	58
H210-DSH	2E	21	39.00	58
H210F	2E	21	57.00	58
H210K3	2P	32	46.50	77
H210W	2E	21	36.50	77
H212B	2E	21	49.00	58
H212C	2G	23	49.00	58, 77
H212-D	2E	21	51.00	58
H212-DBM	2E	21	51.00	58
H212-DCH	2E	21	51.00	58
H212-DF	2E	21	51.00	58
H212-DHG	2E	21	51.00	58
H212-DSG	2E	21	49.00	58
H212-DSH	2E	21	51.00	58
H212F	2E	21	59.00	58
H212W	2E	21	49.00	58
H3C	20	31	41.00	85
H3S	20	31	96.50	85
H4C	20	31	42.00	85
H4S	20	31	97.50	85
H5C	20	31	42.00	85
H5S	20	31	99.00	85
H9995B	2D	20	7.70	38
H9995C	2B	18	7.50	38
H1D18B	2E	21	21.00	194
H1D18C	2B	18	21.00	194
H1D18-D	2D	20	23.50	194
H1D18-DSG	2D	20	21.00	194
H1D18W	2D	20	21.00	194
H2D24B	2E	21	28.00	194
H2D24C	2B	18	27.50	194
H2D24-D	2D	20	30.50	194
H2D24-DSG	2D	20	28.00	194
H2D24W	2D	20	28.00	194
HDC3BB	5A	80	11.00	49
HDC5B	5A	80	23.00	49
HDC5BB	5A	80	29.00	49

Part Number	Sales Class	AQ Cat	List Price	Page #
HDFB	2E	21	6.90	44
HDFC	2E	21	6.90	44
HDM1436BL	2D	20	60.00	194
HDM1436BR	2B	18	54.00	194
HDM1436-D	2D	20	65.00	195
HDM1436-DSG	2D	20	60.00	194
HDM1436NC	2B	18	61.00	194
HDM1436QLB	2H	24	67.00	194
HDM1436QBR	2H	24	67.00	194
HDM1436W	2D	20	60.00	194
HDM1448BL	2D	20	69.50	194
HDM1448BR	2B	18	62.00	194
HDM1448-D	2D	20	74.50	195
HDM1448-DSG	2D	20	69.50	194
HDM1448NC	2B	18	70.50	194
HDM1448QLB	2H	24	76.50	194
HDM1448QBR	2H	24	69.00	194
HDM1448QC	2H	24	77.50	194
HDM1448Q-D	2H	24	81.50	195
HDM1448Q-DSG	2D	20	76.50	194
HDM1848NC	2B	18	77.50	194
HDM1848QLB	2H	24	83.50	194
HDM1848QBR	2H	24	79.00	194
HDM1848QC	2H	24	84.50	194
HDM1848-Q-D	2H	24	88.50	195
HDM1848Q-DSG	2H	24	83.50	194
HDM1848QW	2H	24	83.50	194
HDM1848W	2D	20	76.50	194
HDM2136BL	2D	20	75.50	194
HDM2136BR	2B	18	68.50	194
HDM2136-D	2D	20	80.50	195
HDM2136-DSG	2D	20	75.50	194
HDM2136F	2D	20	80.50	194
HDM2136NC	2B	18	76.50	194
HDM2136QLB	2H	24	82.50	194
HDM2136QBR	2H	24	82.50	194
HDM2136W	2D	20	75.50	194
HDM2148BL	2D	20	87.00	194
HDM2148BR	2B	18	79.00	194
HDM2148-D	2D	20	92.00	195
HDM2148-DSG	2D	20	87.00	194
HDM2148NC	2B	18	88.00	194
HDM2148QLB	2H	24	94.00	194
HDM2148QBR	2H	24	86.00	194
HDM2148QC	2H	24	95.00	194
HDM2148Q-D	2H	24	99.00	195
HDM2148-Q-DSG	2H	24	94.00	194
HDM2148QW	2H	24	94.00	194
HDM2148W	2D	20	87.00	194
HDM2424BR	2B	18	71.00	194
HDM2424NC	2B	18	78.50	194
HDM2436BL	2D	20	80.50	194
HDM2436BR	2B	18	73.00	194

Part Number	Sales Class	AQ Cat	List Price	Page #
HDM2436-D	2D	20	85.50	195
HDM2436-DSG	2D	20	80.50	194
HDM2436NC	2B	18	81.50	194
HDM2436QBL	2H	24	87.50	194
HDM2436QBR	2H	24	80.00	194
HDM2436QC	2H	24	88.50	194
HDM2436Q-D	2H	24	92.50	195
HDM2436Q-DSG	2H	24	87.50	194
HDM2436QW	2H	24	87.50	194
HDM2436W	2D	20	80.50	194
HDM2448BL	2D	20	95.00	194
HDM2448BR	2B	18	87.50	194
HDM2448-D	2D	20	100.00	195
HDM2448-DSG	2D	20	95.00	194
HDM2448NC	2B	18	96.00	194
HDM2448QBL	2H	24	102.00	194
HDM2448QBR	2H	24	94.50	194
HDM2448QC	2H	24	103.00	194
HDM2448Q-D	2H	24	107.00	195
HDM2448Q-DSG	2H	24	102.00	194
HDM2448QW	2H	24	102.00	194
HDM2448W	2D	20	95.00	194
HDP35C	2L	28	590.50	98
HDP35K3	2L	28	699.00	98
HDP35S	2L	28	1,187.00	98
HDP36C	2L	28	672.00	98
HDP36K3	2L	28	801.50	98
HDP36S	2L	28	1,373.00	98
HDP55C	2L	28	623.00	98
HDP55K3	2L	28	743.50	98
HDP55S	2L	28	1,274.50	98
HDP56C	2L	28	708.50	98
HDP56K3	2L	28	849.50	98
HDP56S	2L	28	1,475.00	98
HFCB	2E	21	17.00	58
HHK6B	2E	21	9.00	58
HHK6C	2E	21	9.20	58
HHK8B	2E	21	10.10	58
HHK8C	2E	21	10.40	58
HK23B	2E	21	5.00	56
HK23C	2G	23	5.10	56, 77, 170
HK23S	4G	67	9.50	170
HK25B	2E	21	5.70	56
HK25C	2G	23	5.70	56, 77
HK26C	2G	23	9.20	56, 77
HMCB	2E	21	29.00	58
HMCC	2E	21	29.50	58
HP2230PD	3F	46	206.50	97
HP2230PDMB	3F	46	240.50	97
HP2236PD	3F	46	206.50	97
HP2236PDMB	3F	46	240.50	97
HP2248PD	3F	46	237.50	97
HP2248PDMB	3F	46	270.50	97
HP2260PD	3F	46	273.50	97
HP2260PDMB	3F	46	305.00	97
HP31C	2L	28	239.50	98
HP31K3	2L	28	275.00	98
HP32C	2L	28	254.50	98
HP32K3	2L	28	292.00	98
HP33C	2L	28	254.50	98
HP33K3	2L	28	292.00	98
HP33S	2L	28	629.50	98
HP35C	2L	28	301.50	98
HP35K3	2L	28	351.50	98
HP35S	2L	28	811.50	98
HP51C	2L	28	258.50	98
HP51K3	2L	28	302.50	98
HP52C	2L	28	275.50	98
HP52K3	2L	28	318.50	98
HP53C	2L	28	275.50	98
HP53K3	2L	28	318.50	98
HP53S	2L	28	697.50	98
HP55C	2L	28	325.00	98
HP55K3	2L	28	376.00	98
HP55S	2L	28	889.00	98
HPLC3X3	3A	41	835.50	
HPLC4X3	3A	41	964.50	
HS5M	5A	80	49.50	
HS5MB	5A	80	55.00	

Part Number	Sales Class	AQ Cat	List Price	Page #
HVDC2448	5I	88	1,073.50	
IC125	3L	52	815.50	170
IWA-11K3	2P	32	44.00	77
IWA-12K3	2P	32	50.00	77
IWA-14K3	2P	32	53.00	77
IWA-S11K3	2P	32	98.00	77
JH2C	2N	30	8.50	191
KR345DC	2F	22	1,226.00	190
KR365DC	2F	22	1,364.00	190
L14N-1BL	2D	20	11.50	53
L14N-1C	2B	18	11.50	53
L14N-1-D	2D	20	13.50	53
L14N-1-DSG	2D	20	11.50	53
L14N-1S	2C	19	20.00	53
L14N-1W	2D	20	11.50	53
L14N-4BL	2D	20	15.50	53
L14N-4C	2B	18	15.50	53
L14N-4-D	2D	20	17.50	53
L14N-4-DSG	2D	20	15.50	53
L14N-4-K3	2A	17	19.00	53
L14N-4S	2C	19	32.50	53
L14N-4-W	2D	20	15.50	53
L14WC	2K	27	19.00	66
L14WS	2K	27	39.00	66
L18N-1BL	2D	20	12.50	53
L18N-1C	2B	18	12.50	53
L18N-1-D	2D	20	14.50	53
L18N-1-DSG	2D	20	12.50	53
L18N-1S	2C	19	21.50	53
L18N-1W	2D	20	12.50	53
L18N-4BL	2D	20	17.00	53
L18N-4C	2B	18	17.00	53
L18N-4-D	2D	20	19.00	53
L18N-4-DSG	2D	20	17.00	53
L18N-4-K3	2A	17	20.50	53
L18N-4S	2C	19	37.50	53
L18N-4-W	2D	20	17.00	53
L18WC	2K	27	20.00	66
L18WS	2K	27	40.50	66
L21N-1BL	2D	20	13.50	53
L21N-1C	2B	18	13.50	53
L21N-1-D	2D	20	15.50	53
L21N-1-DSG	2D	20	13.50	53
L21N-1S	2C	19	23.00	53
L21N-1W	2D	20	13.50	53
L21N-4BL	2D	20	18.00	53
L21N-4C	2B	18	18.00	53
L21N-4-D	2D	20	20.00	53
L21N-4-DSG	2D	20	18.00	53
L21N-4-K3	2A	17	21.50	53
L21N-4S	2C	19	43.00	53
L21N-4-W	2D	20	18.00	53
L21WC	2K	27	21.00	66
L21WS	2K	27	45.50	66
L24N-1BL	2D	20	14.50	53
L24N-1C	2B	18	14.50	53
L24N-1-DSG	2D	20	14.50	53
L24N-1S	2C	19	26.00	53
L24N-1W	2D	20	14.50	53
L24N-4BL	2D	20	19.00	53
L24N-4C	2B	18	19.00	53
L24N-4-D	2D	20	21.00	53
L24N-4-DSG	2D	20	19.00	53
L24N-4-K3	2A	17	23.50	53
L24N-4S	2C	19	46.00	53
L24N-4-W	2D	20	19.00	53
L24WC	2K	27	22.00	66
L24WS	2K	27	50.00	66
L30N-1BL	2D	20	17.00	53
L30N-1C	2B	18	17.00	53
L30N-1-DSG	2D	20	17.00	53
L30N-1S	2C	19	35.00	53
L30N-1W	2D	20	17.00	53
L30N-4BL	2D	20	22.50	53
L30N-4C	2B	18	22.50	53
L30N-4-D	2D	20	24.50	53
L30N-4-DSG	2D	20	22.50	53
L30N-4-K3	2A	17	27.00	53
L30N-4S	2C	19	54.50	53

Part Number	Sales Class	AQ Cat	List Price	Page #
L30N-4W	2D	20	22.50	53
L30WC	2K	27	28.50	66
L30WS	2K	27	59.50	66
L36N-1BL	2D	20	19.00	53
L36N-1C	2B	18	19.00	53
L36N-1-D	2D	20	21.00	53
L36N-1-DSG	2D	20	19.00	53
L36N-1S	2C	19	38.50	53
L36N-1W	2D	20	19.00	53
L36N-4BL	2D	20	24.50	53
L36N-4C	2B	18	24.50	53
L36N-4-D	2D	20	26.50	53
L36N-4-DSG	2D	20	24.50	53
L36N-4-K3	2A	17	30.50	53
L36N-4S	2C	19	64.50	53
L36N-4-W	2D	20	24.50	53
L36WC	2K	27	32.00	66
L36WS	2K	27	71.00	66
L42N-1BL	2D	20	19.50	53
L42N-1C	2B	18	19.50	53
L42N-1-D	2D	20	21.50	53
L42N-1-DSG	2D	20	19.50	53
L42N-1S	2C	19	43.00	53
L42N-1W	2D	20	19.50	53
L42N-4BL	2D	20	30.50	53
L42N-4C	2B	18	30.50	53
L42N-4-D	2D	20	32.50	53
L42N-4-DSG	2D	20	30.50	53
L42N-4-K3	2A	17	37.00	53
L42N-4S	2C	19	82.00	53
L42N-4-W	2D	20	30.50	53
L48WC	2K	27	38.00	66
L48WS	2K	27	88.00	66
L54N-1BL	2D	20	23.50	53
L54N-1C	2B	18	23.50	53
L54N-1-D	2D	20	25.50	53
L54N-1-DSG	2D	20	23.50	53
L54N-1S	2C	19	52.50	53
L54N-1W	2D	20	23.50	53
L54N-4BL	2D	20	32.50	53
L54N-4C	2B	18	32.50	53
L54N-4-D	2D	20	34.50	53
L54N-4-DSG	2D	20	32.50	53
L54N-4-K3	2A	17	40.10	53
L54N-4S	2C	19	93.50	53
L54N-4-W	2D	20	32.50	53
L60N-1BL	2D	20	23.50	53
L60N-1C	2B	18	23.50	53
L60N-1-D	2D	20	25.50	53
L60N-1-DSG	2D	20	23.50	53
L60N-1F	2D	20	25.50	53
L60N-1S	2C	19	52.50	53
L60N-1W	2D	20	23.50	53
L60N-4BL	2D	20	32.50	53
L60N-4C	2B	18	32.50	53
L60N-4-D	2D	20	34.50	53
L60N-4-DBM	2D	20	34.50	53
L60N-4-DCH	2D	20	34.50	53
L60N-4-DHG	2D	20	34.50	53
L60N-4-DSG	2D	20	32.50	53
L60N-4-F	2D	20	34.50	53
L60N-4-K3	2A	17	40.10	53
L60N-4S	2C	19	93.50	53
L60N-4-W	2D	20	32.50	53

Part Number	Sales Class	AQ Cat	List Price	Page #
L60WC	2K	27	41.00	66
L60WS	2K	27	100.50	66
L72N-1BL	2D	20	24.50	53
L72N-1C	2B	18	24.50	53
L72N-1-D	2D	20	26.50	53
L72N-1-DBM	2D	20	26.50	53
L72N-1-DCH	2D	20	26.50	53
L72N-1-DHG	2D	20	26.50	53
L72N-1-DSG	2D	20	24.50	53
L72N-1-DSH	2D	20	26.50	53
L72N-1F	2D	20	26.50	53
L72N-1S	2C	19	59.00	53
L72N-1W	2D	20	24.50	53
L72N-4BL	2D	20	39.50	53
L72N-4C	2B	18	39.50	53
L72N-4-D	2D	20	40.50	53
L72N-4-DBM	2D	20	41.50	53
L72N-4-DCH	2D	20	41.50	53
L72N-4-DHG	2D	20	41.50	53
L72N-4-DSG	2D	20	39.50	53
L72N-4F	2D	20	41.50	53
L72N-4K3	2A	17	48.50	53
L72N-4S	2C	19	117.00	53
L72N-4W	2D	20	39.50	53
LBTAC	5N	93	667.00	91
LBTAK3	5N	93	797.00	91
LBTAQ3	5N	93	845.00	91
LBTA5	5N	93	1,097.00	91
LBTA3	5N	93	961.00	91
LBTEC	5N	93	867.00	91
LBTEK3	5N	93	1,033.00	91
LBTE03	5N	93	1,129.00	91
LBTE5	5N	93	1,633.00	91
LBTEX3	5N	93	1,361.00	91
LBTM18C	5N	93	845.00	91
LBTM18K3	5N	93	1,253.00	91
LBTM18Q3	5N	93	1,327.00	91
LBTM18S	5N	93	1,553.00	91
LBTM18X3	5N	93	1,443.00	91
LBTM21C	5N	93	867.00	91
LBTM21K3	5N	93	1,280.00	91
LBTM21Q3	5N	93	1,354.50	91
LBTM21S	5N	93	1,580.00	91
LBTM24C	5N	93	888.50	91
LBTM24K3	5N	93	1,307.50	91
LBTM24Q3	5N	93	1,381.50	91
LBTM24S	5N	93	1,607.50	91
LBTM24X3	5N	93	1,497.50	91
LBTS10NA	5N	93	1,120.50	91
LBTS11NA	5N	93	1,205.50	91
LBTS12NA	5N	93	1,289.00	91
LBTS13NA	5N	93	1,372.00	91
LBTS14NA	5N	93	1,452.50	91
LBTS15NA	5N	93	1,763.00	91
LBTS16NA	5N	93	1,845.00	91
LBTS17NA	5N	93	1,931.50	91
LBTS18NA	5N	93	2,015.00	91
LBTS19NA	5N	93	2,097.00	91
LBTS2.5NA	5N	93	556.50	91
LBTS20NA	5N	93	2,178.50	91
LBTS21NA	5N	93	2,259.00	91
LBTS6NA	5N	93	567.50	91
LBTS7NA	5N	93	646.00	91
LBTS8NA	5N	93	953.50	91
LBTS9NA	5N	93	1,035.50	91
LT30BSB	3A	41	73.00	62
LT30BSG	3A	41	73.00	62
LT30WE	3A	41	80.50	62
LT30WS	3A	41	183.50	62
LT30XPB3	3A	41	1,050.00	62
LT30XPG3	3A	41	1,050.00	62
LT30XS3	3A	41	1,074.00	62
LT30XUPB3	3A	41	941.00	62
LT30XUPG3	3A	41	941.00	62
LT30XUS3	3A	41	965.50	62
LT36BSB	3A	41	87.50	62
LT36BSG	3A	41	87.50	62
LT36WE	3A	41	95.00	62
LT36WS	3A	41	208.00	62

Part Number	Sales Class	AQ Cat	List Price	Page #
LT36XPB3	3A	41	1,098.00	62
LT36XPG3	3A	41	1,098.00	62
LT36XS3	3A	41	1,122.50	62
LT36XUPB3	3A	41	965.50	62
LT36XUPG3	3A	41	965.50	62
LT36XUS3	3A	41	989.50	62
LT48BSB	3A	41	107.00	62
LT48BSG	3A	41	107.00	62
LT48WE	3A	41	110.00	62
LT48WS	3A	41	232.00	62
LT48XPB3	3A	41	1,158.00	62
LT48XPG3	3A	41	1,158.00	62
LT48XS3	3A	41	1,182.50	62
LT48XUPB3	3A	41	1,001.50	62
LT48XUPG3	3A	41	1,001.50	62
LT48XUS3	3A	41	1,026.00	62
LT60BSB	3A	41	126.50	62
LT60BSG	3A	41	126.50	62
LT60WE	3A	41	121.50	62
LT60WS	3A	41	256.50	62
LT60XPB3	3A	41	1,207.00	62
LT60XPG3	3A	41	1,207.00	62
LT60XS3	3A	41	1,231.00	62
LT60XUPB3	3A	41	1,038.00	62
LT60XUPG3	3A	41	1,038.00	62
LT60XUS3	3A	41	1,074.00	62
LTD3	3A	41	218.00	62
LTD3L	3A	41	315.00	62
LTD6	3A	41	285.50	62
LTD6L	3A	41	382.00	62
LTFMA	3A	41	544.00	62
LTKB	3A	41	263.00	62
LTM30XPB3	3A	41	1,074.00	62
LTM30XPG3	3A	41	1,050.00	62
LTM30XS3	3A	41	1,074.00	62
LTM30XUPB3	3A	41	941.00	62
LTM30XUPG3	3A	41	965.50	62
LTM36XPB3	3A	41	1,098.00	62
LTM36XPG3	3A	41	1,098.00	62
LTM36XS3	3A	41	1,122.50	62
LTM36XUPB3	3A	41	965.50	62
LTM36XUPG3	3A	41	965.50	62
LTM36XUS3	3A	41	989.50	62
LTM48XPB3	3A	41	1,158.00	62
LTM48XPG3	3A	41	1,158.00	62
LTM48XS3	3A	41	1,182.50	62
LTM48XUPB3	3A	41	1,001.50	62
LTM48XUPG3	3A	41	1,001.50	62
LTM48XUS3	3A	41	1,026.00	62
LTM60XPB3	3A	41	1,207.00	62
LTM60XPG3	3A	41	1,207.00	62
LTM60XS3	3A	41	1,231.00	62
LTM60XUPB3	3A	41	1,038.00	62
LTM60XUPG3	3A	41	1,038.00	62
LTM60XUS3	3A	41	1,074.00	62
LTTA18C	5B	81	694.00	93
LTTA21C	5B	81	699.50	93
LTTA24C	5B	81	709.00	93
LTTE18C	5B	81	1,263.00	93
LTTE21C	5B	81	1,280.50	93
LTTE24C	5B	81	1,296.50	93
LTTM18C	5B	81	801.50	93
LTTM21C	5B	81	851.50	93
LTTM24C	5B	81	875.00	93
LXH56C	2G	23	2,347.00	181
LXH56CX3	3A	41	2,376.00	181
LXHK3-ESS	5I	88	876.00	181
LXHK3-ESS-P	5I	88	1,267.50	181
LXHK3-NB	5I	88	62.50	181
LXHK3-PLUS	5I	88	1,229.00	181
LXHK3-PLUS-P	5I	88	1,611.50	181
LXHK3-PRO	5I	88	1,554.00	181
LXHK3-PRO-P	5I	88	1,929.00	181
LXHK3-SDK	5I	88	111.00	181
LXHK3-SSK	5I	88	205.00	181
LXHK3-WCH	5I	88	26.00	181
LXHK4-CB	5I	88	56.00	181
LXHK4-ESS	5I	88	999.00	181

Part Number	Sales Class	AQ Cat	List Price	Page #
LXHK4-ESS-P	5I	88	1,387.00	181
LXHK4-NB	5I	88	69.50	181
LXHK4-PLUS	5I	88	1,384.00	181
LXHK4-PLUS-P	5I	88	1,763.50	181
LXHK4-PRO	5I	88	1,717.00	181
LXHK4-PRO-P	5I	88	2,088.50	181
LXHK4-SDK	5I	88	117.00	181
LXHK4-SSK	5I	88	287.00	181
LXHK4-WCH	5I	88	43.00	181
LXHK-AS	5I	88	77.00	181
LXHK-HDLKIT	5I	88	60.50	181
LXHK-SS	5I	88	43.00	181
LXHK-TS	5I	88	239.00	181
LXHK-UGRH	5I	88	111.00	181
LXHK-VH	5I	88	56.00	181
LXHK-WCAN	5I	88	118.50	181
LXHR-ESS	5I	88	429.00	182
LXHR-NB	5I	88	89.50	182
LXHR-PLUS	5I	88	498.00	182
LXHR-PRO	5I	88	704.50	182
M3TF1824E	3C	43	89.50	27
M3TF1830E	3C	43	91.50	27
M3TF1836E	3C	43	91.50	27
M3TF1848E	3C	43	96.50	27
M3TF1860E	3C	43	113.00	27
M3TF2424E	3C	43	95.00	27
M3TF2430E	3C	43	96.50	27
M3TF2436E	3C	43	96.50	27
M3TF2448E	3C	43	101.00	27
M3TF2460E	3C	43	121.50	27
M4F1824	3C	43	104.00	27
M4F1830	3C	43	110.50	27
M4F1836	3C	43	110.50	27
M4F1842	3C	43	126.50	27
M4F1848	3C	43	126.50	27
M4F1854	3C	43	144.50	27
M4F1860	3C	43	144.50	27
M4F1872	3C	43	168.50	27
M4F2424	3C	43	120.50	27
M4F2430	3C	43	126.50	27
M4F2436	3C	43	126.50	27
M4F2442	3C	43	138.00	27
M4F2448	3C	43	138.00	27
M4F2454	3C	43	159.50	27
M4F2460	3C	43	159.50	27
M4F2472	3C	43	196.50	27
M9995	3C	43	4.50	20, 21
M9997	3C	43	3.70	20, 21
M9997-4	3C	43	10.70	80
MB1816XE	3C	43	99.00	27
MB1822XE	3C	43	113.00	27
MB2416XE	3C	43	104.00	27
MB2422XE	3C	43	119.00	27
MB30120Y	5D	83	5.20	60
MB30124Y	5D	83	15.50	60
MB30128Y	5D	83	6.30	60
MB30130Y	5D	83	6.80	60
MB30138Y	5D	83	9.70	60
MB30164Y	5D	83	18.50	60
MB30174Y	5D	83	32.00	60
MB30178Y	5D	83	22.50	60
MB30230B	5D	83	31.00	60, 77
MB30234B	5D	83	21.00	60
MB30235B	5D	83	18.50	

Part Number	Sales Class	AQ Cat	List Price	Page #
MBQ-120DX	4B	62	7,429.00	154
MBQ-120DX-QH	4B	62	9,217.00	154
MBQ-120-QH	4B	62	8,990.00	155
MBQ-120X	4B	62	6,527.00	155
MBQ-120X-QH	4B	62	8,990.00	155
MBQ-144	4B	62	7,482.00	155
MBQ-144-QH	4B	62	9,052.00	155
MBQ-144X	4B	62	7,482.00	155
MBQ-144X-QH	4B	62	9,052.00	155
MBQ-150D	4B	62	8,383.00	154
MBQ-150D-QH	4B	62	10,149.00	154
MBQ-150DX	4B	62	8,383.00	154
MBQ-150DX-QH	4B	62	10,149.00	154
MBQ-180	4B	62	8,078.00	155
MBQ-180D	4B	62	8,977.00	154
MBQ-180D-QH	4B	62	10,867.00	154
MBQ-180DX	4B	62	8,977.00	154
MBQ-180DX-QH	4B	62	10,867.00	154
MBQ-180-QH	4B	62	9,779.00	155
MBQ-180X	4B	62	8,078.00	155
MBQ-180X-QH	4B	62	9,779.00	155
MBQ-200D	4B	62	9,540.00	155
MBQ-200D-QH	4B	62	11,545.00	155
MBQ-200DX	4B	62	9,540.00	155
MBQ-200DX-QH	4B	62	11,545.00	155
MBQ-72	4B	62	6,041.00	155
MBQ-72-QH	4B	62	7,577.00	155
MBQ-72X	4B	62	6,041.00	155
MBQ-72X-QH	4B	62	7,577.00	155
MBQ-8	5A	80	157.00	156
MBQ-8AIR	5A	80	266.00	156
MBQ-90	4B	62	6,238.00	156
MBQ-90-QH	4B	62	7,720.00	154
MBQ-90X	4B	62	6,238.00	154
MBQ-90X-QH	4B	62	7,720.00	154
MBQ-B01700	4B	62	993.00	157
MBQ-C1-14	4B	62	77.00	157
MBQ-C1-17	4B	62	77.00	157
MBQ-C2-14	4B	62	77.00	157
MBQ-C2-17	4B	62	77.00	157
MBQ-MR-14	4B	62	117.00	157
MBQ-MR-17	4B	62	117.00	157
MBQ-P1-14	4B	62	77.00	157
MBQ-P1-17	4B	62	77.00	157
MBQ-P2-14	4B	62	77.00	157
MBQ-P2-17	4B	62	77.00	157
MBQ-SUPH	4B	62	209.00	156
MBQ-SUSA	4B	62	67.00	156
MBQ-SWLC-1	4B	62	263.00	156
MBQ-SWLC-18	4B	62	444.00	156
MBQ-SWLC-2	4B	62	263.00	156
MBQ-SWLC-28	4B	62	444.00	156
MBQT-150D	4B	62	9,052.00	155
MBQT-150D-QH	4B	62	10,958.00	155
MBQT-180D	4B	62	9,692.00	155
MBQT-180D-QH	4B	62	11,407.00	155
MBQ-TRVL	4B	62	172.00	156
MD18-16	3C	43	48.00	23, 35, 53
MD18-20	3C	43	53.00	23, 35, 53
MD18-24	3C	43	58.50	23, 35, 53
MD24-16	3C	43	52.00	23, 35, 53
MD24-20	3C	43	57.50	23, 35, 53
MD24-24	3C	43	62.50	23, 35, 53
MDL91035NAT	5D	83	5.20	189
MDL92035NAT	5D	83	5.70	189
MDL92060NAT	5D	83	6.80	189
MDL93030NAT	5D	83	9.10	189
MDL93060NAT	5D	83	9.10	189
MDL93080NAT	5D	83	10.20	189
MDS91035NAT	5D	83	4.60	189
MDS92035NAT	5D	83	5.20	189
MDS92060NAT	5D	83	5.70	189
MDS93030NAT	5D	83	9.10	189
MDS93060NAT	5D	83	9.10	189
MDS93080NAT	5D	83	9.10	189
MEH18S	3C	43	80.00	17
MEH21S	3C	43	82.50	17
MEH24S	3C	43	84.00	17
MEP35E	3C	43	85.00	24

Part Number	Sales Class	AQ Cat	List Price	Page #
MEP36E	3C	43	88.50	24
MEP37E	3C	43	98.00	24
MEP55E	3C	43	91.50	24
MEP56E	3C	43	102.00	24
MEP57E	3C	43	105.50	24
MERGH18S	3C	43	88.50	17
MERGH24S	3C	43	92.50	17
MHP1836F	3A	41	158.00	14
MHP1836G	3A	41	143.50	14
MHP1848F	3A	41	188.00	14
MHP1848G	3A	41	170.50	14
MHP1860F	3A	41	226.50	14
MHP1860G	3A	41	204.50	14
MHP2436F	3A	41	196.50	14
MHP2436G	3A	41	174.50	14
MHP2448F	3A	41	226.50	14
MHP2448G	3A	41	207.50	14
MHP2460G	3A	41	249.50	14
MHP33C	2L	28	553.00	98
MHP33K3	2L	28	609.00	98
MHP33S	2L	28	965.50	98
MHP35C	2L	28	603.00	98
MHP35K3	2L	28	668.00	98
MHP35S	2L	28	1,140.50	98
MHP53C	2L	28	570.00	98
MHP53K3	2L	28	629.00	98
MHP53S	2L	28	1,030.00	98
MHP55C	2L	28	621.00	98
MHP55K3	2L	28	691.00	98
MHP55S	2L	28	1,215.50	98
MQ13PE	3B	42	21.00	15
MQ13UPE	3B	42	21.00	15
MQ1824G	3B	42	85.00	15
MQ1830G	3B	42	89.00	15
MQ1836G	3B	42	89.00	15
MQ1842G	3B	42	107.00	15
MQ1848G	3B	42	107.00	15
MQ1854G	3B	42	127.50	15
MQ1860G	3B	42	127.50	15
MQ1872G	3B	42	145.00	15
MQ18SE	3C	43	108.50	26
MQ2124G	3B	42	97.00	15
MQ2130G	3B	42	100.00	15
MQ2136G	3B	42	100.00	15
MQ2142G	3B	42	117.50	15
MQ2148G	3B	42	117.50	15
MQ2154G	3B	42	137.50	15
MQ2160G	3B	42	137.50	15
MQ2172G	3B	42	168.00	15
MQ2424G	3B	42	106.00	15
MQ2430G	3B	42	108.00	15
MQ2436G	3B	42	108.00	15,103
MQ2442G	3B	42	132.00	15
MQ2448G	3B	42	132.00	15,103
MQ2454G	3B	42	156.50	15
MQ2460G	3B	42	156.50	15,103
MQ2472G	3B	42	183.00	15
MQ24SE	3C	43	111.00	26
MQ27PE	3B	42	25.00	15
MQ27UPE	3B	42	25.00	15
MQ33PE	3B	42	28.00	15
MQ33UPE	3B	42	28.00	15
MQ-512F	4B	62	5,067.00	16
MQ-512F-H	4B	62	5,274.00	16
MQ-512F-SL	4B	62	5,522.00	16
MQ-512F-SL-H	4B	62	5,728.00	16
MQ-512L	4B	62	5,296.00	16
MQ-512L-H	4B	62	5,503.00	16
MQ-512L-SL	4B	62	5,751.00	16
MQ-512L-SL-H	4B	62	5,958.00	16
MQ54PE	3B	42	29.50	15
MQ54UPE	3B	42	29.50	15
MQ-609F	4B	62	5,423.00	16
MQ-609F-H	4B	62	5,630.00	16
MQ-609F-SL	4B	62	5,878.00	16
MQ-609F-SL-H	4B	62	6,084.00	16
MQ-609L	4B	62	5,635.00	16
MQ-609L-H	4B	62	5,841.00	16
MQ-609L-SL	4B	62	6,089.00	16

Part Number	Sales Class	AQ Cat	List Price	Page #
MQ-609L-SL-H	4B	62	6,296.00	16
MQ63PE	3B	42	33.00	15
MQ63UPE	3B	42	33.00	15
MQ70UPE	3B	42	42.00	15
MQ74PE	3B	42	35.00	15
MQ74UPE	3B	42	35.00	15
MQ86PE	3B	42	40.00	15
MQ86UPE	3B	42	40.00	15
MQ9985	3B	42	9.60	15
MQ018-8	3C	43	18.50	22
MQD24-8	3C	43	20.50	22
MQL24-2S	3C	43	20.50	23
MQL24-4P	3C	43	39.50	23
MQL30-2S	3C	43	22.50	23
MQL30-4P	3C	43	43.00	23
MQL36-2S	3C	43	26.00	23
MQL36-4P	3C	43	50.00	23
MQL42-2S	3C	43	32.00	23
MQL42-4P	3C	43	60.50	23
MQL48-2S	3C	43	32.00	23
MQL48-4P	3C	43	60.50	23
MQL54-2S	3C	43	35.50	23
MQL54-4P	3C	43	67.50	23
MQL60-2S	3C	43	35.50	23
MQL60-4P	3C	43	67.50	23
MQL72-2S	3C	43	40.50	23
MQLS18-2S	3C	43	19.50	23
MQLS18-4P	3C	43	37.50	23
MQLS21-2S	3C	43	20.00	23
MQLS21-4P	3C	43	38.50	23
MQLS24-2S	3C	43	20.50	23
MQLS24-4P	3C	43	39.50	23
MQSEC53DE	3B	42	1,662.50	103
MQSEC53E	3B	42	1,441.50	103
MQSEC53LE	3B	42	1,892.00	103
MQSEC53VE	3B	42	1,779.50	103
MQSEC55DE	3B	42	2,015.00	103
MQSEC55E	3B	42	1,795.00	103
MQSEC55LE	3B	42	2,265.50	103
MQSEC55VE	3B	42	2,132.00	103
MQSEC56DE	3B	42	2,167.00	103
MQSEC56E	3B	42	1,947.00	103
MQSEC56LE	3B	42	2,438.00	103
MQSEC56VE	3B	42	2,284.00	103
MQSS2E	3C	43	111.00	26
MQ-SUPH	4B	62	277.00	156
MQTTA18	5B	81	452.00	95
MQTTA21	5B	81	460.50	95
MQTTA24	5B	81	469.00	95
MQTTE18	5B	81	740.00	95
MQTTE21	5B	81	751.00	95
MQTTE24	5B	81	762.00	95
MQTTM18C	5B	81	394.00	95
MQTTM18S	5B	81	683.00	95
MQTTM21C	5B	81	405.50	95
MQTTM21S	5B	81	693.00	95
MQTTM24C	5B	81	417.00	95
MQTTM24S	5B	81	703.00	95
MQUC1830G-25	3B</			



Part Number	Sales Class	AQ Cat	List Price	Page #
MTWB	5A	80	59.00	
MUD18-8	3C	43	18.50	22, 35, 53
MUD24-8	3C	43	20.50	22, 35, 53
MW103	20	31	657.00	84
MW104	20	31	743.00	84
MW105	20	31	743.00	84
MW106	20	31	803.00	84
MW108	20	31	849.50	84
MW203	20	31	878.50	84
MW204	20	31	969.50	84
MW205	20	31	969.50	84
MW206	20	31	1,060.00	84
MW208	20	31	1,127.00	84
MW401	20	31	445.50	84
MW402	20	31	504.00	84
MW403	20	31	504.00	84
MW404	20	31	550.00	84
MW406	20	31	579.50	84
MW601	20	31	288.50	84
MW602	20	31	615.50	84
MW603	20	31	306.50	84
MW604	20	31	702.00	84
MW605	20	31	306.50	84
MW606	20	31	702.00	84
MW607	20	31	334.00	84
MW608	20	31	785.50	84
MW611	20	31	344.00	84
MW612	20	31	829.00	84
MW701	20	31	349.00	84
MW702	20	31	833.50	84
MW703	20	31	368.50	84
MW704	20	31	922.50	84
MW705	20	31	368.50	84
MW706	20	31	922.50	84
MW707	20	31	408.50	84
MW708	20	31	1,038.00	84
MW711	20	31	423.50	84
MW712	20	31	1,101.50	84
MWT305FS	4G	67	1,722.50	169
MWT305US	4G	67	1,465.00	169
MWT306FC	4G	67	1,275.50	169
MWT306FS	4G	67	1,816.00	169
MWT306HS	4G	67	1,560.50	169
MWT306US	4G	67	1,560.50	169
MWT307FC	4G	67	1,422.00	169
MWT307FS	4G	67	1,926.50	169
MWT307HS	4G	67	1,670.00	169
MWT307US	4G	67	1,670.00	169
MWT309FC	4G	67	1,652.00	169
MWT309FS	4G	67	2,285.00	169
MWT309HS	4G	67	1,922.00	169
MWT309US	4G	67	1,922.00	169
MX13P	3A	41	24.50	14
MX13UP	3A	41	24.50	14
MX1824F	3A	41	141.00	14
MX1824G	3A	41	124.50	14
MX1830F	3A	41	147.00	14
MX1830G	3A	41	130.00	14
MX1836F	3A	41	147.00	14
MX1836G	3A	41	130.00	14
MX1842F	3A	41	177.00	14
MX1842G	3A	41	156.50	14
MX1848F	3A	41	177.00	14
MX1848G	3A	41	156.50	14
MX1854F	3A	41	211.00	14
MX1854G	3A	41	186.50	14
MX1860F	3A	41	211.00	14
MX1860G	3A	41	186.50	14
MX1872F	3A	41	247.00	14
MX1872G	3A	41	218.00	14
MX18SE	3C	43	118.00	26
MX2424F	3A	41	175.50	14
MX2424G	3A	41	155.00	14
MX2430F	3A	41	179.00	14
MX2430G	3A	41	158.00	14
MX2436F	3A	41	179.00	14, 103
MX2436G	3A	41	158.00	14, 103
MX2442F	3A	41	218.50	14
MX2442G	3A	41	193.00	14

Part Number	Sales Class	AQ Cat	List Price	Page #
MX2448F	3A	41	218.50	14, 103
MX2448G	3A	41	193.00	14, 103
MX2454F	3A	41	258.50	14
MX2454G	3A	41	228.50	14
MX2460F	3A	41	258.50	14, 103
MX2460G	3A	41	228.50	14, 103
MX2472F	3A	41	305.50	14
MX2472G	3A	41	270.00	14
MX245E	3C	43	120.50	26
MX27P	3A	41	33.00	14
MX27UP	3A	41	33.00	14
MX33P	3A	41	36.50	14
MX33UP	3A	41	36.50	14
MX54P	3A	41	40.50	14
MX54UP	3A	41	40.50	14
MX63P	3A	41	43.50	14
MX63UP	3A	41	43.50	14
MX74P	3A	41	49.50	14
MX74UP	3A	41	49.50	14
MX86P	3A	41	57.50	14
MX86UP	3A	41	57.50	14
MX985	3A	41	9.40	14
MX9996	3C	43	10.60	20
MX9UP	3A	41	21.50	14
MXD18-8	3C	43	18.50	22
MXD24-8	3C	43	20.50	22
MXL24-2S	3C	43	20.50	23
MXL24-4P	3C	43	39.50	23
MXL30-2S	3C	43	22.50	23
MXL30-4P	3C	43	43.00	23
MXL36-2S	3C	43	26.00	23
MXL36-4P	3C	43	50.00	23
MXL42-2S	3C	43	32.00	23
MXL42-4P	3C	43	60.50	23
MXL48-2S	3C	43	32.00	23
MXL48-4P	3C	43	60.50	23
MXL54-2S	3C	43	35.50	23
MXL54-4P	3C	43	67.50	23
MXL60-2S	3C	43	35.50	23
MXL60-4P	3C	43	67.50	23
MXL72-2S	3C	43	40.50	23
MXLS18-2S	3C	43	19.50	23
MXLS18-4P	3C	43	37.50	23
MXLS24-2S	3C	43	20.50	23
MXLS24-4P	3C	43	39.50	23
MXSS2E	3C	43	120.50	26
MXTTA18	5B	81	522.00	95
MXTTA24	5B	81	539.00	95
MXTTE18	5B	81	880.00	95
MXTTE24	5B	81	902.00	95
MXTTM18C	5B	81	452.00	95
MXTTM18S	5B	81	741.00	95
MXTTM24C	5B	81	470.00	95
MXTTM24S	5B	81	761.00	95
MXUC1830G-25	3A	41	786.50	19, 81
MXUC1830G-35	3A	41	916.50	19, 81
MXUC2436G-25	3A	41	846.50	19, 81
MXUC2436G-35	3A	41	1,004.50	19, 81
N336BBR	2B	18	462.00	46
N336BC	2B	18	474.00	46
N336EBR	2B	18	532.00	46
N336EC	2B	18	544.00	46
N356BBR	2B	18	506.00	46
N356BC	2B	18	528.00	46
N356EBR	2B	18	576.00	46
N356EC	2B	18	598.00	46
N366BBR	2B	18	558.00	46
N366BC	2B	18	578.00	46
N366EBR	2B	18	628.00	46
N366EC	2B	18	648.00	46
N436BBR	2B	18	492.00	46
N436BC	2B	18	524.00	46
N436EBR	2B	18	562.00	46
N436EC	2B	18	594.00	46
N456BBR	2B	18	534.00	46
N456BC	2B	18	570.00	46
N456EBR	2B	18	604.00	46
N456EC	2B	18	640.00	46
N466BBR	2B	18	598.00	46

Part Number	Sales Class	AQ Cat	List Price	Page #
N466BC	2B	18	630.00	46
N466EBR	2B	18	668.00	46
N466EC	2B	18	700.00	46
N536BBR	2B	18	510.00	46
N536BC	2B	18	544.00	46
N536EBR	2B	18	580.00	46
N536EC	2B	18	614.00	46
N536JC	2B	18	847.00	47
N536LC	2B	18	917.00	47
N536MC	2B	18	1,362.50	47
N536BBR	2B	18	568.00	46
N556BC	2B	18	602.00	46
N556EBR	2B	18	638.00	46
N556EC	2B	18	672.00	46
N556JC	2B	18	930.50	47
N556LC	2B	18	1,000.50	47
N556MC	2B	18	1,446.00	47
N566BBR	2B	18	644.00	46
N566BC	2B	18	670.00	46
N566EBR	2B	18	714.00	46
N566EC	2B	18	740.00	46
N566JC	2B	18	1,027.00	47
N566LC	2B	18	1,097.00	47
N566MC	2B	18	1,542.50	47
OP2501BAS	5F	85	4.50	189
OP2501CLR	5F	85	4.50	189
OP2535BAS	5F	85	4.50	189
OP2535CLR	5F	85	4.50	189
P1824BR	2B	18	115.50	98
P1824NC	2B	18	118.50	98
P1824NS	2C	19	338.00	98
P1830BR	2B	18	117.00	98
P1830NC	2B	18	120.00	98
P1830NS	2C	19	340.50	98
P1836BR	2B	18	117.00	98
P1836NC	2B	18	124.50	98
P1836NS	2C	19	372.50	98
P2124BR	2B	18	122.50	98
P2124NC	2B	18	129.50	98
P2124NS	2C	19	369.50	98
P2130BR	2B	18	124.50	98
P2130NC	2B	18	132.50	98
P2130NS	2C	19	372.50	98
P2136BR	2B	18	124.50	98
P2136NC	2B	18	132.50	98
P2136NS	2C	19	372.50	98
P2424BR	2B	18	127.00	98
P2424NC	2B	18	134.50	98
P2424NS	2C	19	389.00	98
P2430BR	2B	18	129.00	98
P2430NC	2B	18	137.50	98
P2430NS	2C	19	392.50	98
P2436BR	2B	18	129.00	98
P2436NC	2B	18	137.50	98
P2436NS	2C	19	392.50	98
PBA-1BH	2P	68	25.50	77
PBA-2BH	2P	68	32.50	77
PBA-CHD	2P	68	31.50	77
PBA-GPC	2P	68	81.00	76
PBA-GSD	2P	68	58.00	77
PBA-GSDK3	2P	68	65.00	77
PBA-MS	2P	68	59.00	77
PBA-MSK3	2P	68	66.00	77
PBA-PFH	2P	68	27.00	77
PCC2X3	3A	41	1,229.00	77
PCD11	3G	47	920.50	175
PCD11A	3G	47	1,293.00	175
PCD12</				

Part Number	Sales Class	AQ Cat	List Price	Page #
PGHK6K3	2P	32	13.50	77
PH1239C	2G	23	43.00	57
PH14NC	2B	18	25.00	47, 52
PH14NS	2C	19	64.50	47, 52
PH18NC	2B	18	28.50	47, 52
PH18NS	2C	19	74.00	47, 52
PH21NC	2B	18	29.50	47, 52
PH21NS	2C	19	81.00	47, 52
PH24NC	2B	18	29.50	47, 52
PH24NS	2C	19	88.00	47, 52
PH30NC	2B	18	36.50	47, 52
PH36NC	2B	18	43.00	47, 52
PR1824NK3	2T	34	85.00	34
PR1830NK3	2T	34	89.00	34
PR1836NK3	2T	34	89.00	34, 101
PR1842NK3	2T	34	107.00	34
PR1848NK3	2T	34	107.00	34, 101
PR1854NK3	2T	34	127.50	34
PR1860NK3	2T	34	127.50	34
PR1872NK3	2T	34	145.00	34
PR2124NK3	2T	34	97.00	34
PR2130NK3	2T	34	100.00	34
PR2136NK3	2T	34	100.00	34
PR2142NK3	2T	34	117.50	34
PR2148NK3	2T	34	117.50	34
PR2154NK3	2T	34	137.50	34
PR2160NK3	2T	34	137.50	34
PR2172NK3	2T	34	168.00	34
PR2424NK3	2T	34	106.00	34
PR2430NK3	2T	34	108.00	34
PR2436NK3	2T	34	108.00	34, 101
PR2442NK3	2T	34	132.00	34
PR2448NK3	2T	34	132.00	34, 101
PR2454NK3	2T	34	156.50	34
PR2460NK3	2T	34	156.50	34, 101
PR2472NK3	2T	34	183.00	34
PR48ES	2K	27	1,792.00	177
PR48VX3	3A	41	1,899.50	28, 177
PR48X3	3A	41	1,617.50	28, 177
PR60ES	2K	27	2,084.00	177
PT1C-5M	2G	23	514.00	57
PT1C-5MP	2G	23	608.00	57
PT2C-5M	2G	23	682.50	57
PT2C-5MP	2G	23	793.50	57
PT3C-5M	2G	23	871.00	57
PT3C-5MP	2G	23	949.00	57
Q04LH	3C	43	4.60	25
Q04LHC	3C	43	4.10	25
Q2124SM	3C	43	33.00	15
Q2130SM	3C	43	34.00	15
Q2136SM	3C	43	35.50	15
Q2142SM	3C	43	39.50	15
Q2148SM	3C	43	39.50	15
Q2154SM	3C	43	47.50	15
Q2160SM	3C	43	47.50	15
Q2172SM	3C	43	57.00	15
Q24LH	3C	43	10.50	25
Q24LHC	3C	43	6.50	25
Q30LH	3C	43	10.50	25
Q30LHC	3C	43	7.00	25
Q336BG3	3B	42	640.00	25
Q336EG3	3B	42	713.50	18
Q356BG3	3B	42	694.00	18
Q356EG3	3B	42	764.00	18
Q366BG3	3B	42	776.00	18
Q366EG3	3B	42	846.00	18
Q36LH	3C	43	11.80	25
Q36LHC	3C	43	7.30	25
Q42LH	3C	43	17.00	25
Q42LHC	3C	43	9.60	25
Q436BG3	3B	42	666.00	18
Q436EG3	3B	42	736.00	18
Q456BG3	3B	42	736.00	18
Q456EG3	3B	42	806.00	18
Q466BG3	3B	42	816.00	18
Q466EG3	3B	42	886.00	18
Q48LH	3C	43	17.00	25
Q48LHC	3C	43	9.60	25
Q536BG3	3B	42	704.00	18

Part Number	Sales Class	AQ Cat	List Price	Page #
Q536EG3	3B	42	778.00	18
Q54LH	3C	43	19.50	25
Q54LHC	3C	43	11.80	25
Q556BG3	3B	42	794.00	18
Q556EG3	3B	42	864.00	18
Q566BG3	3B	42	892.00	18
Q566EG3	3B	42	962.00	18
Q60LH	3C	43	19.50	25
Q60LHC	3C	43	11.80	25
Q72LH	3C	43	22.00	25
Q9995Z	3C	43	5.10	21
R52C	2B	18	9.50	55
R52FC	2K	27	10.00	66
R52S	2C	19	30.00	55
R60FC	2K	27	11.20	66
R61C	2B	18	10.60	55
R61S	2C	19	32.50	55
R72C	2B	18	11.70	55
R72FC	2K	27	12.30	66
R72S	2C	19	38.50	55
R84C	2B	18	13.70	55
R84FC	2K	27	13.90	66
R84S	2C	19	41.00	55
R86C	2B	18	14.10	55
RD13N	4E	65	845.00	162
RD13NA120	4E	65	935.50	162
RD13NA33	4E	65	1,133.50	162
RD13NA33A120	4E	65	1,224.00	162
RD13NA37	4E	65	1,008.00	162
RD13NA37A120	4E	65	1,098.50	162
RD15N	4E	65	945.00	162
RD15NA120	4E	65	1,035.50	162
RD15NA33	4E	65	1,233.50	162
RD15NA33A120	4E	65	1,324.00	162
RD15NA37	4E	65	1,108.00	162
RD15NA37A120	4E	65	1,198.50	162
RD23N	4E	65	775.00	162
RD23NA120	4E	65	865.50	162
RD23NA33	4E	65	1,063.50	162
RD23NA33A120	4E	65	1,154.00	162
RD23NA37	4E	65	938.00	162
RD23NA37A120	4E	65	1,028.50	162
RD27N	4E	65	1,339.50	164
RD27NA120	4E	65	1,430.00	164
RD27NA33	4E	65	1,628.00	164
RD27NA33A120	4E	65	1,718.50	164
RD27NA37	4E	65	1,502.50	164
RD27NA37A120	4E	65	1,593.00	164
RD33N	4E	65	818.50	162
RD33NA120	4E	65	909.00	162
RD33NA33	4E	65	1,107.00	162
RD33NA33A120	4E	65	1,197.50	162
RD33NA37	4E	65	981.50	162
RD33NA37A120	4E	65	1,072.00	162
RD3N	4E	65	818.50	162
RD3NA120	4E	65	909.00	162
RD3NA33	4E	65	1,107.00	162
RD3NA33A120	4E	65	1,197.50	162
RD3NA37	4E	65	981.50	162
RD3NA37A120	4E	65	1,072.00	162
RD78N	4E	65	1,451.50	164
RD78NA120	4E	65	1,542.00	164
RD78NA33	4E	65	1,740.00	164
RD78NA33A120	4E	65	1,830.50	164
RD78NA37	4E	65	1,911.00	164
RD78NA37A120	4E	65	1,614.50	164
RD78NA37A71	4E	65	1,785.50	164
RE1	2M	29	365.50	161
RE1P	2M	29	433.50	161
RE3	2M	29	333.50	161
RE3P	2M	29	403.50	161
RF13N	4E	65	881.50	163
RF13NA33	4E	65	1,170.00	163
RF13NA37	4E	65	1,044.50	163
RF23N	4E	65	790.50	163
RF23NA33	4E	65	1,079.00	163
RF23NA37	4E	65	953.50	163
RF3N	4E	65	847.00	163
RF3NA33	4E	65	1,135.50	163

Part Number	Sales Class	AQ Cat	List Price	Page #
RF3NA37	4E	65	1,010.00	163
RF78N	4E	65	1,430.00	163
RF78NA120	4E	65	1,520.50	163
RF78NA33	4E	65	1,718.50	163
RF78NA33A71	4E	65	1,809.00	163
RF78NA37	4E	65	1,593.00	163
RPBC4M-4	3H	80	74.50	83
RS1	2M	29	365.50	161
RS3	2M	29	333.50	161
RT115N	4E	65	605.00	163
RT134N	4E	65	653.50	163
RT183N	4E	65	653.50	163
RT3318N	4E	65	653.50	162
RT3511N	4E	65	615.00	162
S1C	2G	23	42.00	
S3C	2G	23	23.00	
S4C	2G	23	32.50	
SA18EC	2B	18	57.00	94
SA21EC	2B	18	58.00	94
SA24EC	2B	18	59.00	94
SA30BC	2B	18	62.00	94
SA36BC	2B	18	65.00	94
SA39BEC	2B	18	67.50	94
SA42BC	2B	18	70.50	94
SA45BEC	2B	18	69.50	94
SA48BC	2B	18	70.50	94
SA48BEC	2B	18	70.50	94
SA48TTIS	5B	81	2,867.50	94
SA48TTTS	5B	81	1,478.50	94
SA54BC	2B	18	79.00	94
SA54TTIS	5B	81	2,867.50	94
SA54TTTS	5B	81	1,508.50	94
SA60BC	2B	18	79.00	94
SA60TTIS	5B	81	2,895.50	94
SA60TTTS	5B	81	1,537.00	94
SAFP	2B	18	50.00	94
SAFP-2	2B	18	50.00	94
SAKITA2	1F	15	7.50	44
SAPC	2B	18	17.50	94
SAQHD25BP-1	2A	17	232.00	104
SAQHD25BP-2	2B	18	197.00	104
SAQHD25BP-4	2B	18	203.00	104
SAQHD50BP-1	2A	17	366.00	104
SAQHD50BP-2	2B	18	310.00	104
SAQHD50BP-4	2B	18	315.50	104
SASE525BP-1	2B	18	203.00	104
SASE525BP-2	2B	18	173.50	104
SASE525BP-4	2B	18	179.00	104
SASE508BP-1	2B	18	333.00	104
SASE508BP-2	2B	18	285.50	104
SASE508BP-4	2B	18	292.00	104
SB90443BAS	5F	85	6.50	189
SB90443CAS	5F	85	6.50	189
SB90443NAT	5F	85	4.50	189
SB90743BAS	5F	85	7.50	189
SB90743CAS	5F	85	7.50	189
SB90743NAT	5F	85	5.00	189
SB90835BAS	5F	85	9.50	189
SB90835CAS	5F	85	9.50	189
SB90835NAT	5F	85	5.50	189
SB91055BAS	5F	85	18.50	189
SB91055CAS	5F	85		

Part Number	Sales Class	AQ Cat	List Price	Page #
SEC33S-SD	2I	25	2,773.00	101
SEC35C	2I	25	1,340.50	100
SEC35CQ	2I	25	1,379.50	102
SEC35EC	2I	25	1,547.50	100
SEC35EQ	2I	25	1,599.00	102
SEC35EK3	2I	25	1,825.00	100
SEC35K3	2I	25	1,610.00	100
SEC35S	2I	25	3,371.50	100
SEC35S-SD	2I	25	3,371.50	101
SEC53C	2I	25	1,106.50	100
SEC53CQ	2I	25	1,149.00	102
SEC53DC	2I	25	1,301.50	100
SEC53DCQ	2I	25	1,342.00	102
SEC53DK3	2I	25	1,529.50	100
SEC53EC	2I	25	1,313.50	100
SEC53EQ	2I	25	1,354.00	102
SEC53EK3	2I	25	1,541.50	100
SEC53K3	2I	25	1,330.50	100
SEC53LC	2I	25	1,559.00	100
SEC53LCQ	2I	25	1,686.00	102
SEC53LK3	2I	25	1,778.50	100
SEC53S	2I	25	2,876.00	100
SEC53S-HD	2I	25	2,876.00	101
SEC53S-SD	2I	25	2,876.00	101
SEC53VK3	2I	25	1,644.50	100
SEC55C	2I	25	1,377.00	100
SEC55CQ	2I	25	1,415.00	102
SEC55DC	2I	25	1,572.00	100
SEC55DCQ	2I	25	1,623.50	102
SEC55DK3	2I	25	1,856.50	100
SEC55EC	2I	25	1,591.00	100
SEC55EQ	2I	25	1,636.50	102
SEC55EK3	2I	25	1,868.50	100
SEC55K3	2I	25	1,654.50	100
SEC55LC	2I	25	1,842.50	100
SEC55LCQ	2I	25	1,981.00	102
SEC55LK3	2I	25	2,119.00	100
SEC55S	2I	25	3,504.50	100
SEC55S-HD	2I	25	3,504.50	101
SEC55S-SD	2I	25	3,504.50	101
SEC55VK3	2I	25	1,971.50	100
SEC56C	2I	25	1,493.50	100
SEC56CQ	2I	25	1,535.50	102
SEC56DC	2I	25	1,688.50	100
SEC56DCQ	2I	25	1,739.00	102
SEC56DK3	2I	25	1,996.50	100
SEC56EC	2I	25	1,701.50	100
SEC56ECQ	2I	25	1,751.00	102
SEC56EK3	2I	25	2,008.50	100
SEC56K3	2I	25	1,796.50	100
SEC56LC	2I	25	1,977.50	102
SEC56LCQ	2I	25	2,096.00	102
SEC56LK3	2I	25	2,281.50	100
SEC56S	2I	25	3,627.00	100
SEC56S-HD	2I	25	3,627.00	101
SEC56S-SD	2I	25	3,627.00	101
SEC56VK3	2I	25	2,111.50	100
SEC63C	2I	25	1,385.00	100
SEC63EC	2I	25	1,643.50	100
SEC63S	2I	25	3,594.00	100
SEC63S-SD	2I	25	3,594.00	101
SEC65C	2I	25	1,721.50	100
SEC65EC	2I	25	1,980.00	100
SEC65S	2I	25	4,379.00	100
SEC65S-SD	2I	25	4,379.00	101
SEC66C	2I	25	1,867.00	100
SEC66EC	2I	25	2,128.00	100
SEC66S	2I	25	4,533.50	100
SEC66S-SD	2I	25	4,533.50	101
SECM2430NC	2I	25	358.00	101
SECM2430NS	2I	25	761.00	101
SECM2448NC	2I	25	411.50	101
SECM2460NC	2I	25	445.50	101
SF31N3C	2B	18	62.00	55
SF32N3C	2B	18	63.00	55
SF33N3C	2B	18	63.00	55
SF33N4S	2R	33	280.50	55
SF34N3C	2B	18	66.00	55
SF35N3C	2B	18	66.00	55

Part Number	Sales Class	AQ Cat	List Price	Page #
SF35N4S	2R	33	297.00	55
SF36N3C	2B	18	75.50	55
SF36N4S	2R	33	335.50	55
SF37N3C	2B	18	83.50	55
SF41N3C	2B	18	64.00	55
SF42N3C	2B	18	66.00	55
SF43N3C	2B	18	66.00	55
SF44N3C	2B	18	69.50	55
SF45N3C	2B	18	69.50	55
SF46N3C	2B	18	82.50	55
SF47N3C	2B	18	108.00	55
SF51N3C	2B	18	64.00	55
SF52N3C	2B	18	67.50	55
SF53N3C	2B	18	67.50	55
SF54N3C	2B	18	70.50	55
SF55N3C	2B	18	70.50	55
SF56N3C	2B	18	83.50	55
SF57N3C	2B	18	108.00	55
SLT2436NC	2G	23	120.00	47, 185
SLT2448NC	2G	23	141.00	47, 185
SLT2460NC	2G	23	151.50	47, 185
SR24BR	2P	32	45.00	77
SR24K3	2P	32	64.00	77
SS2NC	2G	23	113.00	57
SS3NC	2G	23	107.00	57
SS4NC	2G	23	110.00	57
SSD16	3G	47	975.50	176
SSDV16	3G	47	76.00	176
STP3BR	2P	32	26.00	77
SW21C	2B	18	141.00	79
SW23C	2B	18	250.00	79
SW25C	2B	18	323.00	79
SW26C	2B	18	396.00	79
SW31C	2B	18	145.00	79
SW33C	2B	18	258.00	79
SW35C	2B	18	335.00	79
SW36C	2B	18	412.00	79
SW40BR	2P	32	46.50	79
SW40K3	2P	32	51.50	79
SW41C	2B	18	145.00	79
SW43C	2B	18	258.00	79
SW45C	2B	18	335.00	79
SW46C	2B	18	412.00	79
SW51C	2B	18	147.00	79
SW53C	2B	18	262.00	79
SW55C	2B	18	341.00	79
SW56BR	2P	32	52.00	76
SW56C	2B	18	420.00	76
SW56K3	2P	32	57.00	76
SW72BR	2P	32	58.50	76
SW72K3	2P	32	64.00	76
SWA1	2P	32	191.00	75
SWA2	2P	32	247.50	75
SWD14BR	2P	32	57.50	76
SWD14K3	2P	32	68.50	76
SWD18BR	2P	32	59.50	76
SWD18K3	2P	32	70.00	76
SWD21BR	2P	32	59.50	76
SWD21K3	2P	32	70.00	76
SWD24BR	2P	32	60.50	76
SWD24K3	2P	32	73.50	76
SWG61	2P	32	32.00	76
SWG62	2P	32	32.00	76
SWHPS2448	5I	88	1,148.00	185
SWHPS2460	5I	88	1,252.00	185
SWHPS3048	5I	88	1,349.50	185
SWHPS3060	5I	88	1,476.00	185
SWK36-1	2P	32	406.00	75
SWK36-2	2P	32	311.00	75
SWS14BR	2P	32	39.00	76
SWS14K3	2P	32	46.00	76
SWS18BR	2P	32	41.00	76
SWS18K3	2P	32	47.50	76
SWS21BR	2P	32	41.00	76
SWS21K3	2P	32	47.50	76
SWS24BR	2P	32	42.50	76
SWS24K3	2P	32	51.00	76
SWU15BR	2P	32	46.50	76
SWU15K3	2P	32	55.50	76

Part Number	Sales Class	AQ Cat	List Price	Page #
SWU30BR	2P	32	54.50	76
SWU30K3	2P	32	65.00	76
SWU45BR	2P	32	66.00	76
T24C	2E	21	21.50	189
TB91035BAS	5F	85	17.50	189
TB91035CAS	5F	85	17.50	189
TB91035NAT	5F	85	11.00	189
TB91060BAS	5F	85	25.00	189
TB91060CAS	5F	85	25.00	189
TB91060NAT	5F	85	12.50	189
TB92035BAS	5F	85	27.00	189
TB92035CAS	5F	85	27.00	189
TB92035NAT	5F	85	16.00	189
TB92035NAT-LX	5I	88	19.50	181
TB92060CAS	5F	85	34.00	189
TB92060NAT	5F	85	18.50	189
TB92060NAT-LX	5I	88	22.00	181
TB92080BAS	5F	85	41.50	189
TB92080CAS	5F	85	41.50	189
TB92080NAT	5F	85	24.00	189
TB93030BAS	5F	85	55.50	189
TB93030CAS	5F	85	55.50	189
TB93030NAT	5F	85	21.00	189
TB93050BAS	5F	85	64.00	189
TB93050CAS	5F	85	64.00	189
TB93050NAT	5F	85	26.00	189
TB93060BAS	5F	85	66.50	189
TB93060CAS	5F	85	66.50	189
TB93060NAT	5F	85	27.00	189
TBA48	4I	69	458.00	52
T909B	4A	61	3,052.00	159
T909S	4A	61	3,324.00	159
T909SB	4A	61	2,814.00	159
T909SB	4A	61	3,070.00	159
TDR48K3	2P	32	189.00	77
TF2460C	2F	22	229.00	77
TTA18C	5B	81	354.00	94
TTA18K3	5B	81	366.00	94
TTA18S	5B	81	551.50	94
TTA21C	5B	81	362.50	94
TTA21K3	5B	81	374.50	94
TTA21S	5B	81	561.50	94
TTA24C	5B	81	371.00	94
TTA24K3	5B	81	383.00	94
TTA24S	5B	81	572.00	94
TTB48STRUT	5B	81	175.00	94
TTB54STRUT	5B	81	191.00	94
TTB60STRUT	5B	81	210.00	94
TTE18C	5B	81	591.50	92
TTE18K3	5B	81	623.00	92
TTE18S	5B	81	994.00	92
TTE21C	5B	81	604.00	92
TTE21K3	5B	81	634.00	92
TTE21S	5B	81	1,006.50	92
TTE24C	5B	81	616.00	92
TTE24K3	5B	81	645.00	92
TTE24S	5B	81	1,020.00	92
TTM18C	5B	81	384.00	92
TTM18K3	5B	81	654.50	92
TTM18S	5B	81	841.00	92
TTM21C	5B	81	395.50	92
TTM21K3	5B	81	658.50	92
TTM21S				

Part Number	Sales Class	AQ Cat	List Price	Page #
TTS13NA	5B	81	990.00	92, 93, 95
TTS14NA	5B	81	1,049.00	92, 93, 95
TTS15NA	5B	81	1,271.50	92, 93, 95
TTS16NA	5B	81	1,331.00	92, 93, 95
TTS17NA	5B	81	1,395.00	92, 93, 95
TTS18NA	5B	81	1,454.50	92, 93, 95
TTS19NA	5B	81	1,511.50	92, 93, 95
TTS2.5NA	5B	81	383.50	92, 93, 95
TTS20NA	5B	81	1,572.00	92, 93, 95
TTS21NA	5B	81	1,629.50	92, 93, 95
TTS6NA	5B	81	411.00	92, 93, 95
TTS7NA	5B	81	467.00	92, 93, 95
TTS8NA	5B	81	689.50	92, 93, 95
TTS9NA	5B	81	748.00	92, 93, 95
TTSTP	5B	81	37.00	96
TTWM	5B	81	118.50	96
UB1	3H	48	35.50	82, 83
US18FA	2K	27	52.00	66
US18NA	2G	23	49.00	57
US21FA	2K	27	55.50	66
US21NA	2G	23	54.00	57
US24FA	2K	27	58.50	66
US24NA	2G	23	56.50	57
VS4N	4A	61	97.00	
W1436NC	2N	30	97.50	191
W1448NC	2N	30	110.00	191
W90	4A	61	551.00	
WB237C	2N	30	1,490.00	190
WB238C	2N	30	1,659.00	190
WB257C	2N	30	1,722.00	190
WB258C	2N	30	2,045.00	190
WC237C	2N	30	1,449.00	190
WC238C	2N	30	1,731.00	190
WC257C	2N	30	1,600.00	190
WC258C	2N	30	1,915.50	190
WF116NW	2E	21	29.00	
WG1830K3	2P	32	51.00	76
WG1836BR	2P	32	37.50	76
WG1836K3	2P	32	54.00	76

Part Number	Sales Class	AQ Cat	List Price	Page #
WG1848BR	2P	32	47.00	76
WG1848K3	2P	32	67.50	76
WG1860BR	2P	32	58.00	76
WG1860K3	2P	32	84.50	76
WG2436K3	2P	32	93.50	76
WG2448K3	2P	32	117.00	76
WG3036K3	2P	32	93.50	76
WG3048K3	2P	32	117.00	76
WGBRKT	2P	32	20.00	76
WT305FS	4G	67	1,365.00	168
WT305US	4G	67	1,117.50	168
WT306FC	4G	67	1,015.50	168
WT306FS	4G	67	1,459.50	168
WT306HS	4G	67	1,208.50	168
WT306US	4G	67	1,208.50	168
WT307FC	4G	67	1,161.00	168
WT307FS	4G	67	1,577.50	168
WT307HS	4G	67	1,317.00	168
WT307US	4G	67	1,317.00	168
WT309FC	4G	67	1,391.00	168
WT309FS	4G	67	1,925.50	168
WT309HS	4G	67	1,571.00	168
WT309US	4G	67	1,571.00	168
WT366FC	4G	67	1,327.00	168
WT366FS	4G	67	1,676.00	168
WT366HS	4G	67	1,410.50	168
WT366US	4G	67	1,410.50	168
WT367FC	4G	67	1,493.50	168
WT367FS	4G	67	1,798.00	168
WT367HS	4G	67	1,527.00	168
WT367US	4G	67	1,527.00	168
WT369FC	4G	67	1,689.00	168
WT369FS	4G	67	2,165.50	168
WT369HS	4G	67	1,790.50	168
WT369US	4G	67	1,790.50	168
WT446FC	4G	67	1,466.00	168
WT446FS	4G	67	1,820.50	168
WT446HS	4G	67	1,557.50	168
WT446US	4G	67	1,557.50	168

Part Number	Sales Class	AQ Cat	List Price	Page #
WT447FC	4G	67	1,637.00	168
WT447FS	4G	67	1,943.00	168
WT447HS	4G	67	1,670.00	168
WT447US	4G	67	1,670.00	168
WT449FC	4G	67	1,842.50	168
WT449FS	4G	67	2,308.00	168
WT449HS	4G	67	1,937.00	168
WT449US	4G	67	1,937.00	168
WTC306FC	4G	67	1,124.00	169
WTC306FS	4G	67	1,641.00	169
WTC306US	4G	67	1,394.50	169
WTC307FC	4G	67	1,272.00	169
WTC307FS	4G	67	1,760.50	169
WTC307US	4G	67	1,502.50	169
WTC309FC	4G	67	1,497.00	169
WTC309FS	4G	67	2,112.50	169
WTC309US	4G	67	1,748.50	169
WTD21C	4G	67	106.50	170
WTD51S	4G	67	702.50	170
X336BGX3	3A	41	828.00	18
X336EFX3	3A	41	966.00	18
X336EGX3	3A	41	898.00	18
X356BGX3	3A	41	934.00	18
X356EFX3	3A	41	1,086.00	18
X356EGX3	3A	41	1,004.00	18
X366BGX3	3A	41	1,054.00	18
X366EFX3	3A	41	1,222.00	18
X366EGX3	3A	41	1,124.00	18
X536BGX3	3A	41	940.00	18
X536EFX3	3A	41	1,094.00	18
X536EGX3	3A	41	1,010.00	18
X556BGX3	3A	41	1,080.00	18
X556EFX3	3A	41	1,252.00	18
X556EGX3	3A	41	1,150.00	18
X566BGX3	3A	41	1,222.00	18
X566EFX3	3A	41	1,412.00	18
X566EGX3	3A	41	1,292.00	18

Metro Sales Class Code and AutoQuotes Category Table

Metro	AQ	Super Adjustable 2	Metro	AQ	Wire Storage/Transport	Metro	AQ	Polymer Storage/Transport	Metro	AQ	Fabricated Products	Metro	AQ	Other
1A	10	SA NC Shelves	2A	17	SES NW3 Post, Shelves & Accessories	3A	41	MetroMax i Post, Shelves & Accessories	4A	61	C5 3 & 1 Series, TC90, C190 Cabinets	5A	80	Casters
1B	11	SABR Shelves	2B	18	SES NC/BR Posts, Shelves & Accessories	3B	42	MetroMax Q Post, Shelves & Accessories	4B	62	MBQ Banquet Cabinets	5B	81	Top-Track
1C	12	SA NK3 Shelves	2C	19	SES SS Posts, Shelves & Accessories	3C	43	Max IQ accessories (Shared)	4C			5C	82	Cart covers
1D	13	SA SS Shelves	2D	20	SES Designer Posts, Shelves & Accessories	3D	44	Polymer Trux	4D			5D	83	Metro Totes/Bins (HC)
1E	14	SA Designer	2E	21	Retail Display	3E	45	Ware Handling	4E	65	RD/RT/RF Racks	5E	84	
1F	15	SA Specialty	2F	22	SES HD Posts, Shelves & Accessories	3F	46	Polymer Dunnage	4F			5F	85	Metro Totes (CP)
1G			2G	23	SES Specialty	3G	47	PCDS	4G	67	Worktables	5G	86	Custom
1H			2H	24	qwickSLOT Posts, Shelves & Accessories	3H	48	BC Carts	4H	68	Workbench	5H		
1I			2I	25	SES Security	3I	49	Flex Mini Bar Cart	4I	69	Dollies	5I	88	Logdix
1J			2J	26	Regular Erecta	3J			4J	70	Closed Aluminum Linen Carts	5J		
1K			2K	27	SES Solid Shelves & Accessories	3K	51	Casters (MetroMax) & MMQ only	4K			5K		
1L			2L	28	Metal Dunnage	3L	52	Ice Carts	4L	72	Clean Rooms	5L		
1M			2M	29	REERS Racks	3M			4M	73		5M		
1N			2N	30	Wine Units	3N			4N	74		5N	93	quikTRAK
1O			2O	31	Utility Carts, Wire	3O			4O			5O		
1P			2P	32	SmartMall G3	3P			4P	76	C5 9, 8, 6 & Pizza Series Cabinets	5P		
			2R	33	Clean Room (wire only)									
			2T	34	Super Erecta Pro Shelving									

Standard Terms and Conditions of Sale

These Terms and Conditions, the attendant quotation or acknowledgment and all documents incorporated by specific reference therein, will be the complete and exclusive statement of the terms of the agreement governing the sale of goods ("Goods") by InterMetro Industries Corporation and its divisions ("Seller") to Customer ("Buyer"). Buyer's acceptance of the goods will manifest buyer's assent to these terms and conditions. If these terms and conditions differ in any way from the terms and conditions of buyer's order, or other documentation, this document will be construed as a counteroffer and will not be deemed an acceptance of buyer's terms and conditions which conflict herewith.

1. Prices:

Unless otherwise specified in writing by Seller, Seller's price for the goods shall remain in effect for thirty (30) days after the date of Seller's quotation or acknowledgment of Buyer's order for the Goods, whichever occurs first, provided an unconditional, complete authorization for the immediate shipment of the Goods is received and accepted by Seller within such time period. If such authorization is not received by Seller within such thirty (30) day period, Seller shall have the right to change the price for the Goods to Seller's price for the Goods at the time of shipment.

2. Taxes:

Any tax or governmental charge or increase in same hereafter becoming effective increasing the cost to Seller of producing, selling or delivering the Goods or of procuring material used therein, and any tax now in effect or increase in same payable by the Seller because of the manufacture, sale or delivery of the Goods, may at Seller's option, be added to the price.

3. Terms and Payment:

Subject to the approval of Seller's Credit Department, terms are 1% ten (10) days net thirty (30) days from date of Seller's invoice in U.S. currency. Freight and handling charges are not subject to discount. If any payment owed to Seller is not paid when due, it shall bear interest at a rate to be determined by Seller, which shall not exceed the maximum rate permitted by law, from the date on which it is due until it is paid. Seller shall have the right among other remedies, either to terminate the Agreement or to suspend further performance under this and/or other agreements with Buyer in the event Buyer fails to make any payment when due. Buyer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.

Minimum Order:

Orders under \$250.00 net, routed prepaid via small package carriers (UPS and FedEx), will be charged \$39.00 freight and handling. Orders under \$250.00 net, routed air freight, LTL, third party, or collect, will be charged a handling fee of \$29.00 plus actual freight costs when applicable. (All amounts in U.S. currency.)

Returns:

Written approval is required from the factory to return merchandise. All merchandise must be returned within 45 days from the invoice date and be returned in original, unopened, and resalable packaging.

1. Minimum return value — \$200.00 net.
2. Restocking charge — 15% (\$50.00 minimum).

3. Exceptions — Special orders of cut posts, made to order dollies, cart covers, Designer Color product, Starsys, and custom are not returnable. (All amounts in U.S. currency.)

4. Shipment and Delivery:

Shipments are made FOB Seller's shipping point. We reserve the right to split orders based on the FOB Shipping Point. Order consolidation is available for an additional charge. Contact customer service for more information. Any claims for shortages or damages suffered in transit shall be submitted by the Buyer directly to the carrier. While Seller will use all reasonable commercial efforts to maintain the delivery date acknowledged or quoted by Seller, all shipping dates are approximate. Seller reserves the right to make partial shipments and to segregate "specials" and made-to-order Goods from normal stock Goods. Seller shall not be bound to tender delivery of any Goods for which Buyer has not provided shipping instructions.

5. Limited Warranty:

Subject to the limitations of Section 1, Seller warrants that the Goods will be free from defects in material and workmanship under normal use, service and maintenance for a period of one year (unless otherwise specified by Seller in writing) from the date of shipment of the Goods by Seller. THIS IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY SELLER WITH RESPECT TO THE GOODS AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHETHER OR NOT THE PURPOSE OR USE HAS BEEN DISCLOSED TO SELLER IN SPECIFICATIONS, DRAWINGS OR OTHERWISE, AND WHETHER OR NOT SELLER'S PRODUCTS ARE SPECIFICALLY DESIGNED AND/OR MANUFACTURED BY SELLER FOR BUYER'S USE OR PURPOSE.

This warranty does not extend to any losses or damages due to misuse, accident, abuse, neglect, normal wear and tear, unauthorized modification or alteration, use beyond rated capacity, or improper installation, maintenance or application. To the extent that Buyer or its agents has supplied specifications, information, representation of operating conditions or other data to Seller in the selection or design of the Goods and the preparation of Seller's quotation, and in the event that actual operating conditions or other conditions differ from those represented by Buyer, such warranties or other provisions contained herein which are affected by such conditions shall be null and void. If within thirty (30) days after Buyer's discovery of any warranty defects within the warranty period, Buyer notifies Seller thereof in writing, Seller shall, at its option, repair or replace F.O.B. point of manufacture, or refund the purchase price for, that portion of the goods found by Seller to be defective. Failure by Buyer to give such written notice within the applicable time period shall be deemed an absolute and unconditional waiver of Buyer's claim for such defects. Goods

repaired or replaced during the warranty period shall be covered by the foregoing warranty for the remainder of the original warranty period or ninety (90) days, whichever is longer. Buyer assumes all other responsibility for any loss, damage, or injury to persons or property arising out of, connected with, or resulting from the use of Goods, either alone or in combination with other products/components.

- (a) **Notification and Warranty Procedure.** If, in Customer's estimation, the Product is defective, Customer shall promptly notify Seller in writing of the nature of the defect, or shall notify Seller of the nature of the defect through Seller's Customer Service offices via telephone at 800.992.1776 or as specified at www.metro.com. If Seller determines the Product is covered under the warranties provided in this Sections 5 and 6, Seller will promptly provide a return authorization number and communicate shipping instructions to Customer. Products will be returned to Seller at Customer's expense. Collect shipments will not be accepted. Upon receipt, the Product will be examined and repaired without charge, provided such examination discloses, in Seller's reasonable judgment, that it is in fact defective. Should examination reveal that the Product is not defective, Seller will notify Customer and request shipping instructions. In this event, Seller will be due all shipping expenses it has incurred, as well as a reasonable charge for the examination. In the event that the examination reveals that the Product is defective, but for any reason is not covered under the warranties provided in Sections 5 and 6, Seller will prepare a failure analysis report and a quotation of the cost to repair, and communicate this information to Customer. Customer may then either authorize repair of the Product or direct that the defective Product be returned to Customer. In the latter event, Seller will be due all shipping charges incurred, as well as a reasonable charge for the examination of the Product and the preparation of the failure analysis report. Seller may, at its option, elect to correct any warranty defects by sending its supervisory or technical representatives, at Seller's expense, to Customer's site within the continental United States or Canada to make on-site corrections. The repair of Products damaged in transit to Seller's designated service location will be billed on a T&M basis at Seller's then-current rates. For Product that proves to be defective and covered under the warranties provided in Sections 5 and 6, Seller will repair or replace and ship, via two-day express delivery service. Services provided hereunder on a T&M basis are warranted by Seller under the warranty terms of Sections 5 and 6 for a period of 30 days from the date such Services are provided. For Product that proves to be defective within 30 days from the time of delivery, Seller will ship to Customer at Seller's expense replacement Equipment (Advanced Exchange) upon Customer's request. Seller has the option to repair or replace the defective Equipment with Equipment of equal or similar features.

and/or functionality. Upon Seller's receipt of the Equipment; the Equipment will be examined and repaired without additional charge. Any Equipment received by Seller from Customer will become the property of Seller and any Equipment shipped to Customer by Seller under this provision shall become the property of Customer. Should Seller's examination of returned Equipment disclose, in Seller's reasonable judgment, that it is in fact defective; no further action under the claim will be required of Seller or Customer. Should Seller's examination reveal, in Seller's reasonable judgment, that the Equipment is not defective, or in the event that the examination reveals that the Equipment is defective, but for any reason is not covered under the warranties provided in Sections 5 and 6, Seller will prepare a failure analysis report and a quotation for the cost to repair, or replacement and communicate this information to Customer.

SECTIONS 5 AND 6 APPLY TO ANY ENTITY OR PERSON WHO MAY BUY, ACQUIRE OR USE SELLER'S GOODS, INCLUDING ANY ENTITY OR PERSON WHO BUYS THE GOODS FROM SELLER'S DISTRIBUTOR AND SUCH ENTITY OR PERSON SHALL BE BOUND BY THE LIMITATIONS THEREIN.

(b) For Product that has been installed by Seller or Seller authorized service providers as part of a system for which Seller has acknowledged interoperability responsibility in writing, Seller will provide telephone technical support services in accordance with Seller's standard procedures for 60 days beginning on the Warranty Start Date for such Products. Products sold as add-on equipment to a system are not covered by this technical support warranty.

(c) Batteries and Accessories. All batteries and accessory items, sold by Seller to Customer hereunder receive the Product warranty under Sections 5 and 6 with a Warranty Period of one year from the Warranty Start Date. Battery adjustments will be prorated over a one year period.

(b) Software: Seller has no obligation under the warranties provided in Sections 5 and 6 to correct any Licensed Software programming error(s) that do not significantly adversely affect the use of the Products; however, such programming error corrections shall be made available from time to time to those Customers electing applicable contract maintenance services from the Seller.

6. Limitation of Remedy and Liability:
THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY HEREUNDER (OTHER THAN THE WARRANTY PROVIDED UNDER SECTION 13) SHALL BE LIMITED TO REPAIR, REPLACEMENT OR REFUND OF THE PURCHASE PRICE UNDER SECTION 6. SELLER SHALL NOT BE LIABLE FOR DAMAGES CAUSED BY DELAY IN PERFORMANCE AND IN NO EVENT, REGARDLESS OF THE FORM OF THE CLAIM OR CAUSE OF ACTION (WHETHER BASED IN CONTRACT, INFRINGEMENT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE), SHALL SELLER'S LIABILITY TO BUYER AND/ OR ITS CUSTOMERS EXCEED

THE PRICE TO BUYER OF THE SPECIFIC GOODS PROVIDED BY SELLER GIVING RISE TO THE CLAIM OR CAUSE OF ACTION. BUYER AGREES THAT IN NO EVENT SHALL SELLER'S LIABILITY TO BUYER AND/ OR ITS CUSTOMERS EXTEND TO INCLUDE INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES. THE TERM

"CONSEQUENTIAL DAMAGES" SHALL INCLUDE, BUT NOT BE LIMITED TO, LOSS OF ANTICIPATED PROFITS, LOSS OF USE, LOSS OF REVENUE, COST OF CAPITAL AND DAMAGE OR LOSS OF OTHER PROPERTY OR EQUIPMENT.

It is expressly understood that any technical advice furnished by Seller with respect to the use of the Goods is given without charge, and Seller assumes no obligation or liability for the advice given, or resumes obtained, all such advice being given and accepted at Buyer's risk.

7. Excuse of Performance:

Seller shall not be liable for delays in performance or for non-performance due to acts of God, acts of Buyer, war, riot, fire, flood, power surges, other severe weather, sabotage, or epidemics; strikes or labor disturbances; governmental requests, restrictions, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or any events or causes beyond Seller's reasonable control. Deliveries may be suspended for an appropriate period of time as a result of the foregoing. If Seller determines that its ability to supply the total demand for the Goods is hindered, limited or made impracticable due to causes addressed in this Section 7, Seller may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or such materials) among itself and its purchasers on such basis as Seller determines to be equitable without liability for any failure of performance which may result therefrom. Deliveries suspended or not made by reason of this section may be canceled by Seller upon notice to Buyer without liability, but the balance of the agreement shall otherwise remain unaffected.

8. Cancellation:

The Buyer may cancel orders only upon written notice and upon payment to Seller of cancellation or restocking charges which include, among other things, all costs and expenses incurred and commitments made by the Seller and a reasonable profit thereon. Large requirements of build-to-order products may require a non-cancelable purchase order.

9. Changes:

Buyer may request changes or additions to the Goods consistent with Seller's specifications and criteria. In the event such changes or additions are accepted by Seller, Seller may revise the price and delivery schedule. Seller reserves the right to change designs and specifications for the Goods without prior notice to Buyer, except with respect to Goods being made-to-order for Buyer.

10. Tooling:

Tool, die, and pattern charges, if any, are in addition to the price of the Goods and are due and payable upon completion of the tooling. All such tools, dies and patterns shall be and remain the property of Seller. Charges for tools,

dies, and patterns do not convey to Buyer, title, ownership interests in, or rights to possession or removal, nor prevent their use by Seller for other purchasers, except as otherwise expressly provided by Seller and Buyer in writing with reference to this provision.

11. Assignment:

Buyer shall not assign its rights or delegate its duties hereunder or any interest therein or any rights hereunder without the prior written consent of the Seller, and any such assignment, without such consent, shall be void.

12. Patents and Copyrights:

Subject to Section 7, Seller warrants that the Goods sold, except as are made specifically for Buyer according to Buyer's specifications, do not infringe any valid U.S. patent or copyright in existence as of the date of delivery. This warranty is given upon the condition that Buyer promptly notify Seller of any claim or suit involving Buyer in which such infringement is alleged, and, that Buyer cooperate fully with Seller and permit Seller to control completely the defense or compromise of any such allegation of infringement. Seller's warranty as to use only applies to infringements arising solely out of the inherent operation (1) of such Goods, or (2) of any combination of Goods in a system designed by Seller. In the event such Goods, singularly or in combination, are held to infringe a U.S. patent or copyright in such suit, and the use of such Goods is enjoined, or in the case of a compromise by Seller, Seller shall have the right at its option and expense, to procure for Buyer the right to continue using such Goods, or replace them with non-infringing Goods; or modify same to become non-infringing; or grant Buyer a credit for the depreciated value of such Goods and accept return of them.

13. General Provisions:

These terms and conditions supersede all other communications, negotiations and prior oral or written statements regarding the subject matter of these terms and conditions. No change, modification, rescission, discharge, abandonment or waiver of these terms and conditions shall be binding upon the Seller unless made in writing and signed on its behalf by a duly authorized representative of Seller. No conditions, usage of trade, course of dealing or performance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless hereafter made in writing and signed by the party to be bound, and no modification or additional terms shall be applicable to this agreement by Seller's receipt, acknowledgment, or acceptance of purchase orders, shipping instruction forms, or other documentation containing terms at variance with or in addition to those set forth herein. Any such modifications or additional terms are specifically rejected by Seller. No waiver by either party with respect to any breach or default or of any right or remedy, and no course of dealing, shall be deemed to constitute a continuing waiver of any other breach or default or of any other right or remedy, unless such waiver be expressed in writing and signed by the party to be bound. All typographical or clerical errors made by Seller in any quotation, acknowledgment or publication are subject to correction.

The validity, performance, and all other matters relating to the interpretation and effect of this agreement shall be governed by the law of the state of Pennsylvania. Buyer and Seller agree that the proper venue for all actions arising in connection herewith shall be only in Pennsylvania and the parties agree to submit to such jurisdiction. No action, regardless of form, arising out of transactions relating to this contract, may be brought by either party more than two (2) years after the cause of action has accrued. [The Convention for the International Sales of Goods shall not apply to this agreement.]

Buyer agrees that all applicable import, export control and sanctions laws, regulations, orders and requirements, as they may be amended from time to time, including without limitation those of the United States, the European Union and the jurisdictions in which Seller and Buyer are established or from which items may be supplied, and the requirements of any licenses, authorizations, general licenses or license exceptions relating thereto will apply to its receipt and use of hardware, software, services and technology. Buyer agrees furthermore that it shall not engage in any activity that would expose Seller or any of its affiliates to a risk of penalties under laws and regulations of any relevant jurisdiction prohibiting improper payments, including but not limited to bribes, to officials of any government or of any agency, instrumentality or political subdivision thereof, to political parties or political party officials or candidates for public office, or to any employee of any customer or supplier. Buyer agrees to comply with all appropriate legal, ethical and compliance requirements.

Configured Products*

Terms & Conditions and Order Change/Cancellation Policy

All order change requests must be requested through customer service. Changes/cancellations requested within 7 workdays of the scheduled ship date that will impact order production, will incur, at minimum, a 20% Change/Cancellation Fee, up to the full order value, depending on the percentage of the order completed. Customer service will relay percentage of order completed along with the Change/ Cancellation Fee amount. Prior to Metro accepting the change, a revised purchase order (including associated Fee) is required. Orders for C5 cabinets with an "A" suffix are non-cancellable and non-returnable.

Configured Products Return Policy.

- Configured units, components, countertops, Lionville Fixtures, assembled Open Starsys, Flo and Lionville Point of Care carts and custom items are nonreturnable.
- Med Dispense units, Lionville Med Carts, and accessories are returnable at the discretion of Metro.
 - A Return Merchandise Authorization (RMA) must be obtained through InterMetro's customer service department prior to returning the product.
 - All returns will be coordinated by InterMetro and return freight costs will be charged back.
 - All returns must be in original packaging, unused and in saleable condition.

Starsys Order Change/Cancellation Policy

All order change requests must be requested through customer service. Changes/cancellations requested within 7 workdays of the scheduled ship date that will impact order production, will incur, at minimum, a 20% Change/Cancellation Fee, up to the full order value, depending on the percentage of the order completed. Customer service will relay percentage of order completed along with the Change/Cancellation Fee amount. Prior to Metro accepting the change, a revised purchase order (including associated Fee) is required.

Lead Time:

Orders for Standard Starsys products ship within 4-6 weeks after receipt of Purchase Order and Signed Drawings. Custom Starsys product is acknowledged to order. Shipping: All Starsys Orders ship FOB: Wilkes-Barre, PA — InterMetro Industries utilizes air-ride carriers exclusively when shipping the Starsys product system domestically. In the case of customer arranged freight, the use of air-ride carriers is strongly recommended. InterMetro Industries is not responsible for freight damage incurred on customer arranged transportation.

Starsys Return Policy

- Starsys units, components, countertops, assembled Open Starsys and custom items are nonreturnable.
- Accessories are returnable at the discretion of Metro.
 - A Return Merchandise Authorization (RMA) must be obtained through InterMetro's customer service department prior to returning the product.
 - All returns will be coordinated by InterMetro and return freight costs will be charged back.
 - All returns must be in original packaging, unused and in saleable condition.
 - All returns must be made within 45 days of invoice date.
 - Minimum return value is \$100.00 net.
 - There will be a 20% Restocking Fee (\$25.00 minimum) based on items credited after an inspection is performed on the product at the Wilkes-Barre, PA distribution facility.

*Configured products apply to C5 Heated Cabinets, Lifeline, Flexline, Starsys, MetroBasix Pus, MetroBasix, MetroBasix Compact, Flo and Lionville Point of Care Carts, Lionville Fixtures and Lionville i-Med carts.

*Those Terms and Conditions provided expressly for Starsys products supersede those stated for all other Metro product. Those situations not specifically addressed by Starsys Terms and Conditions are covered by Metro's standard Terms and Conditions of Sale as provided.

***Most Metro Foodservice Products are listed by National Sanitation Foundation. For specific items, please check the latest NSF foodservice listing.



Most Metro Foodservice Products are listed by National Sanitation Foundation. For specific items, please check the latest NSF foodservice listing.

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
Cabinets		Dollies		Pot & Pan	177	Shelving Accessories	
C5.....	110-149	Cup/Glass Rack	176	Slanted Shelf	192	Baskets	27, 57, 58
Delivery/Storage.....	160	Made-To-Order/Truck	50	Tray Drying	28	Bins	60, 189
Heated Banquet	150-159	Poker Chip	174-175			Cart Covers.....	61, 183
						Color Identification Tubes.....	58
Carts		Hangers		Racks, Mobile Pan & Tray			
Basket.....	46	Extension Display.....	58	Adjustable	164	Dividers.....	22, 23, 35, 53, 66, 194
Bussing.....	82-83	Garment Tube	56	End Load.....	161-163	Enclosure Panels	24, 54
Dish & Tray.....	176	Rail	55	Oval Trays	164	Foot Plates	14, 44, 69
Ice	170	Swing	58	Portable Wire Prep	161-162	Glides	44
Linen	188			Roll In	163	Handles	17, 47
Lodgix.....	180-182	High-Density Storage		Side Load	161-162	Hooks.....	56
Mini Bar Restocking	186-187	qwikTRAK	88, 90-91	Wire Bun Pan	161	Joining Clamps.....	44, 66
Slanted Shelf.....	47, 184	Top-Track.....	89, 92-96			Keyboard Tray.....	62
Stem Caster	18, 39, 46			Security Trucks & Units ...99-103		Label Holders.....	25, 35, 59
Utility		Housekeeping				Ledges.....	22, 23, 53
Accessories	48-62, 64-69	Housekeeping Carts	181			Leveling Feet.....	44
BC Series	82	Houserunner Carts	182	Shelving		Post Boot.....	44
Deep Ledge	83	Linen Trucks & Carts	188	APPEAL.....	196-197	Post Clamps.....	14, 44
MetroMax i.....	19, 81	Lodgix Carts	180-182	Cantilever	45, 170	Rods & Tabs	55
MetroMax Q	19, 81	Mini Bar		Convenience Pak	45	Shelf Inlays.....	56
Wire: Heavy Duty	81	Restocking Cart	186-187	Designer	43, 195	Shelf Markers.....	25, 35
Wire: Standard Duty.....	82	Totes & Bins	189	Drop Mat	194	Slides	26, 57, 66
Wine.....	192	Transfer Exchange.....	188	Dunnage	14, 34, 45, 69	Split Sleeves.....	44
		Valet/Special Delivery	183	Erecta	67	Three-Sided Frames.....	55
Caster Guide	49			HD Super	68-69	Tote Boxes	189
		Posts		Hi-Rise	96	Tow Bar Assembly.....	52
Casters		Designer	43, 195				
Antimicrobial.....	48	HD Super	68	Wall Shelving			
HD Super	68	MetroMax i	14	Brackets.....	72-80		
Decorative.....	49	MetroMax Q	15	Erecta Shelf	78		
Plate	51	qwikSLOT.....	193	MetroMax i	78		
Polymer	16, 48	SuperErecta		SmartWall G3	72-77		
Stainless Steel.....	16, 48	Site Select...35, 37, 42, 194, 197		Super Erecta Shelf.....	79-80		
Stem Casters	16, 48						
		Racks		Ware Handling			
Counter Units	65	Beer Keg	190	Poker Chip Dish Dollies	175		
		Can	26	Side-Load Dish & Tray Carts...	176		
Draining Grate.....	176	Drying	28, 177				
		Dunnage	97-98	Work Tables & Accessories.....	168-170		
		Platform	98	Wine.....	190-191		

WE PUT SPACE TO WORK. WORLDWIDE

U.S. CUSTOMER SERVICE

Phone: 1.800.992.1776
 Fax (PA): 1.800.638.9263
 Fax: (CA): 1.800.638.3292

CANADA CUSTOMER SERVICE

Phone: 1.905.676.9890
 Phone: 1.800.992.1776
 Fax: 1.905.676.9262

PRODUCT

INFORMATION/LITERATURE

(U.S. and Canada Only):
 U.S./Canadian Toll-Free
 Phone: 1.800.992.1776

DISTRIBUTION CENTERS

California
 9393 Arrow Highway
 Cucamonga, CA 91730

Pennsylvania
 Thomas & Second Streets
 Wilkes-Barre, PA 18705

Tennessee
 3263 Elam Farms Parkway
 Murfreesboro, TN 37127

Canada
 Metropolitan Wire (Canada) LTD.
 3160 Orlando Drive
 Mississauga, Ontario
 Canada L4V 1R5

InterMetro European
 Distribution Center
 De Riemsdijk 1
 4004 LC Tiel
 The Netherlands

INTERNATIONAL SALES/

CUSTOMER SERVICE OFFICES

Asia/Pacific
 Metro International Corporation
 27 International Business Park,
 Unit #05-02 iQuest @ IBP
 Singapore 609924
 Phone: 65.6567 8003
 Fax: 65.6567 9003

Middle East/Africa

InterMetro Industries Corporation
 P.O. BOX: 17034
 Jebel Ali Free Zone
 Dubai-United Arab Emirates
 Phone: 009714 8118286
 fax: 009714 886 5465

Europe

InterMetro Industries B.V.
 Heerbaan 242
 4817 NL Breda
 Breda
 The Netherlands
 Phone: 00.31.(0).76.587.7550
 Fax: 00.31.(0).76.581.1313

Latin America

Metro International Corporation
 16562 83rd Place North
 Loxahatchee, FL 33470
 Phone: +1.561.333.4893
 Fax: +1.561.792.6351

CORPORATE HEADQUARTERS

651 North Washington Street
 Wilkes-Barre, PA 18705
 Phone: 1.570.825.2741
 Fax: 1.570.825.2852



We put space to work.™

www.metro.com/support
 LO4-029 • Rev. 3/11

Information and specifications are subject to
 change without notice. Please confirm at time of order.

© 2011 InterMetro Industries Corporation, Wilkes-Barre, PA 18705
 The Emerson logo is a trademark and a service mark of Emerson Electric Company.



EMERSON. CONSIDER IT SOLVED.™